Texas School Survey of Drug and Alcohol Use: 2012 State : Grades 4-6

## **Table of Contents**

1. General Substance Tables	Page 5
Tobacco Alcohol Drugs Inhalants Miscellaneous	
2. Prevalence Tables	Page 31
Table B1: All Students Table B2: Male Students Table B3: Female Students Table B4: White Students Table B5: African/American Students Table B6: Mexican/American Students Table B7: Students Reporting A Grades Table B8: Students Reporting Grades Lower Than an A Table B9: Students Living With 2 Parents Table B10: Students Not Living With 2 Parents Table B11: Students Living in Town More Than 3 Years Table B12: Students Living in Town 3 Years or Less	
3. Margin Tables	Page 45

1. General Substance Tables

Table T-1: How recently, if ever, have you used...

	,	Ever Used	School Year	Not Past Year	Never Used
Any tobacco product?					
	All	4.5%	2.5%	2.1%	95.5%
	Grade 4	2.8%	1.7%	1.1%	97.2%
	Grade 5	4.2%	2.0%	2.2%	95.8%
	Grade 6	6.7%	3.8%	2.9%	93.3%
Cigarettes?					
	All	3.7%	2.0%	1.7%	96.3%
	Grade 4	2.2%	1.3%	0.9%	97.8%
	Grade 5	3.2%	1.5%	1.7%	96.8%
	Grade 6	5.7%	3.2%	2.5%	94.3%
Smokeless tobacco?					
	All	1.3%	0.7%	0.6%	98.7%
	Grade 4	1.0%	0.6%	0.4%	99.0%
	Grade 5	1.2%	0.6%	0.6%	98.8%
	Grade 6	1.7%	0.9%	0.8%	98.3%

Table T-2: Average number of times selected tobacco products were used by those who reported use of ..

	School Year	Lifetime
All	3.2	3.0
Grade 4	3.0	3.2
Grade 5	2.7	2.5
Grade 6	3.5	3.2

Table T-3: Average age of first use of tobacco:

Grade 4	Grade 5	Grade 6
	drade 5	- Grade 0
Cigarettes		
8.3	9.1	10.0
Smokeless Tol	оассо	
8.5	9.0	9.7
Any Tobacco		
8.3	9.0	9.8

Table T-4: Age of first use of tobacco by family situation:

		Under					Over
	Never	8	8	9	10	11	11
Two Parent Family							
All	96.5%	0.8%	0.4%	0.6%	0.7%	0.6%	0.5%
Grade 4	97.8%	0.7%	0.4%	0.6%	0.3%	0.0%	0.1%
Grade 5	96.9%	0.9%	0.3%	0.5%	0.8%	0.5%	0.1%
Grade 6	94.6%	0.8%	0.5%	0.6%	1.0%	1.3%	1.2%
Other Family Situation							
All	92.7%	1.9%	1.0%	1.1%	1.4%	1.2%	0.7%
Grade 4	95.4%	2.0%	0.8%	1.2%	0.6%	0.1%	0.0%
Grade 5	93.5%	1.8%	1.1%	1.0%	1.6%	0.7%	0.3%
Grade 6	89.8%	1.8%	1.2%	1.0%	1.9%	2.7%	1.6%

Table T-5: About how many of your close friends use ...

	Never Heard			
	Of	None	Some	Most
Any tobacco product?				
All	3.3%	83.9%	11.6%	1.2%
Grade 4	5.2%	86.7%	7.2%	0.9%
Grade 5	2.9%	86.1%	10.1%	1.0%
Grade 6	1.7%	78.9%	17.7%	1.7%
Cigarettes?				
All	5.5%	83.3%	10.3%	0.9%
Grade 4	8.2%	84.9%	6.2%	0.7%
Grade 5	5.3%	85.0%	8.9%	0.7%
Grade 6	2.9%	80.0%	15.8%	1.4%
Smokeless tobacco?				
All	8.3%	86.8%	4.3%	0.5%
Grade 4	13.7%	83.3%	2.6%	0.4%
Grade 5	7.3%	89.1%	3.2%	0.4%
Grade 6	3.9%	88.1%	7.2%	0.8%

Table T-6: Have you ever been offered ...

	1	Never Heard Of	Yes	No
Any tobacco product?		110414 01		
J	All	4.1%	10.6%	85.2%
	Grade 4	6.0%	7.8%	86.1%
	Grade 5	3.8%	9.5%	86.8%
	Grade 6	2.6%	14.6%	82.8%
Cigarettes?				
_	All	6.2%	9.1%	84.7%
	Grade 4	8.9%	6.6%	84.5%
	Grade 5	6.1%	8.0%	85.9%
	Grade 6	3.6%	12.6%	83.8%
Smokeless tobacco?				
	All	9.1%	4.0%	86.9%
	Grade 4	14.2%	3.0%	82.8%
	Grade 5	8.3%	3.2%	88.5%
	Grade 6	4.9%	5.7%	89.3%

Table T-7: How dangerous do you think it is for kids your age to use ...

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
Any tobacco product?					
All	2.4%	76.3%	16.2%	0.8%	4.3%
Grade 4	4.0%	78.8%	12.3%	0.7%	4.2%
Grade 5	1.9%	78.4%	15.2%	0.4%	4.2%
Grade 6	1.3%	71.7%	21.2%	1.3%	4.6%
Cigarettes?					
All	4.1%	66.8%	22.7%	1.1%	5.3%
Grade 4	6.4%	70.7%	17.1%	0.8%	5.0%
Grade 5	3.9%	68.5%	22.0%	0.5%	5.1%
Grade 6	2.0%	61.3%	29.1%	1.8%	5.7%
Smokeless tobacco?					
All	6.5%	67.4%	18.4%	1.1%	6.7%
Grade 4	11.1%	67.9%	13.6%	1.0%	6.5%
Grade 5	5.4%	69.6%	17.9%	0.7%	6.4%
Grade 6	3.0%	64.5%	23.6%	1.7%	7.1%

Table T-8: How do your parents feel about kids your age smoking cigarettes?

	Don't Like	Don't Care	Think It's OK	Don't know
All	87.0%	1.6%	0.4%	11.1%
Grade 4	86.0%	1.2%	0.4%	12.4%
Grade 5	88.0%	1.3%	0.3%	10.4%
Grade 6	87.0%	2.2%	0.4%	10.4%

Table A-1: How recently, if ever, have you used..

		Ever Used	School Year	Not Past Year	Never Used
Any alcohol product?		OSCU	Tear	Tear	Osca
Tilly dicollor product:	All	17.7%	11.2%	6.6%	82.3%
	Grade 4	12.7%	8.0%	4.7%	87.3%
	Grade 5	16.0%	9.8%	6.2%	84.0%
	Grade 6	24.4%	15.7%	8.8%	75.6%
Beer?	Grade 0	24.470	13.770	0.070	75.070
Deel :	All	11.6%	6.3%	5.3%	88.4%
	Grade 4	8.2%	4.8%	3.5%	91.8%
	Grade 5	10.8%	5.6%	5.1%	89.2%
	Grade 6	15.7%	8.4%	7.3%	84.3%
Wine coolers?	Grade 0	13.770	0.4/0	7.3%	04.3/0
wiffe Coolers:	All	7.1%	4.5%	2.6%	92.9%
	Grade 4	4.2%	2.7%	1.5%	95.8%
	Grade 5	5.7%	3.6%	2.1%	94.3%
	Grade 6	11.4%	7.2%	4.2%	88.6%
Wine?	Grade 6	11.470	1.270	4.270	00.0%
wifie?	A 11	0.00/	<b>7</b> 00/	0.00/	01.70/
	All	8.3%	5.0%	3.3%	91.7%
	Grade 4	5.1%	3.0%	2.0%	94.9%
	Grade 5	6.9%	3.9%	3.0%	93.1%
	Grade 6	12.9%	8.0%	4.9%	87.1%
Liquor?	A 33	4.004	0.004	1.00/	05 404
	All	4.6%	2.8%	1.8%	95.4%
	Grade 4	1.9%	1.1%	0.8%	98.1%
	Grade 5	3.6%	1.9%	1.7%	96.4%
	Grade 6	8.3%	5.3%	3.0%	91.7%

Table A-2: Average number of times selected alcohol products were used by those who reported use of ..

		School	
		Year	Lifetime
Beer			
	All	2.6	2.6
	Grade 4	2.3	2.2
	Grade 5	2.3	2.5
	Grade 6	2.9	2.9
Liquor			
	All	2.7	2.8
	Grade 4	2.4	2.5
	Grade 5	2.4	2.5
	Grade 6	2.9	3.0
Wine			
	All	2.5	2.5
	Grade 4	2.5	2.3
	Grade 5	2.2	2.3
	Grade 6	2.6	2.8

Table A-3: In the past year, how many times have you had two or more drinks at one time of ..

	Never	1 Time	2 Times	3+ Times	Ever
Beer?					
All	90.2%	6.0%	1.9%	1.8%	9.8%
Grade 4	91.6%	5.6%	1.3%	1.4%	8.4%
Grade 5	91.5%	5.4%	1.8%	1.3%	8.5%
Grade 6	87.6%	7.0%	2.7%	2.7%	12.4%
Wine Coolers?					
All	95.6%	2.5%	0.9%	1.0%	4.4%
Grade 4	97.6%	1.5%	0.3%	0.5%	2.4%
Grade 5	96.7%	2.1%	0.7%	0.5%	3.3%
Grade 6	92.5%	3.9%	1.7%	1.9%	7.5%
Wine?					
All	93.0%	4.5%	1.3%	1.2%	7.0%
Grade 4	95.1%	3.3%	0.9%	0.7%	4.9%
Grade 5	94.0%	4.2%	1.1%	0.8%	6.0%
Grade 6	89.8%	6.1%	2.0%	2.1%	10.2%
Liquor?					
All	95.9%	2.2%	0.8%	1.1%	4.1%
Grade 4	98.1%	1.1%	0.3%	0.5%	1.9%
Grade 5	96.9%	1.9%	0.6%	0.7%	3.1%
Grade 6	92.7%	3.7%	1.6%	2.0%	7.3%

Table A-4: Average age of first use of alcohol:

Grade 4	Grade 5	Grade 6
Beer		
8.1	8.8	9.5
Wine Coolers		
8.5	9.2	10.2
Wine		
8.4	9.3	10.1
Liquor		
8.6	9.6	10.5
Any Alcohol		
8.1	8.8	9.6

Table A-5: Age of first use of alcohol by family situation:

		Under					Over
	Never	8	8	9	10	11	11
Two Parent Family							,
All	84.8%	4.3%	2.2%	2.4%	2.9%	2.1%	1.3%
Grade 4	89.1%	4.3%	2.6%	2.4%	1.3%	0.1%	0.1%
Grade 5	86.2%	4.2%	1.8%	2.1%	3.4%	1.8%	0.4%
Grade 6	78.6%	4.5%	2.1%	2.5%	4.2%	4.6%	3.5%
Other Family Situation							
All	78.5%	6.7%	2.5%	3.3%	3.7%	3.3%	1.8%
Grade 4	84.9%	6.9%	2.4%	3.7%	1.8%	0.3%	0.0%
Grade 5	80.5%	6.6%	2.4%	3.4%	4.8%	1.9%	0.5%
Grade 6	71.6%	6.7%	2.7%	3.0%	4.4%	7.2%	4.4%

Table A-6 : Lifetime prevalence of use of alcohol by reported conduct problems this school year:

No		<del>, .</del>	
Absences or			
Conduct		Sent to	
Problems	Cut School	Principal	Both
13.1%	49.4%	30.6%	54.5%

Table A-7: When you drink alcohol, do you get it from ..

	Don't Drink	Yes	No
Home?			
All	81.5%	7.0%	11.4%
Grade 4	82.9%	4.6%	12.5%
Grade 5	82.9%	6.4%	10.7%
Grade 6	78.7%	10.2%	11.2%
Friends?			
All	82.1%	2.4%	15.5%
Grade 4	83.0%	1.2%	15.8%
Grade 5	83.3%	1.6%	15.0%
Grade 6	79.9%	4.4%	15.6%
Somewhere else?			
All	81.0%	5.7%	13.3%
Grade 4	81.6%	4.2%	14.2%
Grade 5	82.4%	4.8%	12.7%
Grade 6	78.9%	8.1%	13.0%

Table A-8: About how many of your close friends use ..

		Never Heard			
		Of	None	Some	Most
Any alcohol prod	luct?				
inij alconorproc	All	2.1%	77.2%	17.2%	3.5%
	Grade 4	2.9%	82.0%	12.6%	2.5%
	Grade 5	2.0%	79.8%	15.6%	2.6%
	Grade 6	1.3%	69.7%	23.5%	5.4%
Beer?	Grade 0	1.3/0	09.770	23.370	J.4 /0
beer?	A 11	0.50/	01.00/	1.4.00/	0.00/
	All	2.5%	81.3%	14.0%	2.2%
	Grade 4	3.6%	84.9%	10.0%	1.5%
	Grade 5	2.3%	83.4%	12.7%	1.6%
	Grade 6	1.7%	75.5%	19.4%	3.5%
Wine coolers?					
	All	13.6%	78.1%	6.8%	1.5%
	Grade 4	18.5%	76.3%	4.2%	0.9%
	Grade 5	13.7%	80.1%	5.2%	1.0%
	Grade 6	8.7%	77.7%	11.1%	2.6%
Wine?					
	All	4.2%	86.3%	8.4%	1.1%
	Grade 4	6.4%	87.2%	5.7%	0.7%
	Grade 5	3.8%	88.2%	7.1%	0.8%
	Grade 6	2.3%	83.6%	12.2%	1.9%
Liquor?			,		
	All	9.3%	83.4%	6.2%	1.1%
	Grade 4	15.7%	81.0%	2.8%	0.5%
	Grade 5	8.3%	86.4%	4.7%	0.7%
	Grade 6	3.9%	82.9%	11.0%	2.2%
	Graue 0	3.9/0	OL. 9/0	11.0/0	۵.2%

Table A-9: Have you ever been offered ..

	Never Heard Of	Yes	No
Any alcohol product?			
All	2.8%	20.3%	76.9%
Grade 4	3.6%	16.8%	79.6%
Grade 5	3.0%	18.6%	78.5%
Grade 6	2.0%	25.5%	72.5%
Beer?			
All	3.1%	16.1%	80.8%
Grade 4	4.0%	13.5%	82.5%
Grade 5	3.2%	14.9%	81.9%
Grade 6	2.1%	19.9%	78.0%
Wine coolers?			
All	14.2%	6.7%	79.1%
Grade 4	18.6%	4.2%	77.2%
Grade 5	14.5%	5.4%	80.1%
Grade 6	9.5%	10.4%	80.1%
Wine?			
All	4.7%	9.1%	86.2%
Grade 4	6.6%	6.9%	86.5%
Grade 5	4.6%	7.2%	88.2%
Grade 6	2.8%	13.2%	84.0%
Liquor?			
All	9.8%	6.1%	84.0%
Grade 4	15.9%	3.2%	80.9%
Grade 5	9.0%	4.8%	86.1%
Grade 6	4.6%	10.3%	85.0%

Table A-10: How do your parents feel about kids your age drinking beer?

	Don't Like	Don't Care	Think It's OK	Don't know
All	83.1%	2.7%	1.1%	13.0%
Grade 4	83.2%	2.1%	0.9%	13.8%
Grade 5	84.1%	2.3%	1.1%	12.4%
Grade 6	82.1%	3.8%	1.3%	12.9%

Table A-11: How dangerous do you think it is for kids your age to use ..

	Never	Very	D.	Not at All	Do Not
	Heard Of	Dangerous	Dangerous	Dangerous	Know
Any alcohol product?					
All	1.5%	71.7%	19.4%	2.3%	5.0%
Grade 4	2.3%	76.7%	14.5%	1.5%	5.0%
Grade 5	1.2%	73.9%	18.4%	1.6%	4.8%
Grade 6	1.0%	64.6%	25.3%	3.9%	5.2%
Beer?					
All	1.7%	53.0%	31.4%	5.3%	8.6%
Grade 4	2.4%	58.5%	26.3%	3.9%	8.9%
Grade 5	1.5%	55.1%	31.1%	4.1%	8.2%
Grade 6	1.1%	45.4%	36.8%	8.0%	8.7%
Wine coolers?					
All	11.3%	52.2%	21.9%	4.2%	10.3%
Grade 4	15.6%	57.0%	16.0%	2.3%	9.1%
Grade 5	11.1%	54.7%	21.2%	2.8%	10.2%
Grade 6	7.5%	45.1%	28.5%	7.5%	11.4%
Wine?					
All	2.8%	52.9%	28.1%	6.4%	9.7%
Grade 4	4.5%	59.5%	23.1%	3.8%	9.1%
Grade 5	2.5%	55.4%	28.0%	4.8%	9.2%
Grade 6	1.4%	43.9%	33.3%	10.5%	10.9%
Liquor?					
All	7.0%	64.4%	19.4%	2.0%	7.1%
Grade 4	12.1%	66.5%	13.7%	1.0%	6.7%
Grade 5	6.3%	66.8%	18.8%	1.3%	6.8%
Grade 6	2.8%	59.9%	25.7%	3.7%	7.9%

Table D-1: How recently, if ever, have you used Marijuana?

	Ever Used	School Year	Not Past Year	Never Used
All	1.7%	1.2%	0.5%	98.3%
Grade 4	0.8%	0.5%	0.3%	99.2%
Grade 5	1.1%	0.6%	0.5%	98.9%
Grade 6	3.2%	2.4%	0.8%	96.8%

Table D-2: Average number of times marijuana was used by those reporting usage:

	School Year	Lifetime
All	4.5	4.2
Grade 4	3.5	3.4
Grade 5	3.3	3.2
Grade 6	5.0	4.7

Table D-3: Average age of first use of marijuana:

Grade 4	Grade 5	Grade 6
8.8	9.3	10.4

Table D-4: Age of first use of marijuana by family situation:

		Under					Over
	Never	8	8	9	10	11	11
Two Parent Family							
All	98.9%	0.2%	0.1%	0.1%	0.2%	0.2%	0.3%
Grade 4	99.5%	0.1%	0.1%	0.2%	0.1%	0.0%	0.0%
Grade 5	99.4%	0.1%	0.1%	0.1%	0.2%	0.1%	0.0%
Grade 6	97.8%	0.4%	0.1%	0.1%	0.3%	0.6%	0.8%
Other Family Situation							
All	97.4%	0.4%	0.1%	0.3%	0.5%	0.6%	0.6%
Grade 4	99.3%	0.4%	0.1%	0.1%	0.0%	0.1%	0.0%
Grade 5	98.2%	0.4%	0.1%	0.3%	0.6%	0.2%	0.2%
Grade 6	95.1%	0.5%	0.2%	0.5%	0.8%	1.4%	1.6%

Table D-5 : Lifetime prevalence of use of marijuana by reported conduct problems this school year:

No			
Absences or			
Conduct		Sent to	
Problems	Cut School	Principal	Both
0.6%	16.6%	4.8%	20.9%

Table D-6: About how many of your close friends use marijuana?

	Never Heard Of	None	Some	Most
All	16.7%	76.4%	5.3%	1.6%
Grade 4	26.6%	70.8%	1.9%	0.7%
Grade 5	16.3%	79.1%	3.9%	0.7%
Grade 6	7.4%	79.2%	10.1%	3.3%

Table D-7: Have you ever been offered marijuana?

	Never	<del>-</del>	
	Heard Of	Yes	No
All	16.8%	5.0%	78.2%
Grade 4	26.1%	2.8%	71.1%
Grade 5	16.4%	3.3%	80.3%
Grade 6	7.9%	9.0%	83.1%

Table D-8: How do your parents feel about kids your age smoking marijuana?

	Don't Like	Don't Care	Think It's OK	Don't know
All	84.2%	1.1%	0.4%	14.3%
Grade 4	80.2%	1.1%	0.4%	18.4%
Grade 5	85.1%	0.9%	0.2%	13.8%
Grade 6	87.3%	1.5%	0.5%	10.7%

Table D-9: How dangerous do you think it is for kids your age to use marijuana?

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	12.7%	71.1%	8.8%	1.4%	6.0%
Grade 4	21.0%	64.7%	6.9%	0.9%	6.6%
Grade 5	12.0%	73.2%	8.3%	0.7%	5.8%
Grade 6	5.2%	75.3%	11.0%	2.7%	5.7%

Table I-1: How recently, if ever, have you used Inhalants?

	Ever Used	School Year	Not Past Year	Never Used
All	10.0%	7.1%	2.9%	90.0%
Grade 4	11.1%	7.9%	3.2%	88.9%
Grade 5	8.4%	5.7%	2.8%	91.6%
Grade 6	10.4%	7.8%	2.6%	89.6%

Table I-2: Have you ever sniffed any of the following inhalants to get high?

	Not Used	Used
Correction Fluid/Whiteout		
All	93.5%	6.5%
Grade 4	94.1%	5.9%
Grade 5	94.7%	5.3%
Grade 6	91.8%	8.2%
Gasoline		
All	97.3%	2.7%
Grade 4	96.8%	3.2%
Grade 5	97.6%	2.4%
Grade 6	97.6%	2.4%
Glue		
All	96.4%	3.6%
Grade 4	94.9%	5.1%
Grade 5	96.6%	3.4%
Grade 6	97.6%	2.4%
Paint Thinner		
All	97.8%	2.2%
Grade 4	97.0%	3.0%
Grade 5	98.3%	1.7%
Grade 6	98.1%	1.9%
Spray Paint		
All	97.1%	2.9%
Grade 4	96.3%	3.7%
Grade 5	97.7%	2.3%
Grade 6	97.3%	2.7%
Computer dusting sprays		
All	98.2%	1.8%
Grade 4	97.0%	3.0%
Grade 5	98.4%	1.6%
Grade 6	99.0%	1.0%
Other Inhalants		
All	96.9%	3.1%
Grade 4	96.7%	3.3%
Grade 5	97.5%	2.5%
Grade 6	96.6%	3.4%

Table I-3: Average number of times inhalants were used by those reporting usage:

	School Year	Lifetime
All	3.6	3.4
Grade 4	3.3	3.0
Grade 5	3.4	3.2
Grade 6	3.8	3.8

Table I-4: Number of different kinds of inhalants used:

	None	One	Two to Three	Four Plus
All	89.8%	4.7%	3.9%	1.5%
Grade 4	88.9%	4.4%	4.9%	1.8%
Grade 5	91.4%	4.1%	3.2%	1.4%
Grade 6	89.2%	5.6%	3.7%	1.4%

Table I-5: Average age of first use of inhalants:

Grade 4	Grade 5	Grade 6
8.3	9.2	10.1

Table I-6: Age of first use of inhalants by family situation:

		Under					Over
	Never	8	8	9	10	11	11
Two Parent Family							,
All	96.4%	0.7%	0.6%	0.6%	0.6%	0.7%	0.4%
Grade 4	97.2%	1.0%	0.7%	0.8%	0.2%	0.0%	0.1%
Grade 5	97.1%	0.6%	0.4%	0.4%	0.7%	0.7%	0.1%
Grade 6	94.9%	0.6%	0.6%	0.5%	0.8%	1.5%	1.1%
Other Family Situation							
All	95.1%	0.9%	0.5%	0.7%	0.8%	1.2%	0.7%
Grade 4	97.6%	0.6%	0.6%	0.6%	0.4%	0.1%	0.0%
Grade 5	96.2%	0.9%	0.4%	0.8%	0.8%	0.7%	0.2%
Grade 6	92.0%	1.0%	0.6%	0.8%	1.2%	2.6%	1.8%

Table I-7: Lifetime prevalence of use of inhalants by reported conduct problems this school year:

No	,		
Absences or			
Conduct		Sent to	
Problems	Cut School	Principal	Both
2.8%	18.6%	8.2%	21.6%

Table I-8: About how many of your close friends use inhalants?

	Never Heard Of	None	Some	Most
All	9.9%	81.2%	7.1%	1.8%
Grade 4	15.8%	79.8%	3.4%	1.0%
Grade 5	9.7%	83.6%	5.6%	1.1%
Grade 6	4.3%	80.1%	12.2%	3.4%

Table I-9: Have you ever been offered inhalants?

	Never Heard Of	Yes	No
All	10.4%	5.9%	83.7%
Grade 4	16.0%	3.2%	80.8%
Grade 5	10.2%	4.4%	85.4%
Grade 6	5.1%	10.1%	84.9%

Table I-10: How dangerous do you think it is for kids your age to use inhalants?

	Never Heard Of	Very Dangerous	Dangerous	Not at All Dangerous	Do Not Know
All	7.6%	64.4%	16.8%	2.6%	8.5%
Grade 4	12.6%	63.6%	12.9%	2.0%	8.9%
Grade 5	7.1%	66.3%	16.3%	1.9%	8.5%
Grade 6	3.3%	63.4%	21.3%	3.9%	8.2%

Table X-1: Since school began in the fall, have you gotten information on drugs or alcohol from ..

CATEGORY		Yes
An Assembly Program?	All	54.5%
	Grade 4	52.7%
	Grade 5	55.9%
	Grade 6	54.9%
Guidance Counselor?	All	51.7%
	Grade 4	55.9%
	Grade 5	54.7%
	Grade 6	44.7%
Visitor to Class?	All	44.8%
	Grade 4	40.5%
	Grade 5	46.5%
	Grade 6	47.2%
Someone Else at	All	36.9%
School?		
	Grade 4	34.1%
	Grade 5	37.1%
	Grade 6	39.5%
Your Teacher?	All	51.5%
	Grade 4	47.8%
	Grade 5	52.1%
	Grade 6	54.4%
Any School Source?	All	81.2%
	Grade 4	79.2%
	Grade 5	82.6%
	Grade 6	81.8%

## 2. Prevalence Tables

Table B1: Prevalence and recency of use of selected substances by grade All Students

		Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	4.5%	2.5%	2.1%	95.5%
	Grade 4	2.8%	1.7%	1.1%	97.2%
	Grade 5	4.2%	2.0%	2.2%	95.8%
	Grade 6	6.7%	3.8%	2.9%	93.3%
Alcohol					
	All	17.7%	11.2%	6.6%	82.3%
	Grade 4	12.7%	8.0%	4.7%	87.3%
	Grade 5	16.0%	9.8%	6.2%	84.0%
	Grade 6	24.4%	15.7%	8.8%	75.6%
Inhalants					
	All	10.0%	7.1%	2.9%	90.0%
	Grade 4	11.1%	7.9%	3.2%	88.9%
	Grade 5	8.4%	5.7%	2.8%	91.6%
	Grade 6	10.4%	7.8%	2.6%	89.6%
Marijuana					
	All	1.7%	1.2%	0.5%	98.3%
	Grade 4	0.8%	0.5%	0.3%	99.2%
	Grade 5	1.1%	0.6%	0.5%	98.9%
	Grade 6	3.2%	2.4%	0.8%	96.8%

Table B2: Prevalence and recency of use of selected substances by grade Male Students

		Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	5.7%	3.0%	2.7%	94.3%
	Grade 4	4.1%	2.5%	1.7%	95.9%
	Grade 5	4.9%	2.4%	2.5%	95.1%
	Grade 6	7.9%	4.1%	3.8%	92.1%
Alcohol					
	All	20.1%	12.1%	8.1%	79.9%
	Grade 4	15.9%	10.0%	5.9%	84.1%
	Grade 5	18.9%	11.0%	7.9%	81.1%
	Grade 6	25.5%	15.2%	10.3%	74.5%
Inhalants					
	All	10.7%	7.5%	3.2%	89.3%
	Grade 4	12.6%	9.0%	3.7%	87.4%
	Grade 5	9.3%	6.1%	3.2%	90.7%
	Grade 6	10.2%	7.3%	2.9%	89.8%
Marijuana					
	All	2.1%	1.5%	0.6%	97.9%
	Grade 4	1.0%	0.7%	0.3%	99.0%
	Grade 5	1.5%	0.8%	0.7%	98.5%
	Grade 6	3.9%	3.0%	0.9%	96.1%

Table B3: Prevalence and recency of use of selected substances by grade Female Students

		Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	3.5%	2.0%	1.5%	96.5%
	Grade 4	1.6%	1.0%	0.6%	98.4%
	Grade 5	3.4%	1.5%	1.9%	96.6%
	Grade 6	5.5%	3.5%	2.0%	94.5%
Alcohol					
	All	15.4%	10.3%	5.1%	84.6%
	Grade 4	9.7%	6.1%	3.6%	90.3%
	Grade 5	13.2%	8.7%	4.6%	86.8%
	Grade 6	23.5%	16.2%	7.3%	76.5%
Inhalants					
	All	9.3%	6.8%	2.5%	90.7%
	Grade 4	9.7%	6.9%	2.8%	90.3%
	Grade 5	7.5%	5.2%	2.4%	92.5%
	Grade 6	10.6%	8.3%	2.4%	89.4%
Marijuana					
	All	1.2%	0.9%	0.4%	98.8%
	Grade 4	0.5%	0.4%	0.2%	99.5%
	Grade 5	0.6%	0.3%	0.3%	99.4%
	Grade 6	2.5%	2.0%	0.6%	97.5%

Table B4: Prevalence and recency of use of selected substances by grade White Students

	,	Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	4.7%	2.2%	2.5%	95.3%
	Grade 4	3.0%	1.4%	1.6%	97.0%
	Grade 5	4.0%	1.2%	2.7%	96.0%
	Grade 6	7.0%	3.8%	3.2%	93.0%
Alcohol					
	All	16.4%	9.7%	6.7%	83.6%
	Grade 4	13.6%	8.4%	5.2%	86.4%
	Grade 5	14.5%	8.4%	6.2%	85.5%
	Grade 6	21.1%	12.3%	8.7%	78.9%
Inhalants					
	All	8.3%	5.8%	2.5%	91.7%
	Grade 4	10.5%	7.4%	3.1%	89.5%
	Grade 5	6.2%	4.0%	2.3%	93.8%
	Grade 6	8.1%	6.0%	2.1%	91.9%
Marijuana					
C	All	1.2%	0.7%	0.4%	98.8%
	Grade 4	0.7%	0.4%	0.3%	99.3%
	Grade 5	0.6%	0.4%	0.3%	99.4%
	Grade 6	2.1%	1.3%	0.8%	97.9%

Table B5: Prevalence and recency of use of selected substances by grade African/American Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco		osca	1001	Tour	OBCG
	All	5.5%	2.8%	2.6%	94.5%
	Grade 4	3.2%	1.8%	1.4%	96.8%
	Grade 5	6.5%	3.1%	3.4%	93.5%
	Grade 6	6.8%	3.6%	3.1%	93.2%
Alcohol					
	All	20.3%	11.9%	8.4%	79.7%
	Grade 4	13.3%	6.6%	6.7%	86.7%
	Grade 5	19.5%	12.4%	7.2%	80.5%
	Grade 6	27.8%	16.5%	11.3%	72.2%
Inhalants					
	All	9.9%	6.9%	3.0%	90.1%
	Grade 4	11.3%	7.7%	3.6%	88.7%
	Grade 5	9.0%	6.0%	3.0%	91.0%
	Grade 6	9.5%	7.2%	2.3%	90.5%
Marijuana					
	All	1.6%	1.0%	0.6%	98.4%
	Grade 4	0.5%	0.3%	0.2%	99.5%
	Grade 5	1.6%	0.6%	1.0%	98.4%
	Grade 6	2.7%	2.1%	0.6%	97.3%

Table B6: Prevalence and recency of use of selected substances by grade Mexican/American Students

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	4.3%	2.6%	1.7%	95.7%
	Grade 4	2.6%	1.8%	0.8%	97.4%
	Grade 5	3.8%	2.1%	1.7%	96.2%
	Grade 6	6.5%	3.9%	2.6%	93.5%
Alcohol					
	All	17.9%	11.8%	6.0%	82.1%
	Grade 4	12.1%	8.1%	4.0%	87.9%
	Grade 5	15.9%	10.0%	5.9%	84.1%
	Grade 6	25.7%	17.5%	8.2%	74.3%
Inhalants					
	All	10.9%	7.8%	3.1%	89.1%
	Grade 4	11.2%	8.0%	3.2%	88.8%
	Grade 5	9.5%	6.5%	2.9%	90.5%
	Grade 6	12.1%	9.0%	3.1%	87.9%
Marijuana					
3	All	2.1%	1.5%	0.5%	97.9%
	Grade 4	1.0%	0.6%	0.3%	99.0%
	Grade 5	1.2%	0.7%	0.5%	98.8%
	Grade 6	4.1%	3.3%	0.7%	95.9%

Table B7: Prevalence and recency of use of selected substances by grade Students Reporting A Grades

		Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	2.6%	1.2%	1.4%	97.4%
	Grade 4	1.8%	0.8%	1.0%	98.2%
	Grade 5	2.5%	1.0%	1.4%	97.5%
	Grade 6	3.6%	1.8%	1.8%	96.4%
Alcohol					
	All	14.7%	8.7%	6.0%	85.3%
	Grade 4	11.5%	6.6%	4.9%	88.5%
	Grade 5	13.4%	7.6%	5.8%	86.6%
	Grade 6	19.4%	11.9%	7.5%	80.6%
Inhalants					
	All	7.0%	4.9%	2.0%	93.0%
	Grade 4	8.5%	6.3%	2.3%	91.5%
	Grade 5	5.8%	3.9%	1.9%	94.2%
	Grade 6	6.5%	4.6%	1.9%	93.5%
Marijuana					
	All	0.6%	0.4%	0.3%	99.4%
	Grade 4	0.5%	0.3%	0.2%	99.5%
	Grade 5	0.4%	0.2%	0.2%	99.6%
	Grade 6	1.0%	0.6%	0.4%	99.0%

Table B8: Prevalence and recency of use of selected substances by grade Students Reporting grades lower than A

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	5.7%	3.3%	2.5%	94.3%
	Grade 4	3.5%	2.3%	1.2%	96.5%
	Grade 5	5.2%	2.5%	2.7%	94.8%
	Grade 6	8.4%	4.9%	3.5%	91.6%
Alcohol					
	All	19.6%	12.7%	6.8%	80.4%
	Grade 4	13.6%	9.0%	4.6%	86.4%
	Grade 5	17.4%	11.1%	6.3%	82.6%
	Grade 6	27.2%	17.8%	9.4%	72.8%
Inhalants					
	All	11.8%	8.5%	3.3%	88.2%
	Grade 4	12.9%	9.1%	3.8%	87.1%
	Grade 5	10.0%	6.8%	3.2%	90.0%
	Grade 6	12.7%	9.7%	3.0%	87.3%
Marijuana					
	All	2.3%	1.7%	0.7%	97.7%
	Grade 4	1.1%	0.7%	0.3%	98.9%
	Grade 5	1.4%	0.8%	0.7%	98.6%
	Grade 6	4.5%	3.5%	1.0%	95.5%

Table B9: Prevalence and recency of use of selected substances by grade Students Living With 2 Parents

		Ever	School	Not Past	Never
		Used	Year	Year	Used
Tobacco					
	All	3.5%	1.9%	1.6%	96.5%
	Grade 4	2.2%	1.3%	0.9%	97.8%
	Grade 5	3.2%	1.5%	1.7%	96.8%
	Grade 6	5.2%	2.8%	2.3%	94.8%
Alcohol					
	All	15.9%	10.0%	5.9%	84.1%
	Grade 4	11.7%	7.5%	4.2%	88.3%
	Grade 5	14.2%	8.6%	5.6%	85.8%
	Grade 6	22.1%	14.0%	8.1%	77.9%
Inhalants					
	All	9.9%	7.1%	2.8%	90.1%
	Grade 4	11.7%	8.4%	3.4%	88.3%
	Grade 5	8.5%	5.8%	2.7%	91.5%
	Grade 6	9.4%	7.1%	2.4%	90.6%
Marijuana					
-	All	1.2%	0.8%	0.4%	98.8%
	Grade 4	0.7%	0.5%	0.2%	99.3%
	Grade 5	0.7%	0.3%	0.4%	99.3%
	Grade 6	2.3%	1.8%	0.5%	97.7%

Table B10: Prevalence and recency of use of selected substances by grade Students Not Living With 2 Parents

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	6.9%	3.9%	3.0%	93.1%
	Grade 4	4.2%	2.6%	1.6%	95.8%
	Grade 5	6.4%	3.0%	3.3%	93.6%
	Grade 6	9.6%	5.7%	4.0%	90.4%
Alcohol					
	All	21.9%	13.9%	8.0%	78.1%
	Grade 4	15.3%	9.3%	6.0%	84.7%
	Grade 5	19.8%	12.3%	7.5%	80.2%
	Grade 6	29.2%	19.0%	10.2%	70.8%
Inhalants					
	All	10.1%	7.3%	2.9%	89.9%
	Grade 4	9.4%	6.8%	2.6%	90.6%
	Grade 5	8.2%	5.4%	2.8%	91.8%
	Grade 6	12.5%	9.3%	3.2%	87.5%
Marijuana					
	All	2.8%	2.0%	0.8%	97.2%
	Grade 4	1.1%	0.7%	0.4%	98.9%
	Grade 5	1.9%	1.1%	0.8%	98.1%
	Grade 6	5.0%	3.8%	1.3%	95.0%

Table B11: Prevalence and recency of use of selected substances by grade Students Living in Town More Than 3 Years

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	4.4%	2.4%	1.9%	95.6%
	Grade 4	2.6%	1.5%	1.1%	97.4%
	Grade 5	4.0%	2.0%	2.1%	96.0%
	Grade 6	6.3%	3.7%	2.6%	93.7%
Alcohol					
	All	17.6%	11.3%	6.4%	82.4%
	Grade 4	12.4%	7.7%	4.7%	87.6%
	Grade 5	15.7%	9.7%	6.0%	84.3%
	Grade 6	24.4%	16.1%	8.2%	75.6%
Inhalants					
	All	9.8%	7.0%	2.8%	90.2%
	Grade 4	11.3%	8.1%	3.3%	88.7%
	Grade 5	8.0%	5.3%	2.7%	92.0%
	Grade 6	10.2%	7.6%	2.6%	89.8%
Marijuana					
	All	1.7%	1.2%	0.5%	98.3%
	Grade 4	0.9%	0.6%	0.3%	99.1%
	Grade 5	1.1%	0.6%	0.5%	98.9%
	Grade 6	3.0%	2.3%	0.6%	97.0%

Table B12: Prevalence and recency of use of selected substances by grade Students Living in Town 3 Years or Less

		Ever Used	School Year	Not Past Year	Never Used
Tobacco					
	All	5.7%	2.8%	3.0%	94.3%
	Grade 4	3.6%	2.2%	1.3%	96.4%
	Grade 5	4.8%	1.7%	3.1%	95.2%
	Grade 6	8.7%	4.3%	4.4%	91.3%
Alcohol					
	All	20.2%	11.7%	8.4%	79.8%
	Grade 4	15.6%	9.8%	5.8%	84.4%
	Grade 5	18.6%	10.5%	8.0%	81.4%
	Grade 6	26.1%	14.7%	11.4%	73.9%
Inhalants					
	All	10.5%	7.5%	3.0%	89.5%
	Grade 4	9.3%	6.6%	2.7%	90.7%
	Grade 5	10.4%	7.0%	3.4%	89.6%
	Grade 6	11.6%	8.7%	2.9%	88.4%
Marijuana					
	All	2.2%	1.4%	0.8%	97.8%
	Grade 4	0.9%	0.4%	0.4%	99.1%
	Grade 5	1.2%	0.6%	0.7%	98.8%
	Grade 6	4.5%	3.1%	1.4%	95.5%

3. Margin Tables

		SFR	ING 2012				
GENDER		WHAT	GRADES 1		EVER II	NHALED - G	ASOLINE
Q1 Frequency Percent				LY GET	Q11a	Frequency	Percent
Female 437,511 50.9%			requency		Not Used		97.3%
Male 422,021 49.1%		Mostly A's	310,158	36.9%	Used	22,179	2.7%
Frequency Missing = 3247.9868927	•	Mostly B's	391,047	46.5%	Frequency I	Missing = 3305	7.454381
		Mostly C's	115,039	13.7%			
		Mostly D's	17,665	2.1%			
GRADE LEVEL	•	Mostly F's	7,640	0.9%	EVI	ER INHALED	DAINT
Q2 Frequency Percent		Frequency Miss	sing = 21231	.162182	15 V		HINNER
Grade 4 287,837 33.4%					Q11b	Frequency	Percent
Grade 5 289,348 33.5%					Not Used		97.8%
Grade 6 285,595 33.1%		LIVED I	N THIS TO	WN FOR	Used	18,198	2.2%
Grade 0 200,000 30.170		MO	RE THAN 3	3 YEARS	Frequency I	Missing = 4264	7.558543
		Q7 F	requency	Percent			
LIVE WITH BOTH		Don't Know	80,919	9.5%			
PARENTS		No	116,315	13.6%			
Q3 Frequency Percent		Yes	655,232	76.9%		ER INHALEI	
No 265,475 31.3%		Frequency Miss	sing = 10314	.778202	Q11c	Frequency	
Yes 583,098 68.7%					Not Used		96.4%
Frequency Missing = 14207.660896	<b>`</b>				Used	29,333	3.6%
AC		Q8 F	Frequency 299,349	Percent 35.2%	EVER IN	IHALED - WI	-IITEOI I
Q4 Frequency Perce	nt	No	172,156	20.3%	Q11d		
8 or younger 319 0.0		Yes	378,056	44.5%	Not Used	Frequency 763,491	93.5%
9 99,599 11.6		Frequency Miss		<del></del>	Used	52,966	6.5%
10 261,614 30.5		r requeries wilse	5111g - 10210	.111195			
11 272,384 31.7					Frequency i	viissing = 4632	3.398890
12 197,300 23.0							
13 or older 27,188 3.2 Frequency Missing = 4375.0781611		QUALIFY FO		EDUCED E LUNCH	EVE	ER INHALED	CDDAI
The question of the control of the c		Q9 F	requency	Percent	EVE	IK INTIALED	PAINT
		Don't Know	305,059	36.2%	Q11e	Frequency	
		No	205,441	24.4%	Not Used		97.1%
ETHN		Yes	332,081	39.4%	Used	23,415	2.9%
Frequency Pe		Frequency Miss	sing = 20199	.550068	Frequency I	Missing = 5326	
	12.8%						
an/American 9,471	1.1%						
	51.7%		o Ammenaire	DTA			
tive/American 6,383	0.8%	PARENT	'S ATTEND MEETI		EVER IN	HALED - CO DUSTING	
ner 21,825	2.6%	Q10 Fred	uency Per		Q11f	Frequency	
	31.1%			2.7%	Not Used		98.2%
Frequency Missing = 12328.041588	3			~. <i>1</i> ∕₀ 7.3%		14,916	
		103 00	21,000 4	001177	Used	14,916	1.8%

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

Frequency Missing = 28444.221177

Frequency Missing = 53099.166309

EVER INHALED - OTHER INHALANTS				
Q11g	Frequency	Percent		
Not Used	787,986	96.9%		
Used	25,041	3.1%		
Frequency Missing = 49753.525715				

WINE COOLER USE DURING LIFETIME					
Q12D F	Q12D Frequency Percent				
Never heard of	178,776	21.6%			
Never used	591,966	71.6%			
1-2 times	41,490	5.0%			
3-10 times	8,444	1.0%			
11+ times	6,648	0.8%			
Frequency Missing = 35455.866732					

MARIJUANA USE DURINO				
	L	IFETIME		
Q12I F	requency	Percent		
Never heard of	192,555	23.2%		
Never used	623,409	75.2%		
1-2 times	8,032	1.0%		
3-10 times	2,470	0.3%		
11+ times	2,395	0.3%		
Frequency Missing = 33920.180217				

CIGARETTE USE DURING		
	т.	IFETIME
	L.	IFEIIWIE
Ο12Δ Ε	requency	Percent
Q12/11	requeriey	1 CI CCIIC
Never heard of	65.861	7.8%
riover meana er	,	
Never used	746,561	88.6%
1-2 times	23,215	2.8%
3-10 times	4.213	0.5%
3- 10 tilles	4,213	0.576
11+ times	2.484	0.3%
11+ times	2,404	0.570
Frequency Missing = 20446.661302		

WINE USE DURING LIFETIME		
Q12E I	Frequency	Percent
Never heard of	41,836	5.3%
Never used	685,787	86.5%
1-2 times	54,473	6.9%
3-10 times	7,092	0.9%
11+ times	3,347	0.4%
Frequency Missing = 70245.007544		

CIGARETTE USI	E IN PAST	SCHOOL YEAR
Q13A F	requency	Percent
Never heard of	58,425	7.0%
Never used	760,154	91.0%
1-2 times	12,616	1.5%
3-10 times	2,884	0.3%
11+ times	1,493	0.2%
Frequency Missir	ng = 27208.0	)25791

SNUFF/CHEWING TOBACCO USE

	IIV L	IFEIIME
Q12B	Frequency	Percent
Never heard of	116,152	13.9%
Never used	708,644	84.9%
1-2 times	7,368	0.9%
3-10 times	1,333	0.2%
11+ times	930	0.1%

Frequency Missing = 28353.845139

Q12F	Frequency	Percent
Never heard of	107,874	13.1%
Never used	679,398	82.5%
1-2 times	28,787	3.5%

LIQUOR USE DURING LIFETIME

Never used	679,398	82.5%
1-2 times	28,787	3.5%
3-10 times	5,139	0.6%
11+ times	2,142	0.3%

SNUFF/CHEWING TOBACCO USE IN PAST YEAR Q13B Frequency Percent

Q13B Fi	requency	Percent
Never heard of	101,819	12.3%
Never used	719,025	87.0%
1-2 times	4,632	0.6%
3-10 times	899	0.1%
11+ times	494	0.1%

Frequency Missing = 39440.405199

Frequency Missing = 35911.432957

BEER USI	E DURING L	IFETIME
Q12C	Frequency	Percent
Never heard of	23,013	2.9%
Never used	691,589	85.8%
1-2 times	75,147	9.3%
3-10 times	11,379	1.4%
11+ times	4,918	0.6%

Frequency	iviissing = 56735	0.06/113	

INHALANT USE DURING LIFETIME		
Q12H F	requency	Percent
Never heard of	113,922	13.8%
Never used	677,918	82.2%
1-2 times	23,204	2.8%
3-10 times	6,834	0.8%
11+ times	3,232	0.4%
Frequency Missing = 37672.066861		

BEER USE IN P	AST SCHO	OL YEAR
Q13C	Frequency	Percent
Never heard of	21,154	2.6%
Never used	731,648	90.8%
1-2 times	43,804	5.4%
3-10 times	6,523	0.8%
11+ times	2,539	0.3%

Frequency Missing = 57112.971907

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

		0 20 12	Oi itii			
AGE WHEN FIRST USE		IN PAST S	MARIJUANA USI		OLER USE	WINE CO
Q14C Frequency	YEAR			OL YEAR		
7 or younger 30,082		equency			requency	
8 years old 11,823	21.5%	175,184	Never heard of	18.9%	155,446	Never heard of
9 years old 13,955	77.3%	629,751	Never used	76.4%	627,169	Never used
10 years old 18,006	0.7%	5,914	1-2 times	3.4%	27,649	1-2 times
11 years old 12,213	0.2%	2,008	3-10 times	0.7%	6,024	3-10 times
12 or older 8,008	0.3%	2,074	11+ times	0.5%	4,479	11+ times
ver heard/used 705,916	5308	= 47850.6	Frequency Missir	64187	ng = 42012.7	Frequency Missin
Frequency Missing = 62777.295						
	RETTES	USED CIG	AGE WHEN FIRST	DL YEAR	AST SCHOO	WINE USE IN PA
AGE WHEN FIRST USE	Percent	requency	Q14A	Percent	requency	Q13E F
CO	0.8%	7,000	7 or younger	4.8%	38,299	Never heard of
Q14D Frequency	0.5%	4,357	8 years old	90.0%	718,724	Never used
7 or younger 8,323	0.6%	4,925	9 years old	4.4%	35,438	1-2 times
8 years old 6,165	0.7%	6,206	10 years old	0.6%	4,416	3-10 times
9 years old 7,100	0.7%	5,717	11 years old	0.2%	1,945	11+ times
10 years old 10,460	0.5%	4,013	12 or older	05885	ng = 63959.0	Frequency Missin
11 years old 10,469	96.1%	795,432	Never heard/used		·	. ,
12 or older 7,205	7899	= 35131.0	Frequency Missir			
ver heard/used 759,328						
Frequency Missing = 53729.589				YEAR		LIQUOR USI
		WHEN FIF			requency	<u> </u>
	OBACCO	F/CHEW 7	SNU	12.6%	103,219	Never heard of
AGE WHEN FIRST USE		requency		84.5%	691,244	Never used
Q14E Frequency	0.4%	3,000	7 or younger	2.3%	18,901	1-2 times
7 or younger 9,377	0.1%	1,118	8 years old	0.4%	3,098	3-10 times
8 years old 7,707	0.2%	1,626	9 years old	0.2%	1,336	11+ times
9 years old 11,217	0.3%	2,058	10 years old	62123	ng = 44980.9	Frequency Missin
10 years old 14,023	0.2%	1,794	11 years old			
11 years old 12,608	0.2%	1,279	12 or older			
12 or older 7,598	98.7%	805,903	Never heard/used	CCHOOL	TIN DACTE	TAILLA LANTE LICE
ver heard/used 728,928	9006	g = 46003.1	Frequency Missi	YEAR	L IN PAST S	INHALANT USI
= 100 - 1000						

Frequency Missing = 71323.046334

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

Q13H Frequency Percent

103,812

687,235

17,601

5,086

2,831

Frequency Missing = 46214.827127

84.2%

2.2%

0.6%

0.3%

Never heard of

Never used

1-2 times 3-10 times

11+ times

CLO	LIQUOR	RST USED	AGE WHEN F
0154 5	Percent	requency	Q14F
Q15A Fre	0.5%	3,744	7 or younger
Never heard of	0.3%	2,378	8 years old
None	0.5%	4,165	9 years old
Some	0.9%	7,448	10 years old
Most	1.1%	8,712	11 years old
Frequency Missing	0.8%	6,626	12 or older
	95.9%	772,835	Never heard/used

Frequency Missing = 56872.277328

10 years old 11 years old 12 or older

Never heard/used

AGE WHEN FIRS	T USED INH	IALANTS	N
Q14H	Frequency	Percent	
7 or younger	6,066	0.8%	
8 years old	4,533	0.6%	
9 years old	5,095	0.6%	_
10 years old	5,122	0.6%	
11 years old	7,190	0.9%	

0.5%

96.0%

4,042

771,598

Frequency Missing = 59134.296205

AGE WHEN FIRST USED MARIJUANA		
Q14I	Frequency	Percent
7 or younger	2,036	0.3%
8 years old	788	0.1%
9 years old	1,537	0.2%
10 years old	2,312	0.3%
11 years old	2,742	0.3%
12 or older	3,118	0.4%
Never heard/used	790,355	98.4%

Frequency Missing = 59891.365523

CLOSE FRIENDS USE CIGARETTES			
Q15A F	requency	Percent	
Never heard of	45,390	5.5%	
None	690,436	83.3%	
Some	85,414	10.3%	
Most	7,637	0.9%	
	000016		

= 33904.236165

CLOSE	FRIENDS U	SE WINE
Q15E	Frequency	Percent
Never heard of	33,129	4.2%
None	685,642	86.3%
Some	66,356	8.4%
Most	9,009	1.1%
Eroquency Missing = 69642 046026		

Frequency Missing = 68643.946026

CLOSE FRIENDS USE LIQUOR

Most	4,466	0.5%
Some	35,295	4.3%
None	709,025	86.8%
Never heard of	67,723	8.3%
Q15B	Frequency	Percent
	CHEWING T	
	LOSE FRIE	MDC HCE

Fre

CIT.	OCE PRIE	ATDO TION				v
CLOSE FRIENDS USE SNUFF/CHEWING TOBACCO			Q15F	Frequency	Percent	
	Frequency		•	Never heard of	74,641	9.3%
er heard of	67.723	8.3%		None	672,821	83.4%
None	709.025	86.8%		Some	49,794	6.2%
Some	35.295	4.3%		Most	9,157	1.1%
Most	4,466	0.5%		Frequency Miss	ing = 56367.5	03486
requency Missir	ng = 46271.4	150451				

CLOSE	CLOSE FRIENDS USE BEER		
Q15C	Frequency	Percent	
Never heard of	20,229	2.5%	
None	652,368	81.3%	
Some	112,670	14.0%	
Most	17,592	2.2%	

Frequency Missing = 59922.020236

CLOSE FRIEN	DS USE INF	IALANTS
Q15H	Frequency	Percent
Never heard of	79,941	9.9%
None	656,419	81.2%
Some	57,431	7.1%
Most	14,840	1.8%
Frequency Missing = 54150.263892		

CLOSE FRIENDS USE WINE **COOLERS** Q15D Frequency Percent Never heard of 110,543 13.6% None 634,103 78.1% Some 55,504 6.8% Most 12,107 1.5% Frequency Missing = 50523.967227

CLOSE FRIENDS USE MARIJUANA			
Q15	I Frequency	Percent	
Never heard o	of 135,658	16.7%	
Non	e 618,603	76.4%	
Som	e 43,011	5.3%	
Mos	st 12,628	1.6%	
Frequency Missing = 52881.175248			

EVER BEEN OFFERED CIGARETTES		
Frequency	Percent	
of 51,192	6.2%	
700,396	84.7%	
75,001	9.1%	
	CIGA Frequency of 51,192 700,396	

Frequency Missing = 36190.844944

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

# State: Grades 4-6

				e : Grades 4-6 PRING 2012	•			
	EVER BEEN O		EVER BEEN	OFFERED INH	ALANTS	DANGEROUS		
	F/CHEWING TO		Q16h	Frequency	Percent	0404		RETTES
Q16b	Frequency		Never heard	of 82,561	10.4%		Frequency	
Never heard		9.1%	No	665,624	83.7%	Very dangerous	551,168	66.8%
No	706,114	86.9%	Yes	46,796	5.9%	Dangerous	187,469	22.7%
Yes	32,268	4.0%	Frequency N	Missing = 67799.5	26065	Not at all	8,800	1.1%
Frequency M	lissing = 50143.5	01926				Don't know	43,425	5.3%
						Never heard of	33,761	4.1%
				EVED DEEM O	CCCDCD	Frequency Missir	ıg = 38158.4	59026
EVER	BEEN OFFERE	ED BEER		EVER BEEN O	RIJUANA			
Q16c	Frequency		Q16i	Frequency				
Never heard		3.1%	Never heard		16.8%	DANGEROUS	FOR KIDS	TO USE
No	649,686	80.8%	No	626,973	78.2%		HEWING T	
Yes	129,441	16.1%	Yes	40,050	5.0%	Q18B I	requency	Percent
	128,111 1issing = 58663.7			Missing = 61357.4		Very dangerous	545,886	67.4%
r requericy iv	1133111g = 30003.1	01129	r requericy r	viissiilig – 01337.4	01931	Dangerous	148,914	18.4%
						Not at all	9,069	1.1%
						Don't know	54,088	6.7%
EVER	BEEN OFFERI		IS ALCO	HOL OBTAINEI		Never heard of	52,528	6.5%
		OOLERS			HOME	Frequency Miss	ing = 52296	.295
Q16d	Frequency		Q17a	Frequency		, ,	J	
Never heard		14.2%	Do Not Drir		81.5%			
No	634,985	79.1%	No	93,367	11.4%			
Yes Frequency M	53,523 Nissing = 60465.4	6.7%	Yes Frequency M	57,503 Missing = 46506.6	7.0%	DANGEROUS	FOR KIDS	TO USE BEER
r requerity iv	1100111g 00 100. 1	02000	1 requeries 1	vilourig 10000.0	01211	Q18C I	requency	Percent
						Very dangerous	422,828	53.0%
						Dangerous	250,844	31.4%
EVER	BEEN OFFERI	ED WINE	IS ALCO	HOL OBTAINEI		Not at all	42,411	5.3%
Q16e	Frequency	Percent	0.4~1		RIENDS	Don't know	68,534	8.6%
Never heard	of 36,997	4.7%	Q17b	Frequency		Never heard of	13,286	1.7%
No	682,401	86.2%	Do Not Drir		82.1%	Frequency Missir	g = 64876.7	17177
Yes	71,963	9.1%	No	123,901	15.5%			
Frequency M	lissing = 71420.1	17922	Yes	19,375	2.4%			
			Frequency N	Missing = 62681.7	50439			
						DANGEROUS		OOLERS
EVED DI	EEN OFFERED	LIOUOD				O18D I	Frequency	
		•	15	S ALCOHOL OB	TAINED	Very dangerous	420,162	52.2%
Q16f Never heard	Frequency of 78,462	9.8%		SOMEWHER		Dangerous	176,409	21.9%
			Q17c	Frequency	Percent	Not at all	33,957	4.2%
No	669,666 48,705	84.0%	Do Not Drir	nk 653,273	81.0%	Don't know	82,456	10.3%
Yes		6.1%	No	107,257	13.3%	Never heard of	91,206	11.3%
Frequency M	lissina = 65947.6	07079				never neard of	31,200	11.5%

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

46,265

Frequency Missing = 55985.20881

5.7%

Yes

Frequency Missing = 65947.607079

Frequency Missing = 58591.614225

			\$	SPRING 20	12			
DANGEROUS		WINE		JG/ALC INF VISITOR TO	O CLASS	TWO	WINE CO	AT ONE
	requency		Q19b	Frequency		0001 5	7	TIME
Very dangerous	423,890	52.9%	No	431,539	55.2%		requency	
Dangerous	225,221	28.1%	Yes	349,672	44.8%	Never	771,373	95.6%
Not at all	51,049	6.4%	Frequency	Missing = 81	569.316002	1 time	20,131	2.5%
Don't know	78,049	9.7%				2 times	7,414	0.9%
Never heard of	22,443	2.8%				3+ times	8,112	1.0%
Frequency Missir	ng = 62128.9	46694	AS	JG/ALC INF SEMBLY PF Frequency	COGRAM	Frequency Mi	ssing = 5574	19.903099
DANGEROUG	LEOD KIDO	TO LICE	No	355,693	45.5%			WINE,
DANGEROUS	FOR KIDS	LIQUOR	Yes	426,056	54.5%	TWO	OR MORE	AT ONE
Ω18F F	Frequency			Missing = 81				TIME
Very dangerous	518,523	64.4%	rrequericy	Wilssing - 01	001.007272		requency	
Dangerous	156,423	19.4%				Never	750,580	93.0%
Not at all	16,179	2.0%				1 time	36,312	4.5%
Don't know	57,523	7.1%		JG/ALC INF		2 times	10,707	1.3%
Never heard of	56,670	7.0%		CHOOL COU		3+ times	9,758	1.2%
Frequency Missir	ng = 57462.8	94925	No Yes	Frequency 378,095 405,317 Missing = 79	48.3% 51.7%	Frequency Mi	ssing = 5542	24.585677
DANGEROUS		TO USE RIJUANA				TWO	OR MORE	LIQUOR, AT ONE TIME
	Frequency		DDI	JG/ALC INF	O EDOM	Q20d F	requency	Percent
Very dangerous	572,730	71.1%		SOMEONE		Never	775,170	95.9%
Dangerous	70,510	8.8%			SCHOOL	1 time	18,026	2.2%
Not at all	11,586	1.4%	Q19e	Frequency	Percent	2 times	6,713	0.8%
Don't know	48,594	6.0%	No	491,387	63.1%	3+ times	8,521	1.1%
Never heard of	102,086	12.7%	Yes	287,562	36.9%	Frequency Mi	ssing = 543	51.187058
Frequency Missir	ng = 57275.0	58585	Frequency	Missing = 83	831.559884		MISSED SC	THOOI
	LCOHOL II OM TEACH		TV	VO OR MOR		WIT	HOUT PAR COM	ENT'S NSENT
Q19a Frequ			_	_	TIME		equency P	
		3.5%		a Frequency				97.6%
Yes 400	6,707 51	.5%	Neve	*		Yes	19,797	2.4%
Frequency Missi	ng = 72698.3	39303	1 time 2 times 3+ times	s 15,940	1.9%	Frequency Mi	ssing = 279 <sup>-</sup>	10.615069

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

Frequency Missing = 41374.537124

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER

Q22	Frequency	Percent
No	655,195	78.7%
Yes	177,305	21.3%

Frequency Missing = 30280.477026

PARENTS FEEL ABOUT KIDS SMOKING CIGARETTES				
Q23	Frequency	Percent		
Don't like it	722,595	87.0%		
Don't care	13,116	1.6%		
Think it's O.K.	3,046	0.4%		
Don't know	91,912	11.1%		

Frequency Missing = 32111.313437

PARENTS FEEL ABOUT KIDS DRINKING BEEF				
Q24	Frequency	Percent		
Don't like it	689,598	83.1%		
Don't care	22,776	2.7%		
Think it's O.K.	9,179	1.1%		
Don't know	108,020	13.0%		

Frequency Missing = 33208.807559

PARENTS FEEL ABOUT KIDS USING MARIJUANA				
q25	Frequency	Percent		
Don't like it	698,311	84.2%		
Don't care	9,479	1.1%		
Think it's O.K.	3,233	0.4%		
Don't know	118,378	14.3%		

Frequency Missing = 33379.994249

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.