

**State : Grades 7-12 Large  
SPRING 2012**

**Texas School Survey of Drug and Alcohol Use: 2012  
State : Grades 7-12 Large**



## Table of Contents

<b>1. General Substance Tables</b>	<b>Page 5</b>
Tobacco	
Alcohol	
Drugs	
Inhalants	
Miscellaneous	
<b>2. Prevalence Tables</b>	<b>Page 53</b>
Table B1: All Students	
Table B2: Male Students	
Table B3: Female Students	
Table B4: White Students	
Table B5: African/American Students	
Table B6: Mexican/American Students	
Table B7: Students Reporting A Grades	
Table B8: Students Reporting Grades Lower Than an A	
Table B9: Students Living With 2 Parents	
Table B10: Students Not Living With 2 Parents	
Table B11: Students who would seek help from adults	
Table B12: Students who wouldn't seek help from adults	
Table B13: Students Living in Town 3 Years or Less Table	
Table B14: Students Living in Town More Than 3 Years	
<b>3. Margin Tables</b>	<b>Page 111</b>



## 1. General Substance Tables



**State : Grades 7-12 Large  
SPRING 2012**

**Table T-1: How recently, if ever, have you used ..**

		Past Month	School Year	Ever Used	Never Used
<b>Any tobacco product?</b>					
	All	11.0%	15.3%	27.7%	72.3%
	Grade 7	3.7%	5.3%	12.9%	87.1%
	Grade 8	5.5%	8.4%	19.1%	80.9%
	Grade 9	9.8%	14.1%	27.3%	72.7%
	Grade 10	12.5%	17.8%	31.7%	68.3%
	Grade 11	15.7%	21.4%	36.7%	63.3%
	Grade 12	21.3%	28.2%	42.3%	57.7%
<b>Cigarettes?</b>					
	All	9.8%	13.8%	25.9%	74.1%
	Grade 7	3.3%	4.7%	11.9%	88.1%
	Grade 8	4.7%	7.4%	17.8%	82.2%
	Grade 9	8.5%	12.5%	25.3%	74.7%
	Grade 10	11.2%	16.0%	29.7%	70.3%
	Grade 11	13.9%	19.3%	34.2%	65.8%
	Grade 12	19.2%	25.9%	40.0%	60.0%
<b>Smokeless tobacco?</b>					
	All	3.6%	5.3%	9.3%	90.7%
	Grade 7	1.1%	1.6%	3.6%	96.4%
	Grade 8	1.9%	2.9%	5.7%	94.3%
	Grade 9	3.3%	4.9%	8.8%	91.2%
	Grade 10	4.0%	5.9%	10.4%	89.6%
	Grade 11	5.6%	7.8%	13.4%	86.6%
	Grade 12	6.6%	9.5%	15.7%	84.3%

**State : Grades 7-12 Large  
SPRING 2012**

**Table T-2: How often do you normally use ..**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Any tobacco product?</b>							
All	75.4%	2.9%	2.3%	3.1%	4.8%	4.1%	7.4%
Grade 7	89.0%	0.4%	0.9%	1.3%	2.1%	2.2%	4.1%
Grade 8	83.7%	0.7%	1.5%	2.0%	3.2%	3.1%	5.8%
Grade 9	76.1%	2.0%	1.9%	3.0%	4.7%	4.3%	8.0%
Grade 10	72.3%	3.3%	2.4%	3.8%	5.4%	4.8%	7.9%
Grade 11	67.1%	4.6%	3.3%	3.9%	6.5%	5.3%	9.3%
Grade 12	60.6%	7.3%	4.3%	5.1%	7.4%	5.3%	10.0%
<b>Cigarettes?</b>							
All	76.7%	2.2%	2.1%	2.9%	4.7%	4.0%	7.3%
Grade 7	89.6%	0.2%	0.8%	1.2%	2.0%	2.1%	3.9%
Grade 8	84.6%	0.5%	1.3%	1.7%	3.1%	3.1%	5.6%
Grade 9	77.6%	1.5%	1.8%	2.7%	4.6%	4.1%	7.6%
Grade 10	73.8%	2.5%	2.2%	3.6%	5.4%	4.6%	7.8%
Grade 11	68.7%	3.7%	3.0%	3.8%	6.4%	5.0%	9.4%
Grade 12	62.2%	5.7%	4.0%	5.0%	7.6%	5.5%	10.1%
<b>Smokeless tobacco?</b>							
All	91.9%	0.9%	0.7%	1.0%	1.4%	1.4%	2.7%
Grade 7	97.1%	0.2%	0.2%	0.4%	0.6%	0.6%	0.9%
Grade 8	95.2%	0.2%	0.5%	0.8%	0.9%	0.7%	1.8%
Grade 9	92.5%	0.7%	0.4%	1.1%	1.4%	1.3%	2.6%
Grade 10	91.1%	1.1%	0.7%	1.0%	1.6%	1.5%	2.9%
Grade 11	87.8%	1.5%	1.2%	1.0%	2.1%	2.3%	4.0%
Grade 12	86.1%	2.1%	1.1%	1.5%	2.2%	2.4%	4.6%

**Table T-3: Average age of first use of:**

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
<b>Cigarettes</b>						
	10.8	11.5	12.4	13.2	13.9	14.7
<b>Smokeless tobacco</b>						
	11.1	11.8	12.8	13.5	14.3	15.0
<b>Any Tobacco</b>						
	10.8	11.5	12.4	13.1	13.9	14.6



**State : Grades 7-12 Large  
SPRING 2012**

**Table T-4: If you wanted some, how difficult would it be to get...**

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Any tobacco product?</b>						
All	16.7%	18.5%	6.3%	9.5%	16.8%	32.2%
Grade 7	25.2%	33.6%	8.6%	9.5%	11.6%	11.5%
Grade 8	20.7%	25.9%	9.0%	11.5%	15.1%	17.9%
Grade 9	16.0%	18.1%	6.9%	11.3%	20.7%	27.1%
Grade 10	14.0%	13.8%	5.3%	10.6%	20.3%	36.0%
Grade 11	12.4%	10.2%	4.4%	8.6%	19.9%	44.5%
Grade 12	10.1%	6.1%	2.5%	4.4%	12.6%	64.2%
<b>Cigarettes?</b>						
All	17.0%	19.1%	6.6%	9.9%	16.9%	30.5%
Grade 7	25.5%	34.4%	8.7%	9.6%	11.4%	10.5%
Grade 8	21.2%	26.5%	9.3%	11.8%	14.8%	16.4%
Grade 9	16.4%	18.8%	7.5%	11.9%	20.6%	24.8%
Grade 10	14.3%	14.4%	5.8%	11.4%	20.8%	33.3%
Grade 11	12.6%	10.6%	4.7%	9.2%	20.4%	42.5%
Grade 12	10.2%	6.3%	2.5%	4.6%	13.0%	63.3%
<b>Smokeless Tobacco?</b>						
All	27.9%	22.4%	8.1%	9.7%	11.6%	20.4%
Grade 7	36.9%	36.6%	9.2%	7.1%	5.2%	5.0%
Grade 8	32.1%	31.6%	10.5%	9.2%	8.0%	8.6%
Grade 9	28.1%	22.8%	9.4%	11.8%	13.0%	15.0%
Grade 10	26.0%	17.8%	7.6%	12.2%	15.0%	21.5%
Grade 11	22.3%	13.5%	6.8%	10.7%	16.5%	30.1%
Grade 12	19.7%	8.0%	3.9%	6.5%	12.7%	49.1%

**State : Grades 7-12 Large  
SPRING 2012**

**Table T-5: About how many of your close friends...**

	None	A Few	Some	Most	ALL
<b>Use any tobacco product?</b>					
All	46.8%	29.6%	14.9%	7.4%	1.3%
Grade 7	70.8%	20.7%	6.0%	2.1%	0.4%
Grade 8	59.8%	25.7%	9.8%	3.9%	0.7%
Grade 9	45.6%	32.2%	14.5%	6.4%	1.3%
Grade 10	39.2%	32.0%	17.9%	9.0%	1.8%
Grade 11	33.0%	33.6%	20.2%	11.2%	2.0%
Grade 12	26.8%	34.7%	23.0%	13.6%	2.0%
<b>Smoke cigarettes?</b>					
All	49.8%	29.7%	13.3%	6.1%	1.1%
Grade 7	73.0%	19.6%	5.3%	1.7%	0.3%
Grade 8	62.4%	25.2%	8.7%	3.2%	0.5%
Grade 9	49.3%	31.8%	12.7%	5.1%	1.1%
Grade 10	43.1%	32.5%	15.6%	7.4%	1.5%
Grade 11	36.3%	34.5%	18.6%	9.1%	1.5%
Grade 12	29.5%	36.5%	21.0%	11.4%	1.6%
<b>Use a smokeless tobacco product?</b>					
All	70.8%	17.0%	8.3%	3.3%	0.6%
Grade 7	87.2%	9.1%	2.9%	0.7%	0.2%
Grade 8	80.9%	12.6%	4.6%	1.6%	0.3%
Grade 9	70.6%	18.4%	7.5%	2.9%	0.5%
Grade 10	65.7%	19.4%	10.1%	4.0%	0.8%
Grade 11	60.0%	21.3%	12.3%	5.2%	1.1%
Grade 12	56.5%	22.7%	13.8%	6.0%	1.0%

**State : Grades 7-12 Large  
SPRING 2012**

**Table T-6: How do your parents feel about kids your age using tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	77.4%	7.6%	6.3%	1.2%	0.9%	6.7%
Grade 7	84.7%	2.9%	2.1%	0.6%	0.9%	8.8%
Grade 8	82.8%	5.0%	3.2%	0.7%	0.8%	7.7%
Grade 9	80.0%	7.0%	4.9%	0.9%	0.8%	6.4%
Grade 10	75.8%	8.5%	7.3%	1.6%	0.7%	6.1%
Grade 11	73.3%	10.1%	8.8%	1.4%	0.9%	5.5%
Grade 12	64.7%	13.4%	13.0%	2.1%	1.2%	5.6%

**Table T-7: How dangerous do you think it is for kids your age to use tobacco?**

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	56.8%	25.3%	10.0%	2.9%	4.9%
Grade 7	74.9%	14.6%	4.3%	1.2%	4.9%
Grade 8	64.1%	21.6%	7.0%	2.0%	5.3%
Grade 9	55.4%	26.2%	10.2%	3.0%	5.2%
Grade 10	51.7%	28.3%	11.9%	3.0%	5.0%
Grade 11	47.9%	30.3%	13.2%	3.8%	4.8%
Grade 12	42.9%	32.7%	14.9%	5.1%	4.3%

**State : Grades 7-12 Large  
SPRING 2012**

**Table A-1: How recently, if ever, have you used...**

		Past Month	School Year	Ever Used	Never Used
<b>Any alcohol product?</b>					
	All	25.1%	35.3%	57.5%	42.5%
	Grade 7	11.5%	16.0%	36.2%	63.8%
	Grade 8	17.3%	24.1%	47.7%	52.3%
	Grade 9	24.9%	34.9%	59.7%	40.3%
	Grade 10	28.4%	41.1%	64.3%	35.7%
	Grade 11	32.0%	45.9%	68.6%	31.4%
	Grade 12	40.3%	54.6%	72.7%	27.3%
<b>Beer?</b>					
	All	17.3%	25.8%	45.2%	54.8%
	Grade 7	6.8%	9.8%	26.3%	73.7%
	Grade 8	10.3%	16.0%	35.6%	64.4%
	Grade 9	16.4%	24.6%	45.8%	54.2%
	Grade 10	19.8%	30.4%	50.6%	49.4%
	Grade 11	23.6%	35.2%	56.4%	43.6%
	Grade 12	30.2%	42.9%	60.3%	39.7%
<b>Wine coolers?</b>					
	All	15.0%	23.4%	39.6%	60.4%
	Grade 7	6.5%	9.4%	20.2%	79.8%
	Grade 8	9.9%	14.9%	29.6%	70.4%
	Grade 9	15.0%	22.7%	39.7%	60.3%
	Grade 10	17.2%	27.5%	45.7%	54.3%
	Grade 11	19.3%	31.2%	50.6%	49.4%
	Grade 12	24.4%	38.4%	56.0%	44.0%
<b>Wine?</b>					
	All	10.7%	18.3%	37.3%	62.7%
	Grade 7	5.2%	7.9%	21.0%	79.0%
	Grade 8	8.0%	12.4%	29.2%	70.8%
	Grade 9	11.1%	18.3%	39.2%	60.8%
	Grade 10	11.6%	21.1%	42.5%	57.5%
	Grade 11	13.1%	23.8%	45.5%	54.5%
	Grade 12	16.6%	28.3%	49.2%	50.8%
<b>Liquor?</b>					
	All	16.4%	25.3%	40.8%	59.2%
	Grade 7	4.5%	7.0%	16.1%	83.9%
	Grade 8	8.6%	13.7%	27.6%	72.4%
	Grade 9	15.7%	24.6%	41.6%	58.4%
	Grade 10	18.9%	30.4%	48.1%	51.9%
	Grade 11	23.1%	35.7%	55.1%	44.9%
	Grade 12	31.0%	45.2%	61.9%	38.1%

**State : Grades 7-12 Large  
SPRING 2012**

**Table A-2: How often do you normally use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Any alcohol product?</b>								
	All	48.7%	0.5%	3.4%	10.8%	13.2%	12.4%	11.0%
	Grade 7	71.7%	0.3%	1.7%	3.7%	5.4%	7.5%	9.8%
	Grade 8	59.8%	0.4%	2.6%	5.5%	8.8%	11.2%	11.7%
	Grade 9	46.5%	0.6%	3.3%	9.9%	14.1%	13.4%	12.2%
	Grade 10	41.6%	0.5%	3.8%	12.5%	15.9%	14.1%	11.6%
	Grade 11	36.6%	0.4%	4.6%	15.6%	16.9%	15.0%	11.0%
	Grade 12	31.3%	0.5%	5.1%	20.0%	19.8%	13.8%	9.4%
<b>Beer?</b>								
	All	57.6%	0.2%	2.7%	8.4%	11.1%	10.0%	10.1%
	Grade 7	77.8%	0.1%	1.1%	2.7%	4.4%	5.8%	7.9%
	Grade 8	67.7%	0.2%	1.8%	4.0%	7.0%	9.2%	10.1%
	Grade 9	56.8%	0.3%	2.5%	7.0%	11.6%	10.6%	11.1%
	Grade 10	51.7%	0.2%	3.0%	9.7%	13.5%	11.2%	10.7%
	Grade 11	46.1%	0.2%	3.8%	12.3%	14.5%	11.8%	11.3%
	Grade 12	41.3%	0.4%	4.2%	16.3%	16.7%	11.7%	9.4%
<b>Wine coolers?</b>								
	All	64.2%	0.1%	1.7%	6.4%	9.5%	9.9%	8.1%
	Grade 7	85.4%	0.1%	0.8%	1.9%	3.1%	4.2%	4.6%
	Grade 8	75.6%	0.2%	1.4%	3.2%	5.2%	7.3%	7.1%
	Grade 9	63.9%	0.2%	1.9%	5.8%	9.6%	10.0%	8.5%
	Grade 10	58.0%	0.2%	1.7%	7.6%	11.8%	11.6%	9.2%
	Grade 11	51.7%	0.1%	2.2%	9.2%	13.0%	13.8%	10.0%
	Grade 12	45.9%	0.1%	2.4%	12.3%	16.2%	13.3%	9.8%
<b>Wine?</b>								
	All	65.2%	0.1%	1.2%	4.3%	7.6%	11.3%	10.3%
	Grade 7	83.3%	0.0%	0.7%	1.5%	2.9%	5.1%	6.5%
	Grade 8	74.4%	0.0%	1.0%	2.6%	4.5%	8.5%	9.0%
	Grade 9	63.4%	0.1%	1.2%	4.1%	8.2%	12.3%	10.7%
	Grade 10	60.1%	0.1%	1.3%	5.0%	9.1%	13.3%	11.2%
	Grade 11	55.7%	0.2%	1.7%	6.0%	9.9%	14.5%	12.1%
	Grade 12	50.9%	0.1%	1.6%	7.2%	12.1%	15.3%	12.8%
<b>Liquor?</b>								
	All	61.6%	0.2%	2.1%	7.9%	10.4%	10.1%	7.8%
	Grade 7	86.4%	0.1%	0.6%	2.0%	2.7%	3.8%	4.4%
	Grade 8	75.5%	0.2%	1.3%	3.3%	5.0%	7.7%	6.8%
	Grade 9	61.0%	0.2%	2.2%	6.8%	10.7%	10.3%	8.7%
	Grade 10	54.1%	0.2%	2.3%	9.4%	12.7%	12.1%	9.2%
	Grade 11	47.3%	0.2%	2.9%	11.7%	15.0%	13.9%	8.9%
	Grade 12	39.8%	0.1%	3.4%	16.2%	18.1%	13.5%	8.9%

**State : Grades 7-12 Large  
SPRING 2012**

**Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?**

		Never	Ever Used	5 or More	1 to 4	Less than 1
<b>Beer</b>						
	All	53.8%	46.2%	11.7%	21.5%	12.9%
	Grade 7	72.8%	27.2%	3.0%	11.9%	12.3%
	Grade 8	62.9%	37.1%	5.1%	17.0%	15.0%
	Grade 9	52.9%	47.1%	10.1%	22.5%	14.5%
	Grade 10	48.2%	51.8%	14.5%	25.5%	11.8%
	Grade 11	42.7%	57.3%	18.4%	26.7%	12.2%
	Grade 12	39.2%	60.8%	22.2%	27.3%	11.3%
<b>Wine Coolers</b>						
	All	60.2%	39.8%	7.6%	23.6%	8.6%
	Grade 7	81.1%	18.9%	2.5%	9.6%	6.9%
	Grade 8	71.1%	28.9%	3.9%	15.8%	9.2%
	Grade 9	59.7%	40.3%	7.5%	23.4%	9.5%
	Grade 10	53.9%	46.1%	9.1%	28.4%	8.6%
	Grade 11	48.0%	52.0%	11.3%	31.6%	9.1%
	Grade 12	42.8%	57.2%	12.7%	36.3%	8.2%
<b>Wine</b>						
	All	61.6%	38.4%	3.4%	19.9%	15.1%
	Grade 7	79.1%	20.9%	1.5%	8.3%	11.0%
	Grade 8	69.8%	30.2%	2.0%	14.0%	14.2%
	Grade 9	59.2%	40.8%	3.6%	20.5%	16.8%
	Grade 10	56.6%	43.4%	4.0%	23.5%	16.0%
	Grade 11	53.1%	46.9%	4.5%	25.9%	16.5%
	Grade 12	48.9%	51.1%	5.0%	29.5%	16.6%
<b>Liquor</b>						
	All	58.4%	41.6%	10.7%	21.8%	9.2%
	Grade 7	83.5%	16.5%	2.6%	7.1%	6.8%
	Grade 8	71.9%	28.1%	4.6%	14.0%	9.5%
	Grade 9	57.4%	42.6%	10.3%	21.4%	10.9%
	Grade 10	50.8%	49.2%	12.5%	27.0%	9.6%
	Grade 11	44.0%	56.0%	16.3%	30.5%	9.2%
	Grade 12	36.9%	63.1%	20.0%	34.2%	8.8%

**State : Grades 7-12 Large  
SPRING 2012**

**Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?**

	Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol						
All	82.2%	6.1%	3.7%	4.1%	1.7%	2.1%
Grade 7	93.3%	2.8%	1.4%	1.2%	0.5%	0.8%
Grade 8	89.5%	4.3%	2.1%	2.1%	0.7%	1.2%
Grade 9	83.1%	6.3%	3.7%	3.5%	1.1%	2.2%
Grade 10	80.2%	6.2%	4.5%	4.5%	2.2%	2.3%
Grade 11	75.1%	8.3%	5.0%	6.6%	2.4%	2.6%
Grade 12	68.8%	9.8%	6.2%	7.7%	3.6%	3.9%

**Table A-5: Average age of first use of:**

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Beer	10.5	11.3	12.1	13.0	13.7	14.4
Wine Coolers	11.0	11.8	12.6	13.4	14.0	14.7
Wine	10.9	11.6	12.5	13.2	13.9	14.6
Liquor	11.3	12.1	13.1	13.8	14.5	15.2
Any Alcohol	10.5	11.2	12.1	12.9	13.5	14.1

**State : Grades 7-12 Large  
SPRING 2012**

**Table A-6: If you wanted some, how difficult would it be to get...**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Beer?</b>							
	All	14.7%	14.4%	6.3%	12.1%	19.7%	32.8%
	Grade 7	23.4%	28.0%	8.4%	10.5%	12.9%	16.8%
	Grade 8	18.6%	19.5%	7.8%	13.5%	16.6%	24.1%
	Grade 9	13.9%	12.6%	6.5%	12.9%	21.1%	33.0%
	Grade 10	11.8%	10.0%	5.2%	12.3%	20.9%	39.7%
	Grade 11	10.2%	7.7%	4.4%	11.2%	22.5%	44.0%
	Grade 12	8.9%	5.9%	4.7%	12.1%	25.8%	42.6%
<b>Wine coolers?</b>							
	All	20.3%	16.5%	7.2%	12.1%	17.6%	26.3%
	Grade 7	33.3%	30.5%	8.1%	8.1%	9.0%	10.9%
	Grade 8	25.3%	23.6%	9.3%	11.7%	13.7%	16.4%
	Grade 9	18.8%	15.9%	8.0%	13.6%	18.3%	25.5%
	Grade 10	16.3%	11.4%	6.3%	13.3%	20.0%	32.7%
	Grade 11	14.1%	8.7%	5.5%	13.1%	21.4%	37.3%
	Grade 12	11.5%	6.1%	5.4%	13.3%	24.7%	39.0%
<b>Wine?</b>							
	All	17.4%	17.1%	8.1%	12.9%	17.8%	26.8%
	Grade 7	26.2%	32.4%	9.9%	9.1%	10.7%	11.6%
	Grade 8	21.6%	23.8%	10.1%	12.7%	14.3%	17.6%
	Grade 9	16.4%	15.5%	8.6%	14.8%	18.0%	26.6%
	Grade 10	14.6%	11.7%	6.9%	14.3%	19.9%	32.5%
	Grade 11	12.8%	9.6%	6.2%	12.7%	21.3%	37.4%
	Grade 12	11.1%	6.9%	6.1%	13.5%	23.8%	38.6%
<b>Liquor?</b>							
	All	16.7%	18.8%	8.5%	12.0%	16.8%	27.1%
	Grade 7	27.8%	35.5%	10.1%	8.1%	8.0%	10.6%
	Grade 8	21.3%	26.6%	10.8%	11.8%	12.6%	16.9%
	Grade 9	15.5%	17.6%	9.1%	13.6%	17.6%	26.7%
	Grade 10	13.1%	12.7%	7.7%	13.2%	19.7%	33.5%
	Grade 11	11.2%	10.1%	6.3%	12.6%	20.5%	39.2%
	Grade 12	9.5%	7.1%	6.4%	12.9%	23.9%	40.1%
<b>Any alcohol product?</b>							
	All	13.6%	12.2%	5.4%	10.6%	19.4%	38.8%
	Grade 7	21.8%	24.8%	8.2%	10.5%	14.0%	20.8%
	Grade 8	17.1%	16.6%	7.2%	12.0%	17.5%	29.5%
	Grade 9	12.5%	10.5%	5.2%	11.1%	20.9%	39.8%
	Grade 10	10.9%	7.9%	4.1%	10.3%	20.1%	46.7%
	Grade 11	9.4%	6.5%	3.5%	9.5%	20.6%	50.5%
	Grade 12	8.2%	4.8%	3.9%	10.1%	24.0%	48.9%



**State : Grades 7-12 Large  
SPRING 2012**

**Table A-7: Since school began in the fall, on how many days (if any) have you...**

	None	1- 3 Times	4- 9 Times	10+ Times
<b>Attended class while drunk on alcohol?</b>				
All	93.5%	4.9%	0.9%	0.7%
Grade 7	96.0%	3.1%	0.3%	0.6%
Grade 8	94.5%	4.4%	0.6%	0.5%
Grade 9	92.9%	5.3%	1.1%	0.8%
Grade 10	92.7%	5.6%	1.1%	0.6%
Grade 11	92.6%	5.4%	1.1%	0.9%
Grade 12	92.0%	5.8%	1.2%	1.0%
<b>Gotten into trouble with teachers because of your drinking?</b>				
All	99.0%	0.6%	0.1%	0.2%
Grade 7	99.2%	0.5%	0.1%	0.1%
Grade 8	99.1%	0.6%	0.1%	0.2%
Grade 9	99.1%	0.5%	0.1%	0.2%
Grade 10	99.0%	0.6%	0.1%	0.2%
Grade 11	98.9%	0.7%	0.2%	0.3%
Grade 12	98.7%	0.9%	0.1%	0.3%

**State : Grades 7-12 Large  
SPRING 2012**

**Table A-8: School year use of alcohol by absences and conduct problems:**

Average days absent due to illness or other reasons	
Alcohol Users:	4.3
Alcohol Non- use	3.3

  

Average days conduct problems reported	
Alcohol Users:	2.8
Alcohol Non- use	1.0

**Table A-9: During the past twelve months, how many times have you...**

	None	1- 3 Times	4- 9 Times	10+ Times
<b>Driven a car when you've had a good bit to drink?</b>				
All	92.1%	6.1%	1.0%	0.8%
Grade 9	96.6%	2.6%	0.4%	0.4%
Grade 10	94.2%	4.6%	0.6%	0.6%
Grade 11	90.8%	7.3%	1.1%	0.9%
Grade 12	85.4%	11.3%	2.0%	1.3%
<b>Gotten into trouble with the police because of drinking?</b>				
All	97.6%	2.0%	0.2%	0.2%
Grade 7	98.9%	0.8%	0.2%	0.2%
Grade 8	98.4%	1.3%	0.1%	0.2%
Grade 9	97.9%	1.8%	0.1%	0.3%
Grade 10	97.2%	2.3%	0.2%	0.3%
Grade 11	97.0%	2.6%	0.3%	0.2%
Grade 12	96.0%	3.4%	0.4%	0.1%

**State : Grades 7-12 Large  
SPRING 2012**

**Table A-10: About how many of your close friends use...**

		None	A Few	Some	Most	ALL
<b>Any alcohol product?</b>						
	All	32.9%	23.9%	18.2%	18.2%	6.8%
	Grade 7	61.0%	22.0%	10.0%	5.3%	1.7%
	Grade 8	45.7%	26.6%	14.4%	9.8%	3.4%
	Grade 9	29.3%	26.8%	20.1%	17.9%	5.9%
	Grade 10	22.7%	24.5%	22.3%	22.4%	8.2%
	Grade 11	18.8%	21.8%	22.4%	26.9%	10.1%
	Grade 12	14.9%	20.5%	21.2%	30.2%	13.2%
<b>Beer?</b>						
	All	37.8%	23.4%	17.6%	15.9%	5.2%
	Grade 7	66.7%	19.5%	8.5%	4.3%	1.0%
	Grade 8	51.5%	24.9%	13.4%	8.0%	2.1%
	Grade 9	35.0%	26.4%	19.6%	14.8%	4.2%
	Grade 10	27.4%	24.5%	21.6%	20.0%	6.5%
	Grade 11	22.2%	22.8%	22.8%	24.4%	7.8%
	Grade 12	18.6%	21.8%	21.2%	27.4%	11.0%
<b>Wine coolers?</b>						
	All	51.8%	19.7%	14.6%	10.4%	3.5%
	Grade 7	78.3%	12.9%	5.5%	2.5%	0.8%
	Grade 8	66.6%	17.3%	9.0%	5.3%	1.7%
	Grade 9	50.5%	22.2%	14.7%	9.6%	2.9%
	Grade 10	42.6%	21.9%	18.5%	12.7%	4.2%
	Grade 11	36.8%	22.2%	20.1%	15.8%	5.1%
	Grade 12	29.9%	22.6%	21.6%	18.8%	7.1%
<b>Wine?</b>						
	All	58.2%	21.7%	11.9%	6.0%	2.2%
	Grade 7	79.4%	13.8%	4.6%	1.7%	0.5%
	Grade 8	70.1%	18.3%	7.2%	3.3%	1.2%
	Grade 9	56.5%	23.3%	12.6%	5.7%	1.9%
	Grade 10	51.5%	23.9%	14.8%	7.1%	2.8%
	Grade 11	46.0%	25.4%	16.4%	8.9%	3.2%
	Grade 12	41.4%	26.9%	17.2%	10.5%	4.0%
<b>Liquor?</b>						
	All	45.9%	20.3%	15.4%	13.7%	4.8%
	Grade 7	77.8%	13.0%	5.5%	2.8%	0.9%
	Grade 8	62.7%	19.5%	9.9%	6.0%	1.9%
	Grade 9	43.0%	23.6%	16.6%	12.7%	4.0%
	Grade 10	34.7%	22.6%	19.7%	17.3%	5.7%
	Grade 11	28.4%	22.2%	20.9%	21.3%	7.2%
	Grade 12	22.6%	20.7%	21.4%	25.1%	10.2%

**State : Grades 7-12 Large  
SPRING 2012**

**Table A-11: During the past twelve months, how many times have you...**

	None	1- 3 Times	4- 9 Times	10+ Times
<b>Had difficulties of any kind with your friends because of your drinking?</b>				
All	94.5%	4.8%	0.4%	0.3%
Grade 7	97.5%	2.1%	0.2%	0.2%
Grade 8	95.8%	3.6%	0.3%	0.3%
Grade 9	94.7%	4.6%	0.5%	0.3%
Grade 10	93.6%	5.6%	0.5%	0.3%
Grade 11	92.5%	6.5%	0.7%	0.4%
Grade 12	92.2%	7.0%	0.6%	0.2%
<b>Been criticized by someone you were dating because of drinking?</b>				
All	93.5%	5.3%	0.6%	0.5%
Grade 7	97.7%	1.9%	0.2%	0.2%
Grade 8	95.8%	3.5%	0.3%	0.3%
Grade 9	93.7%	5.4%	0.5%	0.4%
Grade 10	91.8%	6.9%	0.7%	0.6%
Grade 11	91.3%	7.0%	1.0%	0.7%
Grade 12	89.9%	8.2%	1.1%	0.8%

**Table A-12: Thinking of parties you attended this school year, how often was alcohol used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	45.5%	9.0%	6.4%	10.0%	14.9%	1.8%	12.4%
Grade 7	72.5%	7.4%	3.9%	2.9%	2.4%	1.7%	9.1%
Grade 8	60.1%	10.2%	5.9%	6.2%	5.3%	1.9%	10.4%
Grade 9	42.8%	11.0%	8.3%	11.3%	11.1%	2.1%	13.4%
Grade 10	35.6%	9.3%	8.2%	13.2%	18.0%	2.0%	13.7%
Grade 11	29.9%	8.7%	6.8%	13.3%	25.3%	1.8%	14.2%
Grade 12	26.6%	6.6%	5.5%	14.1%	31.9%	1.4%	13.9%

**State : Grades 7-12 Large  
SPRING 2012**

**Table A-13: How often, if ever, do you get alcoholic beverages from..**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>At home?</b>						
	All	48.9%	23.8%	19.1%	5.8%	2.5%
	Grade 7	63.5%	21.8%	10.9%	2.7%	1.1%
	Grade 8	55.2%	21.5%	16.4%	5.0%	1.8%
	Grade 9	48.7%	21.7%	20.7%	6.5%	2.5%
	Grade 10	44.2%	24.8%	21.8%	6.3%	3.0%
	Grade 11	41.5%	26.4%	22.1%	6.7%	3.3%
	Grade 12	37.1%	27.5%	23.9%	7.9%	3.6%
<b>From friends?</b>						
	All	46.7%	18.8%	15.0%	14.2%	5.2%
	Grade 7	64.6%	23.2%	6.5%	4.4%	1.3%
	Grade 8	55.6%	24.1%	10.9%	7.2%	2.2%
	Grade 9	46.9%	19.2%	16.0%	13.7%	4.2%
	Grade 10	41.2%	17.2%	17.9%	17.5%	6.3%
	Grade 11	36.2%	14.8%	19.4%	21.5%	8.2%
	Grade 12	31.8%	12.9%	20.7%	23.9%	10.7%
<b>From a store?</b>						
	All	49.2%	38.7%	6.2%	4.0%	2.0%
	Grade 7	65.4%	30.9%	1.9%	1.3%	0.5%
	Grade 8	57.4%	36.9%	3.3%	1.6%	0.8%
	Grade 9	49.4%	40.3%	5.7%	3.1%	1.5%
	Grade 10	44.2%	41.4%	7.6%	4.7%	2.2%
	Grade 11	39.8%	41.9%	8.4%	6.6%	3.3%
	Grade 12	35.1%	41.7%	11.5%	7.4%	4.2%
<b>At parties?</b>						
	All	44.9%	16.4%	12.4%	13.3%	13.1%
	Grade 7	61.9%	20.7%	8.2%	5.8%	3.5%
	Grade 8	52.9%	19.6%	11.7%	9.8%	6.1%
	Grade 9	44.4%	16.4%	14.1%	13.3%	11.7%
	Grade 10	39.6%	14.9%	13.9%	15.4%	16.3%
	Grade 11	35.4%	13.4%	13.3%	18.0%	20.0%
	Grade 12	31.6%	12.1%	13.6%	19.1%	23.6%
<b>Other source?</b>						
	All	49.3%	25.9%	11.9%	6.8%	6.1%
	Grade 7	64.3%	23.5%	6.8%	3.1%	2.2%
	Grade 8	56.6%	25.3%	9.3%	5.1%	3.7%
	Grade 9	49.4%	25.8%	12.0%	6.7%	6.1%
	Grade 10	44.8%	26.3%	13.7%	7.7%	7.4%
	Grade 11	40.5%	27.1%	14.8%	9.2%	8.5%
	Grade 12	36.5%	27.5%	16.2%	10.0%	9.8%

**State : Grades 7-12 Large  
SPRING 2012**

**Table A-14: How do your parents feel about kids your age drinking alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	65.4%	13.8%	10.0%	3.4%	1.2%	6.2%
Grade 7	77.8%	6.9%	4.2%	1.6%	1.1%	8.4%
Grade 8	72.1%	10.3%	6.8%	2.3%	1.1%	7.4%
Grade 9	65.6%	14.6%	9.4%	3.3%	1.2%	5.9%
Grade 10	61.9%	15.6%	11.5%	4.2%	1.2%	5.6%
Grade 11	58.9%	17.3%	13.4%	4.5%	1.1%	4.8%
Grade 12	52.9%	19.8%	16.3%	4.9%	1.4%	4.7%

**Table A-15: How dangerous do you think it is for kids your age to use alcohol?**

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	50.3%	29.7%	13.3%	3.2%	3.5%
Grade 7	64.6%	20.3%	9.0%	2.1%	4.0%
Grade 8	53.5%	25.3%	13.5%	3.6%	4.1%
Grade 9	46.7%	30.3%	15.4%	3.9%	3.6%
Grade 10	45.7%	32.7%	14.9%	3.3%	3.4%
Grade 11	45.9%	34.2%	13.5%	3.2%	3.2%
Grade 12	43.9%	37.3%	13.2%	2.8%	2.8%

**State : Grades 7-12 Large  
SPRING 2012**

**Table D-1: How recently, if ever, have you used...**

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana?</b>					
	All	11.1%	16.0%	26.2%	73.8%
	Grade 7	3.2%	4.4%	8.7%	91.3%
	Grade 8	6.2%	8.9%	15.6%	84.4%
	Grade 9	11.3%	16.2%	26.2%	73.8%
	Grade 10	13.6%	19.7%	32.3%	67.7%
	Grade 11	15.4%	22.7%	37.0%	63.0%
	Grade 12	18.9%	26.8%	41.8%	58.2%
<b>Cocaine?</b>					
	All	1.2%	2.0%	4.2%	95.8%
	Grade 7	0.4%	0.6%	1.3%	98.7%
	Grade 8	0.6%	0.9%	2.0%	98.0%
	Grade 9	1.0%	1.6%	3.6%	96.4%
	Grade 10	1.5%	2.4%	5.1%	94.9%
	Grade 11	1.9%	3.0%	6.7%	93.3%
	Grade 12	2.3%	3.7%	7.2%	92.8%
<b>Crack?</b>					
	All	0.4%	0.6%	1.4%	98.6%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	0.4%	0.7%	1.4%	98.6%
	Grade 9	0.4%	0.7%	1.4%	98.6%
	Grade 10	0.4%	0.7%	1.7%	98.3%
	Grade 11	0.3%	0.6%	1.5%	98.5%
	Grade 12	0.3%	0.5%	1.1%	98.9%
<b>Hallucinogens?</b>					
	All	1.3%	2.1%	4.1%	95.9%
	Grade 7	0.5%	0.7%	1.1%	98.9%
	Grade 8	0.8%	1.3%	2.4%	97.6%
	Grade 9	1.5%	2.1%	3.8%	96.2%
	Grade 10	1.4%	2.5%	5.3%	94.7%
	Grade 11	1.7%	2.9%	6.0%	94.0%
	Grade 12	2.0%	3.6%	6.7%	93.3%
<b>Uppers?</b>					
	All	1.8%	2.7%	4.7%	95.3%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.8%	1.0%	1.7%	98.3%
	Grade 9	1.6%	2.2%	3.9%	96.1%
	Grade 10	2.3%	3.5%	5.9%	94.1%
	Grade 11	2.6%	4.4%	7.6%	92.4%
	Grade 12	3.2%	5.2%	9.1%	90.9%

**State : Grades 7-12 Large  
SPRING 2012**

**Table D-1: How recently, if ever, have you used...  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Downers?	All	2.0%	3.0%	5.0%	95.0%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.9%	1.2%	2.0%	98.0%
	Grade 9	1.7%	2.6%	4.2%	95.8%
	Grade 10	2.6%	3.8%	6.3%	93.7%
	Grade 11	3.2%	4.9%	8.2%	91.8%
	Grade 12	3.7%	5.6%	9.8%	90.2%
Rohypnol?	All	0.7%	1.1%	2.0%	98.0%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.9%	1.1%	2.2%	97.8%
	Grade 9	1.0%	1.4%	2.4%	97.6%
	Grade 10	0.9%	1.3%	2.4%	97.6%
	Grade 11	0.6%	1.0%	2.2%	97.8%
	Grade 12	0.6%	1.1%	2.1%	97.9%
Steroids?	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.6%	0.7%	1.4%	98.6%
	Grade 8	0.3%	0.5%	1.5%	98.5%
	Grade 9	0.2%	0.4%	1.1%	98.9%
	Grade 10	0.6%	0.8%	1.3%	98.7%
	Grade 11	0.6%	0.8%	1.6%	98.4%
	Grade 12	0.5%	0.9%	1.5%	98.5%
Ecstasy?	All	1.7%	2.8%	5.7%	94.3%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.9%	1.3%	2.6%	97.4%
	Grade 9	1.8%	2.7%	5.1%	94.9%
	Grade 10	2.1%	3.6%	7.3%	92.7%
	Grade 11	2.5%	4.3%	9.2%	90.8%
	Grade 12	2.8%	4.8%	10.3%	89.7%
Heroin?	All	0.4%	0.5%	1.1%	98.9%
	Grade 7	0.3%	0.4%	1.0%	99.0%
	Grade 8	0.4%	0.5%	1.0%	99.0%
	Grade 9	0.4%	0.6%	1.2%	98.8%
	Grade 10	0.3%	0.5%	1.1%	98.9%
	Grade 11	0.4%	0.5%	1.2%	98.8%
	Grade 12	0.3%	0.6%	1.1%	98.9%



**State : Grades 7-12 Large  
SPRING 2012**

**Table D-2: How often do you normally use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Marijuana?</b>								
	All	75.3%	3.0%	3.2%	4.2%	4.8%	4.3%	5.2%
	Grade 7	91.8%	0.6%	1.3%	1.4%	1.7%	1.5%	1.7%
	Grade 8	85.2%	1.5%	2.0%	2.8%	2.9%	2.4%	3.3%
	Grade 9	75.2%	3.1%	3.3%	4.6%	4.9%	4.3%	4.6%
	Grade 10	69.9%	3.2%	4.1%	5.1%	6.3%	5.1%	6.4%
	Grade 11	65.4%	4.6%	4.2%	5.4%	6.4%	6.3%	7.7%
	Grade 12	61.2%	5.5%	4.7%	6.2%	7.0%	6.8%	8.6%
<b>Cocaine?</b>								
	All	96.5%	0.1%	0.3%	0.4%	0.7%	0.8%	1.2%
	Grade 7	99.0%	0.1%	0.1%	0.1%	0.1%	0.3%	0.4%
	Grade 8	98.3%	0.1%	0.2%	0.2%	0.3%	0.4%	0.5%
	Grade 9	97.1%	0.1%	0.3%	0.3%	0.7%	0.6%	0.9%
	Grade 10	95.7%	0.2%	0.4%	0.5%	0.9%	0.8%	1.6%
	Grade 11	94.5%	0.2%	0.4%	0.7%	1.1%	1.3%	1.9%
	Grade 12	93.8%	0.1%	0.4%	1.0%	1.3%	1.3%	2.2%
<b>Crack?</b>								
	All	98.8%	0.1%	0.1%	0.2%	0.2%	0.2%	0.4%
	Grade 7	99.0%	0.1%	0.1%	0.1%	0.2%	0.2%	0.3%
	Grade 8	98.8%	0.0%	0.1%	0.3%	0.2%	0.2%	0.3%
	Grade 9	98.8%	0.1%	0.0%	0.2%	0.2%	0.2%	0.3%
	Grade 10	98.6%	0.1%	0.1%	0.1%	0.3%	0.3%	0.5%
	Grade 11	98.6%	0.1%	0.2%	0.1%	0.2%	0.3%	0.5%
	Grade 12	99.1%	0.1%	0.1%	0.1%	0.2%	0.2%	0.3%
<b>Hallucinogens?</b>								
	All	96.6%	0.1%	0.1%	0.3%	0.7%	1.1%	1.1%
	Grade 7	99.0%	0.1%	0.1%	0.2%	0.2%	0.2%	0.3%
	Grade 8	98.2%	0.0%	0.1%	0.2%	0.3%	0.6%	0.5%
	Grade 9	97.0%	0.0%	0.1%	0.4%	0.6%	1.0%	0.8%
	Grade 10	95.8%	0.1%	0.1%	0.3%	0.9%	1.4%	1.6%
	Grade 11	94.8%	0.1%	0.2%	0.3%	0.9%	1.8%	1.9%
	Grade 12	94.1%	0.0%	0.1%	0.4%	1.2%	2.2%	2.0%
<b>Uppers?</b>								
	All	95.5%	0.2%	0.3%	0.7%	1.1%	1.1%	1.1%
	Grade 7	99.1%	0.0%	0.1%	0.2%	0.2%	0.3%	0.1%
	Grade 8	98.1%	0.1%	0.2%	0.4%	0.3%	0.5%	0.4%
	Grade 9	96.3%	0.1%	0.3%	0.7%	0.9%	0.9%	0.9%
	Grade 10	94.3%	0.2%	0.4%	0.8%	1.6%	1.2%	1.4%
	Grade 11	93.0%	0.3%	0.4%	1.1%	1.7%	1.7%	1.7%
	Grade 12	91.4%	0.3%	0.4%	1.2%	2.1%	2.2%	2.5%

**State : Grades 7-12 Large  
SPRING 2012**

**Table D-2: How often do you normally use...  
(Continued)**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
<b>Downers?</b>								
	All	95.3%	0.2%	0.3%	0.8%	1.2%	1.1%	1.2%
	Grade 7	99.1%	0.0%	0.0%	0.2%	0.2%	0.2%	0.2%
	Grade 8	98.0%	0.1%	0.3%	0.4%	0.4%	0.4%	0.5%
	Grade 9	95.9%	0.1%	0.4%	0.8%	0.9%	1.0%	0.8%
	Grade 10	93.9%	0.2%	0.4%	1.0%	1.6%	1.3%	1.6%
	Grade 11	92.6%	0.3%	0.5%	1.2%	1.8%	1.7%	1.9%
	Grade 12	91.0%	0.2%	0.6%	1.3%	2.4%	2.0%	2.5%
<b>Rohypnol?</b>								
	All	98.3%	0.0%	0.1%	0.2%	0.3%	0.4%	0.5%
	Grade 7	99.2%	0.0%	0.1%	0.2%	0.2%	0.2%	0.2%
	Grade 8	98.4%	0.0%	0.2%	0.2%	0.3%	0.4%	0.4%
	Grade 9	98.0%	0.1%	0.1%	0.2%	0.4%	0.5%	0.6%
	Grade 10	98.0%	0.1%	0.1%	0.2%	0.4%	0.5%	0.5%
	Grade 11	98.0%	0.0%	0.1%	0.3%	0.3%	0.5%	0.7%
	Grade 12	98.4%	0.0%	0.1%	0.2%	0.4%	0.4%	0.5%
<b>Steroids?</b>								
	All	99.0%	0.1%	0.1%	0.1%	0.1%	0.2%	0.4%
	Grade 7	99.0%	0.1%	0.1%	0.1%	0.2%	0.2%	0.4%
	Grade 8	98.9%	0.2%	0.1%	0.0%	0.1%	0.2%	0.5%
	Grade 9	99.2%	0.1%	0.1%	0.0%	0.1%	0.2%	0.4%
	Grade 10	98.9%	0.0%	0.1%	0.1%	0.2%	0.2%	0.4%
	Grade 11	98.9%	0.1%	0.1%	0.1%	0.1%	0.1%	0.5%
	Grade 12	98.8%	0.1%	0.1%	0.1%	0.2%	0.2%	0.4%
<b>Ecstasy?</b>								
	All	94.9%	0.0%	0.2%	0.6%	1.0%	1.5%	1.7%
	Grade 7	99.0%	0.0%	0.1%	0.2%	0.2%	0.2%	0.3%
	Grade 8	97.9%	0.0%	0.1%	0.4%	0.5%	0.6%	0.5%
	Grade 9	95.3%	0.1%	0.4%	0.5%	1.0%	1.4%	1.4%
	Grade 10	93.6%	0.0%	0.2%	0.7%	1.2%	2.0%	2.1%
	Grade 11	91.9%	0.1%	0.3%	0.9%	1.6%	2.3%	2.9%
	Grade 12	90.7%	0.1%	0.2%	0.8%	1.8%	2.7%	3.8%
<b>Heroin?</b>								
	All	99.2%	0.1%	0.1%	0.1%	0.1%	0.2%	0.3%
	Grade 7	99.3%	0.0%	0.1%	0.1%	0.1%	0.2%	0.2%
	Grade 8	99.4%	0.0%	0.1%	0.1%	0.1%	0.2%	0.1%
	Grade 9	99.2%	0.1%	0.0%	0.1%	0.1%	0.2%	0.4%
	Grade 10	99.1%	0.0%	0.0%	0.1%	0.1%	0.2%	0.4%
	Grade 11	98.8%	0.0%	0.1%	0.1%	0.1%	0.2%	0.5%
	Grade 12	99.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.5%

**State : Grades 7-12 Large  
SPRING 2012**

**Table D-3: Average age of first use of:**

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.6	12.3	12.9	13.7	14.3	14.9
Cocaine	11.9	12.5	13.5	14.3	15.0	15.6
Crack	11.6	12.1	13.3	13.6	14.1	15.2
Hallucinogens	11.3	12.3	13.4	14.3	15.0	15.8
Uppers	11.5	12.5	13.3	14.2	14.6	15.3
Downers	11.6	12.5	13.3	14.1	14.5	15.2
Rohypnol	11.7	12.4	13.3	14.0	14.2	15.1
Steroids	10.7	11.4	12.7	13.4	14.3	14.4
Ecstasy	11.5	12.6	13.5	14.3	15.1	15.9
Heroin	11.4	12.0	13.5	13.9	14.1	15.2

**Table D-4: Age of first use of marijuana by family situation:**

	Never	9/ Under	10 to 11	12 to 13	14 to 15	16 to 17	Over 17
<b>Two parent family</b>							
All	79.0%	0.8%	1.6%	5.5%	8.5%	4.3%	0.4%
Grade 7	94.0%	0.5%	1.6%	3.6%	0.3%	0.0%	0.0%
Grade 8	89.6%	0.5%	1.8%	5.6%	2.4%	0.0%	0.0%
Grade 9	79.6%	1.0%	2.2%	7.2%	9.5%	0.4%	0.0%
Grade 10	74.4%	1.0%	1.3%	6.5%	13.8%	3.0%	0.0%
Grade 11	66.9%	1.2%	1.4%	5.2%	14.6%	10.4%	0.3%
Grade 12	63.8%	0.5%	0.8%	4.8%	12.5%	15.5%	2.1%
<b>Other family situation</b>							
All	64.9%	2.3%	3.6%	10.7%	12.5%	5.5%	0.5%
Grade 7	86.5%	2.0%	4.2%	6.8%	0.5%	0.0%	0.0%
Grade 8	76.0%	2.8%	4.0%	12.6%	4.5%	0.1%	0.0%
Grade 9	65.2%	3.0%	4.0%	13.9%	13.4%	0.4%	0.0%
Grade 10	56.8%	1.8%	3.6%	11.9%	21.9%	3.9%	0.0%
Grade 11	54.9%	2.5%	2.7%	10.2%	17.8%	11.5%	0.4%
Grade 12	49.0%	1.8%	3.0%	8.2%	16.7%	18.7%	2.5%

**State : Grades 7-12 Large  
SPRING 2012**

**Table D-5: If you wanted some, how difficult would it be to get..**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Marijuana?</b>							
	All	19.0%	26.2%	7.7%	9.0%	12.4%	25.7%
	Grade 7	30.0%	45.1%	7.3%	5.4%	5.1%	7.1%
	Grade 8	23.2%	37.4%	8.9%	7.8%	8.8%	13.9%
	Grade 9	17.7%	25.0%	8.3%	10.2%	13.5%	25.3%
	Grade 10	15.4%	19.0%	7.3%	10.1%	15.4%	32.7%
	Grade 11	13.7%	14.6%	7.6%	10.2%	15.9%	38.1%
	Grade 12	12.5%	11.8%	6.7%	10.5%	16.8%	41.7%
<b>Cocaine?</b>							
	All	25.6%	36.4%	13.5%	10.3%	6.2%	7.9%
	Grade 7	33.9%	49.4%	7.7%	4.3%	2.2%	2.5%
	Grade 8	29.0%	45.9%	11.0%	6.1%	3.8%	4.1%
	Grade 9	25.2%	36.3%	14.3%	10.5%	6.4%	7.3%
	Grade 10	22.9%	31.5%	14.9%	13.0%	8.2%	9.5%
	Grade 11	21.1%	27.7%	16.3%	14.2%	8.3%	12.5%
	Grade 12	20.0%	24.0%	18.2%	15.5%	9.1%	13.2%
<b>Crack?</b>							
	All	27.2%	37.3%	14.3%	9.7%	5.3%	6.2%
	Grade 7	34.9%	49.2%	7.6%	3.8%	2.2%	2.4%
	Grade 8	29.8%	46.1%	10.8%	5.7%	3.7%	3.8%
	Grade 9	26.4%	37.3%	14.6%	10.1%	5.4%	6.1%
	Grade 10	24.9%	32.9%	16.1%	11.9%	6.8%	7.3%
	Grade 11	23.6%	28.7%	17.8%	13.9%	7.1%	8.9%
	Grade 12	22.1%	26.5%	20.4%	14.3%	7.3%	9.5%
<b>Hallucinogens?</b>							
	All	41.5%	27.4%	11.2%	8.4%	5.2%	6.3%
	Grade 7	57.3%	31.5%	5.1%	3.0%	1.3%	1.8%
	Grade 8	49.1%	32.1%	8.1%	4.6%	2.7%	3.4%
	Grade 9	41.4%	28.0%	11.7%	7.9%	5.0%	6.0%
	Grade 10	36.2%	26.2%	12.8%	10.5%	6.9%	7.4%
	Grade 11	32.4%	23.7%	14.5%	12.2%	7.7%	9.6%
	Grade 12	28.8%	21.5%	16.5%	13.6%	8.6%	11.0%
<b>Uppers?</b>							
	All	52.6%	21.0%	7.8%	6.3%	5.1%	7.3%
	Grade 7	64.5%	26.5%	4.1%	2.3%	1.1%	1.5%
	Grade 8	60.4%	24.5%	5.9%	3.9%	2.3%	3.1%
	Grade 9	54.5%	20.9%	7.9%	6.0%	4.7%	6.1%
	Grade 10	48.9%	19.0%	8.7%	7.6%	6.8%	9.0%
	Grade 11	43.5%	18.3%	9.4%	8.9%	8.0%	12.0%
	Grade 12	39.9%	15.7%	11.5%	10.3%	8.7%	13.8%

**State : Grades 7-12 Large  
SPRING 2012**

**Table D-5: If you wanted some, how difficult would it be to get..**

Continued

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Downers?</b>							
	All	52.4%	21.0%	7.9%	6.3%	5.0%	7.5%
	Grade 7	64.7%	26.3%	4.2%	2.2%	1.0%	1.7%
	Grade 8	60.0%	24.5%	6.1%	3.8%	2.3%	3.2%
	Grade 9	54.1%	20.8%	8.0%	6.0%	4.6%	6.5%
	Grade 10	48.7%	19.0%	8.7%	7.6%	6.8%	9.2%
	Grade 11	43.5%	18.2%	9.7%	8.8%	7.7%	12.2%
	Grade 12	39.9%	15.6%	11.6%	10.5%	8.5%	14.0%
<b>Rohypnol?</b>							
	All	47.4%	26.8%	10.5%	6.4%	3.6%	5.3%
	Grade 7	61.6%	29.3%	4.4%	2.2%	1.1%	1.5%
	Grade 8	54.3%	29.9%	7.0%	3.7%	2.2%	2.9%
	Grade 9	47.2%	26.9%	10.5%	6.6%	3.7%	5.1%
	Grade 10	42.7%	26.0%	11.9%	7.8%	5.1%	6.4%
	Grade 11	39.9%	24.5%	13.5%	9.0%	4.9%	8.2%
	Grade 12	35.3%	23.1%	17.1%	10.5%	5.1%	8.9%
<b>Steroids?</b>							
	All	30.3%	37.3%	13.1%	8.7%	4.8%	5.8%
	Grade 7	37.9%	46.4%	7.4%	4.0%	2.1%	2.4%
	Grade 8	33.2%	44.8%	10.1%	5.5%	2.8%	3.5%
	Grade 9	30.3%	37.5%	13.6%	8.6%	4.8%	5.1%
	Grade 10	27.8%	34.6%	14.8%	10.5%	5.8%	6.6%
	Grade 11	26.8%	30.7%	16.0%	11.7%	6.5%	8.3%
	Grade 12	24.6%	27.1%	17.9%	13.1%	7.1%	10.2%
<b>Ecstasy?</b>							
	All	37.0%	28.8%	10.5%	8.0%	6.5%	9.2%
	Grade 7	57.2%	32.1%	4.9%	2.6%	1.3%	1.9%
	Grade 8	46.7%	33.7%	8.0%	4.2%	3.1%	4.2%
	Grade 9	35.5%	30.5%	11.7%	7.9%	6.1%	8.2%
	Grade 10	29.0%	28.6%	11.5%	11.0%	8.7%	11.2%
	Grade 11	26.4%	24.2%	12.8%	11.1%	10.1%	15.5%
	Grade 12	23.4%	21.6%	15.0%	12.6%	10.8%	16.6%
<b>Heroin?</b>							
	All	36.1%	36.4%	12.6%	6.7%	3.3%	4.9%
	Grade 7	48.3%	39.6%	5.8%	3.1%	1.5%	1.7%
	Grade 8	41.2%	41.3%	8.4%	4.0%	2.2%	2.9%
	Grade 9	35.3%	37.1%	12.5%	6.9%	3.4%	4.8%
	Grade 10	31.3%	35.7%	15.1%	8.2%	4.2%	5.4%
	Grade 11	30.3%	32.5%	16.6%	9.0%	4.6%	6.9%
	Grade 12	27.9%	30.6%	19.2%	9.7%	4.3%	8.3%

**State : Grades 7-12 Large  
SPRING 2012**

**Table D-6: Since school began in the fall, on how many days (if any) have you..**

	None	1- 3 Times	4- 9 Times	10+ Times
<b>Attended class while high from marijuana use?</b>				
All	89.3%	5.6%	2.0%	3.1%
Grade 7	96.1%	2.4%	0.7%	0.7%
Grade 8	92.7%	4.5%	1.2%	1.6%
Grade 9	88.8%	5.9%	2.1%	3.1%
Grade 10	87.0%	6.8%	2.4%	3.9%
Grade 11	85.3%	7.3%	2.9%	4.6%
Grade 12	84.4%	7.0%	2.8%	5.7%
<b>Attended class while high from use of some other drug?</b>				
All	95.2%	2.9%	0.8%	1.0%
Grade 7	97.8%	1.5%	0.3%	0.4%
Grade 8	96.2%	2.5%	0.6%	0.6%
Grade 9	94.8%	3.4%	0.9%	0.9%
Grade 10	94.3%	3.7%	1.1%	1.0%
Grade 11	93.9%	3.4%	1.1%	1.5%
Grade 12	94.1%	3.2%	1.1%	1.6%
<b>Gotten into trouble with teachers because of your drug use?</b>				
All	98.6%	0.9%	0.2%	0.3%
Grade 7	99.1%	0.6%	0.2%	0.2%
Grade 8	98.9%	0.7%	0.1%	0.3%
Grade 9	98.6%	1.0%	0.1%	0.3%
Grade 10	98.4%	1.2%	0.1%	0.3%
Grade 11	98.2%	1.3%	0.3%	0.3%
Grade 12	98.6%	0.9%	0.1%	0.3%

**Table D-7: School year use of marijuana by absences and conduct problems:**

Average days absent due to illness or other reasons	
Marijuana Users:	4.5
Marijuana Non- use	3.5
Average days conduct problems reported	
Marijuana Users:	3.9
Marijuana Non- use	1.2

**State : Grades 7-12 Large  
SPRING 2012**

**Table D-8: During the past twelve months, how many times have you..**

	None	1- 3 Times	4- 9 Times	10+ Times
<b>Driven a car when you've felt high from drugs?</b>				
All	91.1%	5.5%	1.5%	2.0%
Grade 9	96.0%	2.9%	0.5%	0.6%
Grade 10	93.0%	4.5%	1.3%	1.2%
Grade 11	89.5%	6.4%	1.8%	2.3%
Grade 12	84.2%	9.0%	2.7%	4.2%
<b>Gotten into trouble with the police because of drug use?</b>				
All	97.8%	1.8%	0.2%	0.2%
Grade 7	98.8%	0.8%	0.2%	0.2%
Grade 8	98.4%	1.3%	0.1%	0.2%
Grade 9	97.7%	1.7%	0.3%	0.2%
Grade 10	97.3%	2.3%	0.2%	0.2%
Grade 11	97.2%	2.4%	0.3%	0.1%
Grade 12	97.0%	2.4%	0.3%	0.3%

**Table D-9: About how many of your close friends use marijuana?**

	None	A Few	Some	Most	ALL
All	48.9%	18.6%	14.0%	13.4%	5.2%
Grade 7	76.8%	11.9%	6.0%	3.8%	1.4%
Grade 8	62.1%	16.8%	9.3%	8.7%	3.2%
Grade 9	45.1%	20.5%	14.4%	14.9%	5.1%
Grade 10	38.6%	20.8%	17.5%	16.0%	7.1%
Grade 11	34.0%	21.0%	19.2%	18.7%	7.2%
Grade 12	31.8%	21.6%	18.9%	19.9%	7.8%

**State : Grades 7-12 Large  
SPRING 2012**

**Table D-10: During the past twelve months, how many times have you..**

	None	1- 3 Times	4- 9 Times	10+ Times
<b>Had difficulties of any kind with your friends because of your drug use?</b>				
All	94.8%	4.3%	0.6%	0.3%
Grade 7	97.4%	2.1%	0.4%	0.2%
Grade 8	95.9%	3.3%	0.5%	0.4%
Grade 9	94.0%	5.0%	0.7%	0.3%
Grade 10	93.5%	5.3%	0.9%	0.4%
Grade 11	93.3%	5.6%	0.7%	0.4%
Grade 12	94.2%	4.8%	0.6%	0.4%
<b>Been criticized by someone you were dating because of drug use?</b>				
All	93.6%	5.0%	0.7%	0.7%
Grade 7	97.7%	1.7%	0.3%	0.2%
Grade 8	95.2%	3.7%	0.5%	0.6%
Grade 9	93.4%	5.6%	0.5%	0.6%
Grade 10	91.7%	6.4%	1.0%	0.9%
Grade 11	91.8%	6.2%	1.1%	0.9%
Grade 12	91.2%	6.8%	1.0%	0.9%

**Table D-11: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Don't know	Didn't attend
All	54.9%	8.2%	5.7%	7.1%	9.2%	2.4%	12.4%
Grade 7	79.6%	4.0%	2.4%	1.5%	1.6%	1.8%	9.1%
Grade 8	69.6%	6.8%	4.1%	3.7%	3.4%	2.1%	10.3%
Grade 9	53.3%	9.9%	5.8%	7.0%	7.5%	2.8%	13.6%
Grade 10	46.4%	9.3%	7.0%	9.3%	11.5%	2.7%	13.8%
Grade 11	39.2%	9.9%	7.6%	10.9%	15.5%	2.7%	14.3%
Grade 12	35.5%	9.9%	8.1%	11.7%	18.3%	2.7%	13.9%



**State : Grades 7-12 Large  
SPRING 2012**

**Table D-12: How often, if ever, do you smoke marijuana in..**

CATEGORY		Never	Seldom	Half the Time	Most of the Time	Always	Don't know
Joints?	All	79.8%	7.9%	4.5%	3.8%	3.1%	0.9%
	Grade 7	92.3%	2.5%	1.8%	1.6%	1.0%	0.7%
	Grade 8	86.5%	4.3%	3.2%	2.8%	2.4%	0.9%
	Grade 9	79.5%	8.1%	4.1%	4.0%	3.4%	0.9%
	Grade 10	75.2%	9.2%	6.1%	4.6%	3.8%	1.0%
	Grade 11	72.6%	11.1%	5.8%	5.1%	4.4%	1.0%
	Grade 12	69.7%	13.9%	6.6%	5.2%	3.9%	0.7%
Blunts?	All	79.8%	6.7%	3.8%	4.5%	4.3%	0.9%
	Grade 7	92.3%	2.5%	1.5%	1.7%	1.2%	0.8%
	Grade 8	87.1%	4.1%	2.7%	2.8%	2.5%	0.8%
	Grade 9	79.4%	6.5%	3.8%	4.5%	4.9%	0.9%
	Grade 10	75.5%	7.8%	4.8%	5.6%	5.4%	1.0%
	Grade 11	72.5%	9.2%	4.9%	6.0%	6.3%	1.1%
	Grade 12	69.1%	11.1%	5.8%	6.8%	6.4%	0.8%
Bongs or water pipes?	All	83.5%	5.9%	3.6%	3.3%	3.0%	0.7%
	Grade 7	94.8%	1.9%	1.1%	0.8%	0.8%	0.7%
	Grade 8	90.4%	3.1%	2.1%	2.0%	1.8%	0.6%
	Grade 9	83.5%	5.4%	3.6%	3.3%	3.4%	0.8%
	Grade 10	79.7%	7.4%	4.3%	4.1%	3.6%	0.8%
	Grade 11	76.4%	8.2%	5.4%	4.9%	4.3%	0.8%
	Grade 12	73.1%	10.5%	6.0%	5.2%	4.5%	0.6%
Pipes?	All	82.2%	5.3%	3.5%	4.5%	3.7%	0.7%
	Grade 7	94.3%	1.7%	1.3%	1.0%	1.0%	0.7%
	Grade 8	89.4%	3.2%	1.9%	2.5%	2.3%	0.6%
	Grade 9	82.0%	5.4%	3.6%	4.1%	4.0%	0.9%
	Grade 10	78.3%	6.5%	4.1%	5.6%	4.6%	0.8%
	Grade 11	75.2%	7.0%	5.1%	6.9%	5.0%	0.8%
	Grade 12	71.2%	8.9%	5.6%	7.7%	6.0%	0.6%
Some other way?	All	87.3%	5.2%	1.7%	1.6%	2.3%	1.9%
	Grade 7	95.1%	1.6%	0.7%	0.5%	0.9%	1.1%
	Grade 8	91.5%	3.0%	1.4%	1.1%	1.7%	1.2%
	Grade 9	86.6%	4.9%	1.6%	1.8%	2.7%	2.4%
	Grade 10	85.1%	5.7%	2.0%	1.9%	2.9%	2.4%
	Grade 11	82.7%	7.2%	2.4%	2.3%	3.1%	2.2%
	Grade 12	80.8%	10.0%	2.1%	1.9%	2.9%	2.4%

**State : Grades 7-12 Large  
SPRING 2012**

**Table D-13: How do your parents feel about kids your age using marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Don't know
All	80.4%	5.6%	5.1%	1.3%	1.4%	6.1%
Grade 7	85.5%	2.3%	1.9%	0.8%	1.3%	8.3%
Grade 8	83.5%	3.7%	3.5%	1.0%	1.2%	7.1%
Grade 9	81.1%	5.3%	4.9%	1.6%	1.4%	5.7%
Grade 10	78.7%	6.4%	6.2%	1.5%	1.4%	5.7%
Grade 11	77.8%	7.6%	6.6%	1.4%	1.8%	4.7%
Grade 12	74.2%	9.1%	8.5%	1.7%	1.7%	4.8%

**State : Grades 7-12 Large  
SPRING 2012**

**Table D-14: How dangerous do you think it is for kids your age to use...**

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
<b>Marijuana?</b>						
	All	58.2%	14.2%	11.8%	12.0%	3.8%
	Grade 7	80.6%	8.0%	3.8%	3.5%	4.1%
	Grade 8	69.5%	11.7%	7.4%	7.1%	4.3%
	Grade 9	55.9%	15.5%	12.9%	11.9%	3.8%
	Grade 10	50.2%	16.8%	14.4%	15.2%	3.5%
	Grade 11	47.2%	15.8%	16.2%	17.3%	3.5%
	Grade 12	41.4%	18.3%	17.4%	19.2%	3.7%
<b>Cocaine?</b>						
	All	85.0%	7.9%	1.6%	0.9%	4.5%
	Grade 7	87.7%	5.9%	1.2%	0.7%	4.5%
	Grade 8	84.7%	7.6%	1.8%	1.0%	4.9%
	Grade 9	82.9%	9.4%	1.8%	0.9%	5.0%
	Grade 10	84.3%	8.7%	1.8%	0.8%	4.3%
	Grade 11	85.6%	7.9%	1.4%	1.0%	4.2%
	Grade 12	85.3%	8.0%	1.6%	0.9%	4.1%
<b>Crack?</b>						
	All	86.6%	6.7%	1.2%	0.8%	4.7%
	Grade 7	88.5%	5.2%	1.0%	0.6%	4.8%
	Grade 8	85.0%	7.1%	1.7%	0.9%	5.3%
	Grade 9	84.4%	8.2%	1.5%	0.8%	5.0%
	Grade 10	86.4%	7.1%	1.2%	0.8%	4.5%
	Grade 11	87.9%	6.3%	1.1%	0.8%	4.0%
	Grade 12	87.9%	6.1%	0.8%	0.8%	4.4%
<b>Ecstasy?</b>						
	All	78.5%	10.2%	3.3%	1.3%	6.7%
	Grade 7	84.3%	5.2%	1.5%	0.6%	8.4%
	Grade 8	79.7%	8.2%	2.6%	1.3%	8.2%
	Grade 9	76.2%	11.3%	3.8%	1.4%	7.3%
	Grade 10	76.6%	12.2%	4.0%	1.6%	5.6%
	Grade 11	77.3%	12.0%	4.2%	1.6%	5.0%
	Grade 12	76.2%	13.4%	4.1%	1.5%	4.9%
<b>Steroids?</b>						
	All	76.3%	12.6%	4.0%	1.5%	5.6%
	Grade 7	81.5%	8.7%	2.8%	1.2%	5.8%
	Grade 8	77.1%	11.6%	3.8%	1.5%	6.0%
	Grade 9	74.4%	13.9%	4.3%	1.4%	6.1%
	Grade 10	75.2%	14.1%	3.9%	1.5%	5.2%
	Grade 11	75.4%	13.3%	4.7%	1.4%	5.2%
	Grade 12	74.1%	14.7%	4.5%	1.6%	5.2%

**State : Grades 7-12 Large  
SPRING 2012**

**Table D-14: How dangerous do you think it is for kids your age to use...  
(Continued)**

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
Heroin?					
All	86.7%	5.4%	1.0%	0.8%	6.1%
Grade 7	86.9%	4.4%	0.9%	0.6%	7.2%
Grade 8	84.4%	6.0%	1.4%	0.9%	7.4%
Grade 9	84.3%	6.9%	1.3%	1.0%	6.5%
Grade 10	87.5%	5.6%	1.0%	0.8%	5.2%
Grade 11	89.0%	4.6%	0.9%	0.8%	4.8%
Grade 12	89.2%	4.5%	0.6%	0.8%	4.9%

**State : Grades 7-12 Large  
SPRING 2012**

**Table D-15: How recently, if ever, have you taken...**

	Past Month	School Year	Ever Used	Never Used
Methamphetamine?				
All	0.8%	1.2%	2.5%	97.5%
Grade 7	0.5%	0.8%	1.6%	98.4%
Grade 8	0.5%	1.0%	2.0%	98.0%
Grade 9	0.7%	1.1%	2.4%	97.6%
Grade 10	0.8%	1.4%	2.7%	97.3%
Grade 11	1.1%	1.4%	3.1%	96.9%
Grade 12	1.1%	1.8%	3.4%	96.6%

**State : Grades 7-12 Large  
SPRING 2012**

**Table D-16: How recently, if ever, have you taken the following PRESCRIPTION DRUGS...**

	Past Month	School Year	Ever Used	Never Used
<b>Codeine?</b>				
All	4.0%	6.8%	10.8%	89.2%
Grade 7	3.1%	4.9%	7.2%	92.8%
Grade 8	3.5%	5.2%	8.2%	91.8%
Grade 9	3.9%	6.6%	10.4%	89.6%
Grade 10	4.5%	7.5%	12.0%	88.0%
Grade 11	4.9%	8.5%	13.7%	86.3%
Grade 12	4.5%	8.9%	14.7%	85.3%
<b>Oxycontin, Percodan, Percocet or Oxycodone?</b>				
All	1.2%	2.1%	3.6%	96.4%
Grade 7	0.4%	0.7%	1.2%	98.8%
Grade 8	0.6%	1.0%	1.8%	98.2%
Grade 9	1.2%	2.1%	3.5%	96.5%
Grade 10	1.4%	2.6%	4.3%	95.7%
Grade 11	1.9%	3.2%	5.2%	94.8%
Grade 12	1.8%	3.6%	6.4%	93.6%
<b>Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	2.7%	5.0%	7.5%	92.5%
Grade 7	0.7%	1.1%	1.7%	98.3%
Grade 8	1.2%	1.9%	2.9%	97.1%
Grade 9	2.7%	4.5%	6.4%	93.6%
Grade 10	3.4%	6.6%	9.5%	90.5%
Grade 11	4.2%	7.7%	12.0%	88.0%
Grade 12	4.5%	9.4%	14.2%	85.8%
<b>Valium or Diazepam?</b>				
All	0.7%	1.2%	2.0%	98.0%
Grade 7	0.1%	0.3%	0.7%	99.3%
Grade 8	0.3%	0.5%	0.9%	99.1%
Grade 9	0.9%	1.4%	2.1%	97.9%
Grade 10	0.8%	1.3%	2.4%	97.6%
Grade 11	0.9%	1.5%	2.8%	97.2%
Grade 12	1.1%	2.1%	3.7%	96.3%
<b>Xanax or Alprazolam?</b>				
All	1.5%	2.5%	3.9%	96.1%
Grade 7	0.4%	0.6%	1.1%	98.9%
Grade 8	0.8%	1.2%	1.9%	98.1%
Grade 9	1.5%	2.6%	3.8%	96.2%
Grade 10	1.7%	2.9%	4.4%	95.6%
Grade 11	2.5%	3.6%	5.5%	94.5%
Grade 12	2.3%	4.5%	7.4%	92.6%

**State : Grades 7-12 Large  
SPRING 2012**

**Table D-17: How recently, if ever, have you taken the following OVER-THE COUNTER drugs...**

	Past Month	School Year	Ever Used	Never Used
<b>DXM, Triple C?</b>				
All	1.7%	2.7%	4.6%	95.4%
Grade 7	1.6%	2.2%	3.6%	96.4%
Grade 8	2.2%	2.9%	4.5%	95.5%
Grade 9	1.8%	2.9%	4.7%	95.3%
Grade 10	1.7%	2.9%	4.8%	95.2%
Grade 11	1.7%	2.9%	5.2%	94.8%
Grade 12	1.4%	2.4%	4.5%	95.5%

**State : Grades 7-12 Large  
SPRING 2012**

**Table I-1: How recently, if ever, have you used...**

	Past Month	School Year	Ever Used	Never Used
<b>Spray paint?</b>				
All	0.8%	1.2%	3.8%	96.2%
Grade 7	1.1%	1.5%	4.0%	96.0%
Grade 8	1.0%	1.6%	4.3%	95.7%
Grade 9	0.8%	1.6%	4.6%	95.4%
Grade 10	0.7%	1.1%	3.6%	96.4%
Grade 11	0.5%	0.8%	3.1%	96.9%
Grade 12	0.5%	0.8%	3.1%	96.9%
<b>Whiteout, correction fld?</b>				
All	2.0%	3.2%	8.5%	91.5%
Grade 7	3.6%	5.5%	12.0%	88.0%
Grade 8	2.6%	4.4%	10.8%	89.2%
Grade 9	2.2%	3.8%	10.0%	90.0%
Grade 10	1.5%	2.3%	6.8%	93.2%
Grade 11	1.1%	1.7%	5.7%	94.3%
Grade 12	0.6%	1.1%	4.2%	95.8%
<b>Computer dusting sprays?</b>				
All	0.6%	1.1%	2.6%	97.4%
Grade 7	0.6%	0.8%	1.5%	98.5%
Grade 8	0.6%	0.9%	1.8%	98.2%
Grade 9	0.6%	1.2%	2.7%	97.3%
Grade 10	0.8%	1.3%	2.9%	97.1%
Grade 11	0.7%	1.3%	3.8%	96.2%
Grade 12	0.6%	1.1%	3.4%	96.6%
<b>Helium, butane, propane, whippets, freon?</b>				
All	2.4%	3.7%	8.1%	91.9%
Grade 7	3.0%	4.4%	8.7%	91.3%
Grade 8	2.8%	4.0%	8.5%	91.5%
Grade 9	2.6%	4.0%	9.1%	90.9%
Grade 10	2.3%	3.7%	7.4%	92.6%
Grade 11	1.8%	2.9%	7.3%	92.7%
Grade 12	1.9%	3.0%	7.3%	92.7%
<b>Glue?</b>				
All	0.5%	0.8%	1.7%	98.3%
Grade 7	0.7%	1.0%	2.2%	97.8%
Grade 8	0.7%	1.1%	2.2%	97.8%
Grade 9	0.6%	0.8%	1.9%	98.1%
Grade 10	0.6%	0.7%	1.5%	98.5%
Grade 11	0.3%	0.5%	1.2%	98.8%
Grade 12	0.3%	0.5%	1.2%	98.8%



**State : Grades 7-12 Large  
SPRING 2012**

**Table I-1: How recently, if ever, have you used...  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Toluene,paint thinner,other solvents?</b>				
All	0.6%	0.8%	1.9%	98.1%
Grade 7	0.7%	1.0%	1.8%	98.2%
Grade 8	0.7%	0.9%	2.0%	98.0%
Grade 9	0.7%	1.1%	2.4%	97.6%
Grade 10	0.4%	0.8%	1.7%	98.3%
Grade 11	0.3%	0.6%	1.5%	98.5%
Grade 12	0.4%	0.7%	1.6%	98.4%
<b>Gasoline,octane booster,carburetor cleaner?</b>				
All	1.0%	1.4%	3.0%	97.0%
Grade 7	1.4%	1.8%	3.6%	96.4%
Grade 8	1.1%	1.7%	3.6%	96.4%
Grade 9	1.2%	1.5%	3.6%	96.4%
Grade 10	1.0%	1.4%	2.8%	97.2%
Grade 11	0.5%	0.7%	2.1%	97.9%
Grade 12	0.8%	1.1%	2.2%	97.8%
<b>Other aerosols/sprays?</b>				
All	1.0%	1.5%	3.2%	96.8%
Grade 7	1.5%	2.1%	4.1%	95.9%
Grade 8	1.5%	2.1%	4.1%	95.9%
Grade 9	1.1%	1.6%	3.5%	96.5%
Grade 10	0.8%	1.3%	2.9%	97.1%
Grade 11	0.5%	0.8%	2.4%	97.6%
Grade 12	0.5%	0.7%	1.9%	98.1%
<b>Any inhalant?</b>				
All	4.8%	7.2%	15.7%	84.3%
Grade 7	7.1%	9.9%	18.3%	81.7%
Grade 8	6.1%	9.1%	18.0%	82.0%
Grade 9	5.2%	7.8%	17.3%	82.7%
Grade 10	3.9%	6.0%	14.5%	85.5%
Grade 11	3.1%	4.9%	13.3%	86.7%
Grade 12	2.9%	4.7%	12.0%	88.0%

**State : Grades 7-12 Large  
SPRING 2012**

**Table I-2: How often do you normally use inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	94.1%	0.1%	0.4%	0.6%	0.9%	1.2%	2.7%
Grade 7	93.2%	0.2%	0.6%	1.0%	1.5%	1.5%	2.0%
Grade 8	93.1%	0.2%	0.6%	0.9%	1.0%	1.6%	2.5%
Grade 9	93.4%	0.2%	0.3%	0.5%	1.0%	1.3%	3.3%
Grade 10	94.9%	0.1%	0.3%	0.4%	0.6%	1.0%	2.7%
Grade 11	95.2%	0.0%	0.2%	0.3%	0.6%	1.1%	2.6%
Grade 12	95.3%	0.0%	0.1%	0.3%	0.7%	0.8%	2.8%

**I-3: Number of different kinds of inhalants used**

	None	One	Two to Three	Four Plus
All	84.4%	8.2%	5.2%	2.2%
Grade 7	81.9%	9.3%	6.3%	2.5%
Grade 8	82.1%	9.4%	6.1%	2.4%
Grade 9	82.9%	8.4%	5.9%	2.8%
Grade 10	85.6%	7.9%	4.5%	2.0%
Grade 11	86.8%	7.4%	4.1%	1.7%
Grade 12	88.1%	6.5%	3.7%	1.7%

**Table I-4: Average age of first use of:**

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.7	11.4	12.0	12.7	13.4	13.9

**State : Grades 7-12 Large  
SPRING 2012**

**Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?**

	None	1- 3 Times	4- 9 Times	10+ Times
All	98.1%	1.3%	0.3%	0.4%
Grade 7	97.6%	1.7%	0.3%	0.4%
Grade 8	97.7%	1.5%	0.3%	0.4%
Grade 9	98.0%	1.3%	0.3%	0.5%
Grade 10	98.4%	1.1%	0.2%	0.3%
Grade 11	98.6%	0.9%	0.2%	0.2%
Grade 12	98.6%	0.9%	0.3%	0.3%

**Table I-6: School year use of inhalants by absences and conduct problems:**

Average days absent due to illness or other reasons	
Inhalants Users:	4.6
Inhalants Non- use	3.6

  

Average days conduct problems reported	
Inhalants Users:	3.9
Inhalants Non- use	1.5

**Table I-7: About how many of your close friends use inhalants?**

	None	A Few	Some	Most	ALL
All	83.6%	10.9%	3.7%	1.3%	0.5%
Grade 7	85.1%	9.2%	3.6%	1.5%	0.5%
Grade 8	82.7%	11.5%	4.1%	1.3%	0.4%
Grade 9	81.7%	12.7%	3.9%	1.4%	0.3%
Grade 10	83.4%	11.0%	3.7%	1.3%	0.5%
Grade 11	84.1%	10.5%	3.6%	1.2%	0.5%
Grade 12	85.2%	10.3%	2.8%	1.2%	0.5%

**State : Grades 7-12 Large  
SPRING 2012**

**Table I-8: How dangerous do you think it is for kids your age to use inhalants?**

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do Not Know
All	73.6%	14.6%	4.5%	1.7%	5.6%
Grade 7	76.8%	11.7%	4.6%	1.6%	5.3%
Grade 8	72.4%	14.2%	5.4%	2.0%	6.0%
Grade 9	71.0%	16.2%	5.2%	1.6%	5.9%
Grade 10	72.4%	16.2%	3.8%	1.7%	5.8%
Grade 11	74.6%	14.4%	3.9%	1.7%	5.4%
Grade 12	75.2%	15.0%	3.3%	1.1%	5.3%

**Table I-9: If you wanted some, how difficult would it be to get..**

Inhalants?	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	27.4%	18.8%	5.5%	6.7%	10.3%	31.2%
Grade 7	34.7%	29.4%	5.0%	5.4%	7.1%	18.5%
Grade 8	29.7%	24.2%	5.9%	6.5%	9.5%	24.2%
Grade 9	26.4%	18.3%	5.9%	7.3%	10.4%	31.6%
Grade 10	25.7%	15.2%	5.9%	7.4%	11.7%	34.1%
Grade 11	23.9%	13.8%	5.4%	7.5%	11.5%	37.9%
Grade 12	22.9%	9.7%	4.9%	6.2%	12.2%	44.0%

**State : Grades 7-12 Large  
SPRING 2012**

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

CATEGORY	Yes
A school health class	All 47.0%
	Grade 7 44.5%
	Grade 8 49.1%
	Grade 9 48.3%
	Grade 10 49.5%
	Grade 11 46.6%
	Grade 12 43.7%
An assembly program	All 47.7%
	Grade 7 52.0%
	Grade 8 55.1%
	Grade 9 45.9%
	Grade 10 44.8%
	Grade 11 42.8%
	Grade 12 44.3%
Guidance counselor	All 27.3%
	Grade 7 35.3%
	Grade 8 36.2%
	Grade 9 25.0%
	Grade 10 22.4%
	Grade 11 21.7%
	Grade 12 21.6%
Science class	All 32.7%
	Grade 7 39.9%
	Grade 8 30.7%
	Grade 9 36.4%
	Grade 10 30.6%
	Grade 11 28.0%
	Grade 12 29.9%
Social studies class	All 16.2%
	Grade 7 15.7%
	Grade 8 15.7%
	Grade 9 16.7%
	Grade 10 15.5%
	Grade 11 17.8%
	Grade 12 16.0%

**State : Grades 7-12 Large  
SPRING 2012**

**Table X-1: Since school began in the fall, have you gotten any information  
on drugs or alcohol from the following sources?  
(Continued)**

CATEGORY	Yes
Student group session	All 15.9%
	Grade 7 15.8%
	Grade 8 15.5%
	Grade 9 15.3%
	Grade 10 15.1%
	Grade 11 16.7%
	Grade 12 17.2%
An invited school guest	All 34.5%
	Grade 7 40.2%
	Grade 8 40.1%
	Grade 9 32.0%
	Grade 10 30.7%
	Grade 11 31.6%
	Grade 12 31.6%
Another source at school	All 31.3%
	Grade 7 32.9%
	Grade 8 33.2%
	Grade 9 31.8%
	Grade 10 29.6%
	Grade 11 30.5%
	Grade 12 29.2%
Any school source	All 57.8%
	Grade 7 57.3%
	Grade 8 61.3%
	Grade 9 58.2%
	Grade 10 56.9%
	Grade 11 55.6%
	Grade 12 57.1%

**State : Grades 7-12 Large  
SPRING 2012**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?**

CATEGORY	Yes
Counselor/program in- school	All 37.3%
	Grade 7 50.6%
	Grade 8 42.6%
	Grade 9 35.4%
	Grade 10 31.5%
	Grade 11 31.8%
	Grade 12 29.3%
Another adult in school	All 41.4%
	Grade 7 49.0%
	Grade 8 45.5%
	Grade 9 39.8%
	Grade 10 37.0%
	Grade 11 38.3%
	Grade 12 37.1%
Counselor/program outside- school	All 40.2%
	Grade 7 46.2%
	Grade 8 41.9%
	Grade 9 40.0%
	Grade 10 36.9%
	Grade 11 38.3%
	Grade 12 37.1%
Your parents	All 63.4%
	Grade 7 72.5%
	Grade 8 64.4%
	Grade 9 61.5%
	Grade 10 59.9%
	Grade 11 61.5%
	Grade 12 59.9%
A medical doctor	All 47.9%
	Grade 7 59.4%
	Grade 8 50.6%
	Grade 9 46.4%
	Grade 10 42.9%
	Grade 11 43.2%
	Grade 12 43.5%

**State : Grades 7-12 Large  
SPRING 2012**

**Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?  
(Continued)**

CATEGORY	Yes
Your friends	All 67.3%
	Grade 7 58.3%
	Grade 8 64.0%
	Grade 9 69.0%
	Grade 10 70.6%
	Grade 11 71.6%
	Grade 12 71.8%
Another adult	All 61.9%
	Grade 7 63.7%
	Grade 8 62.1%
	Grade 9 62.2%
	Grade 10 61.0%
	Grade 11 62.1%
	Grade 12 59.8%



**State : Grades 7-12 Large  
SPRING 2012**

**Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?**

CATEGORY		Yes
Seek Help	All	8.0%
	Grade 7	7.3%
	Grade 8	8.6%
	Grade 9	9.4%
	Grade 10	8.1%
	Grade 11	7.5%
	Grade 12	6.9%

**State : Grades 7-12 Large  
SPRING 2012**

**Table X-4: About how many of your friends:**

	None	A Few	Some	Most	ALL
<b>Feel close to their parents?</b>					
All	4.9%	24.7%	25.7%	35.4%	9.3%
Grade 7	6.7%	22.5%	21.9%	34.8%	14.2%
Grade 8	5.6%	24.9%	24.7%	34.6%	10.3%
Grade 9	4.5%	25.8%	25.7%	35.8%	8.2%
Grade 10	4.5%	25.6%	27.9%	34.4%	7.7%
Grade 11	4.5%	24.5%	26.9%	36.7%	7.4%
Grade 12	3.5%	25.2%	27.4%	36.4%	7.5%
<b>Sometimes carry weapons?</b>					
All	68.1%	19.7%	7.8%	3.1%	1.3%
Grade 7	78.3%	14.8%	4.5%	1.6%	0.9%
Grade 8	72.5%	17.9%	6.2%	2.4%	1.0%
Grade 9	67.0%	20.5%	8.4%	2.8%	1.3%
Grade 10	65.1%	21.0%	8.7%	3.7%	1.6%
Grade 11	62.2%	22.7%	9.4%	4.1%	1.6%
Grade 12	61.5%	22.0%	10.3%	4.7%	1.5%
<b>Care about making good grades?</b>					
All	2.6%	12.7%	22.7%	43.2%	18.8%
Grade 7	2.5%	14.0%	20.7%	37.8%	25.0%
Grade 8	3.0%	14.2%	22.7%	40.3%	19.8%
Grade 9	2.7%	13.1%	24.4%	42.9%	16.9%
Grade 10	2.7%	12.8%	23.7%	44.1%	16.8%
Grade 11	2.2%	11.1%	22.5%	47.0%	17.1%
Grade 12	2.6%	10.2%	21.8%	48.6%	16.8%
<b>Belong/want to belong to a gang?</b>					
All	75.2%	14.8%	6.2%	2.7%	1.2%
Grade 7	78.3%	13.7%	5.0%	2.2%	0.8%
Grade 8	72.3%	16.4%	7.3%	2.9%	1.2%
Grade 9	72.7%	16.4%	6.6%	3.3%	1.1%
Grade 10	74.9%	14.9%	6.4%	2.6%	1.3%
Grade 11	75.1%	14.5%	6.5%	2.5%	1.4%
Grade 12	78.6%	12.4%	5.2%	2.4%	1.4%
<b>Wish they could drop out of school?</b>					
All	59.4%	26.7%	8.8%	3.4%	1.8%
Grade 7	67.6%	20.9%	6.8%	3.2%	1.5%
Grade 8	60.8%	25.6%	8.3%	3.6%	1.6%
Grade 9	55.6%	28.6%	10.2%	3.5%	2.1%
Grade 10	55.0%	29.3%	10.1%	3.9%	1.7%
Grade 11	55.6%	29.4%	9.2%	3.8%	2.0%
Grade 12	61.5%	26.5%	7.8%	2.2%	2.0%

**State : Grades 7-12 Large  
SPRING 2012**

**Table X-5: How safe do you feel when you are:**

		Very Safe	Somewh at Safe	Not Very Safe	Not Safe at All	Don't Know
<b>In your home?</b>						
	All	83.3%	14.5%	1.0%	0.4%	0.9%
	Grade 7	82.3%	15.2%	1.1%	0.3%	1.1%
	Grade 8	81.2%	15.9%	1.3%	0.4%	1.2%
	Grade 9	82.4%	15.3%	1.0%	0.3%	1.0%
	Grade 10	83.4%	14.6%	0.7%	0.4%	0.9%
	Grade 11	85.2%	12.6%	1.0%	0.5%	0.7%
	Grade 12	86.1%	12.4%	0.7%	0.4%	0.4%
<b>Out in your neighborhood?</b>						
	All	43.5%	46.3%	6.6%	1.8%	1.8%
	Grade 7	37.8%	49.0%	8.6%	2.2%	2.5%
	Grade 8	39.5%	49.2%	7.2%	1.8%	2.3%
	Grade 9	42.0%	48.4%	6.1%	1.7%	1.8%
	Grade 10	45.3%	45.6%	6.0%	1.5%	1.6%
	Grade 11	48.1%	42.8%	6.2%	1.6%	1.3%
	Grade 12	50.4%	41.3%	5.5%	1.8%	1.0%
<b>At school?</b>						
	All	45.1%	42.9%	6.4%	2.9%	2.6%
	Grade 7	49.6%	37.7%	6.9%	2.8%	2.9%
	Grade 8	47.6%	39.9%	6.2%	2.9%	3.4%
	Grade 9	41.0%	47.1%	6.6%	2.5%	2.9%
	Grade 10	41.6%	46.1%	6.6%	3.5%	2.3%
	Grade 11	44.1%	44.4%	6.3%	3.0%	2.2%
	Grade 12	47.2%	42.1%	6.0%	2.8%	1.9%



## **2. Prevalence Tables**



**State : Grades 7-12 Large  
SPRING 2012**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	11.0%	15.3%	27.7%	72.3%
	Grade 7	3.7%	5.3%	12.9%	87.1%
	Grade 8	5.5%	8.4%	19.1%	80.9%
	Grade 9	9.8%	14.1%	27.3%	72.7%
	Grade 10	12.5%	17.8%	31.7%	68.3%
	Grade 11	15.7%	21.4%	36.7%	63.3%
	Grade 12	21.3%	28.2%	42.3%	57.7%
<b>Alcohol</b>					
	All	25.1%	35.3%	57.5%	42.5%
	Grade 7	11.5%	16.0%	36.2%	63.8%
	Grade 8	17.3%	24.1%	47.7%	52.3%
	Grade 9	24.9%	34.9%	59.7%	40.3%
	Grade 10	28.4%	41.1%	64.3%	35.7%
	Grade 11	32.0%	45.9%	68.6%	31.4%
	Grade 12	40.3%	54.6%	72.7%	27.3%
<b>Inhalants</b>					
	All	4.8%	7.2%	15.7%	84.3%
	Grade 7	7.1%	9.9%	18.3%	81.7%
	Grade 8	6.1%	9.1%	18.0%	82.0%
	Grade 9	5.2%	7.8%	17.3%	82.7%
	Grade 10	3.9%	6.0%	14.5%	85.5%
	Grade 11	3.1%	4.9%	13.3%	86.7%
	Grade 12	2.9%	4.7%	12.0%	88.0%
<b>Any Illicit Drug</b>					
	All	12.3%	17.1%	27.3%	72.7%
	Grade 7	4.2%	5.6%	10.2%	89.8%
	Grade 8	7.2%	9.9%	16.9%	83.1%
	Grade 9	12.3%	17.1%	27.2%	72.8%
	Grade 10	15.0%	20.9%	33.3%	66.7%
	Grade 11	17.0%	24.1%	37.8%	62.2%
	Grade 12	20.4%	27.9%	42.4%	57.6%
<b>Marijuana</b>					
	All	11.1%	16.0%	26.2%	73.8%
	Grade 7	3.2%	4.4%	8.7%	91.3%
	Grade 8	6.2%	8.9%	15.6%	84.4%
	Grade 9	11.3%	16.2%	26.2%	73.8%
	Grade 10	13.6%	19.7%	32.3%	67.7%
	Grade 11	15.4%	22.7%	37.0%	63.0%
	Grade 12	18.9%	26.8%	41.8%	58.2%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>					
	All	5.2%	8.1%	15.2%	84.8%
	Grade 7	1.7%	2.4%	5.4%	94.6%
	Grade 8	3.0%	4.7%	9.4%	90.6%
	Grade 9	5.5%	8.3%	15.4%	84.6%
	Grade 10	6.5%	10.1%	18.9%	81.1%
	Grade 11	6.8%	11.1%	20.9%	79.1%
	Grade 12	8.2%	13.1%	23.6%	76.4%
<b>Cocaine or Crack</b>					
	All	1.4%	2.2%	4.6%	95.4%
	Grade 7	0.6%	0.9%	1.8%	98.2%
	Grade 8	0.9%	1.3%	2.6%	97.4%
	Grade 9	1.2%	1.8%	4.0%	96.0%
	Grade 10	1.6%	2.6%	5.4%	94.6%
	Grade 11	2.0%	3.1%	7.0%	93.0%
	Grade 12	2.4%	3.9%	7.3%	92.7%
<b>Cocaine</b>					
	All	1.2%	2.0%	4.2%	95.8%
	Grade 7	0.4%	0.6%	1.3%	98.7%
	Grade 8	0.6%	0.9%	2.0%	98.0%
	Grade 9	1.0%	1.6%	3.6%	96.4%
	Grade 10	1.5%	2.4%	5.1%	94.9%
	Grade 11	1.9%	3.0%	6.7%	93.3%
	Grade 12	2.3%	3.7%	7.2%	92.8%
<b>Crack</b>					
	All	0.4%	0.6%	1.4%	98.6%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	0.4%	0.7%	1.4%	98.6%
	Grade 9	0.4%	0.7%	1.4%	98.6%
	Grade 10	0.4%	0.7%	1.7%	98.3%
	Grade 11	0.3%	0.6%	1.5%	98.5%
	Grade 12	0.3%	0.5%	1.1%	98.9%
<b>Hallucinogens</b>					
	All	1.3%	2.1%	4.1%	95.9%
	Grade 7	0.5%	0.7%	1.1%	98.9%
	Grade 8	0.8%	1.3%	2.4%	97.6%
	Grade 9	1.5%	2.1%	3.8%	96.2%
	Grade 10	1.4%	2.5%	5.3%	94.7%
	Grade 11	1.7%	2.9%	6.0%	94.0%
	Grade 12	2.0%	3.6%	6.7%	93.3%



**State : Grades 7-12 Large  
SPRING 2012**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Uppers	All	1.8%	2.7%	4.7%	95.3%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.8%	1.0%	1.7%	98.3%
	Grade 9	1.6%	2.2%	3.9%	96.1%
	Grade 10	2.3%	3.5%	5.9%	94.1%
	Grade 11	2.6%	4.4%	7.6%	92.4%
	Grade 12	3.2%	5.2%	9.1%	90.9%
	Downers	All	2.0%	3.0%	5.0%
Grade 7		0.4%	0.5%	0.9%	99.1%
Grade 8		0.9%	1.2%	2.0%	98.0%
Grade 9		1.7%	2.6%	4.2%	95.8%
Grade 10		2.6%	3.8%	6.3%	93.7%
Grade 11		3.2%	4.9%	8.2%	91.8%
Grade 12		3.7%	5.6%	9.8%	90.2%
Rohypnol		All	0.7%	1.1%	2.0%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.9%	1.1%	2.2%	97.8%
	Grade 9	1.0%	1.4%	2.4%	97.6%
	Grade 10	0.9%	1.3%	2.4%	97.6%
	Grade 11	0.6%	1.0%	2.2%	97.8%
	Grade 12	0.6%	1.1%	2.1%	97.9%
	Steroids	All	0.5%	0.7%	1.4%
Grade 7		0.6%	0.7%	1.4%	98.6%
Grade 8		0.3%	0.5%	1.5%	98.5%
Grade 9		0.2%	0.4%	1.1%	98.9%
Grade 10		0.6%	0.8%	1.3%	98.7%
Grade 11		0.6%	0.8%	1.6%	98.4%
Grade 12		0.5%	0.9%	1.5%	98.5%
Ecstasy		All	1.7%	2.8%	5.7%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	0.9%	1.3%	2.6%	97.4%
	Grade 9	1.8%	2.7%	5.1%	94.9%
	Grade 10	2.1%	3.6%	7.3%	92.7%
	Grade 11	2.5%	4.3%	9.2%	90.8%
	Grade 12	2.8%	4.8%	10.3%	89.7%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B1: Prevalence and recency of use of selected substances by grade  
All students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.3%	0.4%	1.0%	99.0%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.4%	0.6%	1.2%	98.8%
Grade 10	0.3%	0.5%	1.1%	98.9%
Grade 11	0.4%	0.5%	1.2%	98.8%
Grade 12	0.3%	0.6%	1.1%	98.9%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	13.2%	17.8%	30.9%	69.1%
	Grade 7	4.2%	5.8%	14.2%	85.8%
	Grade 8	6.1%	9.2%	21.1%	78.9%
	Grade 9	11.4%	15.6%	29.5%	70.5%
	Grade 10	14.7%	20.5%	35.2%	64.8%
	Grade 11	19.1%	24.9%	41.4%	58.6%
	Grade 12	27.3%	35.1%	49.1%	50.9%
<b>Alcohol</b>					
	All	24.9%	34.0%	55.9%	44.1%
	Grade 7	10.9%	15.0%	35.8%	64.2%
	Grade 8	15.7%	21.9%	45.7%	54.3%
	Grade 9	23.3%	32.5%	56.9%	43.1%
	Grade 10	28.2%	39.8%	61.6%	38.4%
	Grade 11	32.6%	44.4%	66.6%	33.4%
	Grade 12	43.3%	55.8%	73.2%	26.8%
<b>Inhalants</b>					
	All	4.3%	6.5%	14.6%	85.4%
	Grade 7	6.0%	8.2%	15.9%	84.1%
	Grade 8	5.2%	7.6%	15.5%	84.5%
	Grade 9	4.5%	6.6%	14.6%	85.4%
	Grade 10	3.3%	5.6%	13.5%	86.5%
	Grade 11	3.0%	5.2%	13.9%	86.1%
	Grade 12	3.3%	5.4%	13.6%	86.4%
<b>Any Illicit Drug</b>					
	All	14.0%	19.0%	29.8%	70.2%
	Grade 7	4.5%	6.0%	11.1%	88.9%
	Grade 8	7.4%	10.5%	18.5%	81.5%
	Grade 9	13.0%	17.6%	28.9%	71.1%
	Grade 10	17.0%	23.1%	36.1%	63.9%
	Grade 11	20.0%	27.3%	41.8%	58.2%
	Grade 12	25.4%	33.1%	47.4%	52.6%
<b>Marijuana</b>					
	All	12.7%	18.0%	29.0%	71.0%
	Grade 7	3.6%	5.1%	10.0%	90.0%
	Grade 8	6.5%	9.8%	17.6%	82.4%
	Grade 9	12.0%	16.9%	28.3%	71.7%
	Grade 10	15.2%	21.8%	35.2%	64.8%
	Grade 11	17.8%	25.6%	40.9%	59.1%
	Grade 12	24.0%	32.2%	46.9%	53.1%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>					
	All	5.9%	9.0%	16.8%	83.2%
	Grade 7	2.1%	3.0%	6.4%	93.6%
	Grade 8	3.5%	5.5%	11.0%	89.0%
	Grade 9	5.9%	8.7%	17.2%	82.8%
	Grade 10	7.3%	11.3%	20.6%	79.4%
	Grade 11	8.0%	12.5%	23.0%	77.0%
	Grade 12	9.7%	14.8%	24.8%	75.2%
<b>Cocaine or Crack</b>					
	All	1.8%	2.7%	5.3%	94.7%
	Grade 7	0.5%	0.8%	1.6%	98.4%
	Grade 8	0.9%	1.3%	2.7%	97.3%
	Grade 9	1.3%	2.0%	4.1%	95.9%
	Grade 10	2.2%	3.1%	6.4%	93.6%
	Grade 11	2.8%	4.1%	8.6%	91.4%
	Grade 12	3.5%	5.5%	9.8%	90.2%
<b>Cocaine</b>					
	All	1.6%	2.5%	5.0%	95.0%
	Grade 7	0.4%	0.6%	1.3%	98.7%
	Grade 8	0.7%	1.0%	2.2%	97.8%
	Grade 9	1.1%	1.8%	3.8%	96.2%
	Grade 10	1.9%	2.8%	6.1%	93.9%
	Grade 11	2.7%	4.0%	8.5%	91.5%
	Grade 12	3.4%	5.4%	9.7%	90.3%
<b>Crack</b>					
	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.3%	0.5%	1.0%	99.0%
	Grade 8	0.3%	0.6%	1.2%	98.8%
	Grade 9	0.5%	0.7%	1.3%	98.7%
	Grade 10	0.6%	0.9%	1.9%	98.1%
	Grade 11	0.6%	0.8%	1.9%	98.1%
	Grade 12	0.5%	0.8%	1.5%	98.5%
<b>Hallucinogens</b>					
	All	1.6%	2.7%	5.0%	95.0%
	Grade 7	0.6%	0.8%	1.3%	98.7%
	Grade 8	1.0%	1.6%	2.9%	97.1%
	Grade 9	1.7%	2.4%	4.5%	95.5%
	Grade 10	1.7%	2.8%	6.0%	94.0%
	Grade 11	2.4%	4.0%	7.7%	92.3%
	Grade 12	2.7%	4.8%	8.8%	91.2%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Uppers</b>					
	All	1.9%	2.9%	5.0%	95.0%
	Grade 7	0.3%	0.4%	1.0%	99.0%
	Grade 8	0.8%	1.0%	1.7%	98.3%
	Grade 9	1.6%	2.2%	3.8%	96.2%
	Grade 10	2.3%	3.3%	5.8%	94.2%
	Grade 11	2.8%	4.6%	8.0%	92.0%
	Grade 12	3.9%	6.3%	10.9%	89.1%
<b>Downers</b>					
	All	2.3%	3.4%	5.5%	94.5%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.9%	1.2%	2.0%	98.0%
	Grade 9	1.8%	2.6%	4.1%	95.9%
	Grade 10	2.7%	4.2%	6.7%	93.3%
	Grade 11	3.7%	5.5%	9.2%	90.8%
	Grade 12	4.8%	7.2%	11.9%	88.1%
<b>Rohypnol</b>					
	All	0.8%	1.1%	2.0%	98.0%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.8%	1.2%	2.0%	98.0%
	Grade 9	0.8%	1.0%	2.2%	97.8%
	Grade 10	1.0%	1.4%	2.4%	97.6%
	Grade 11	0.9%	1.2%	2.2%	97.8%
	Grade 12	0.9%	1.5%	2.6%	97.4%
<b>Steroids</b>					
	All	0.6%	0.8%	1.8%	98.2%
	Grade 7	0.7%	0.8%	1.5%	98.5%
	Grade 8	0.3%	0.4%	1.8%	98.2%
	Grade 9	0.2%	0.4%	1.2%	98.8%
	Grade 10	0.8%	1.0%	1.7%	98.3%
	Grade 11	1.1%	1.3%	2.3%	97.7%
	Grade 12	0.8%	1.4%	2.2%	97.8%
<b>Ecstasy</b>					
	All	1.9%	3.0%	6.0%	94.0%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	0.9%	1.3%	2.4%	97.6%
	Grade 9	1.6%	2.5%	4.9%	95.1%
	Grade 10	2.2%	3.6%	7.4%	92.6%
	Grade 11	3.1%	4.7%	10.1%	89.9%
	Grade 12	3.4%	6.1%	11.7%	88.3%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B2: Prevalence and recency of use of selected substances by grade  
Male students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.3%	0.4%	1.0%	99.0%
Grade 10	0.4%	0.8%	1.3%	98.7%
Grade 11	0.5%	0.6%	1.3%	98.7%
Grade 12	0.4%	0.6%	1.3%	98.7%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	8.9%	13.0%	24.6%	75.4%
	Grade 7	3.2%	4.7%	11.5%	88.5%
	Grade 8	4.8%	7.6%	17.1%	82.9%
	Grade 9	8.5%	12.7%	25.3%	74.7%
	Grade 10	10.6%	15.3%	28.2%	71.8%
	Grade 11	12.5%	18.1%	32.5%	67.5%
	Grade 12	15.6%	21.8%	36.0%	64.0%
<b>Alcohol</b>					
	All	25.3%	36.5%	59.1%	40.9%
	Grade 7	11.8%	16.8%	36.6%	63.4%
	Grade 8	18.7%	26.2%	49.7%	50.3%
	Grade 9	26.5%	37.2%	62.4%	37.6%
	Grade 10	28.4%	42.3%	66.7%	33.3%
	Grade 11	31.4%	47.2%	70.5%	29.5%
	Grade 12	37.7%	53.6%	72.3%	27.7%
<b>Inhalants</b>					
	All	5.2%	7.8%	16.8%	83.2%
	Grade 7	8.1%	11.4%	20.4%	79.6%
	Grade 8	7.0%	10.5%	20.4%	79.6%
	Grade 9	5.8%	8.9%	19.8%	80.2%
	Grade 10	4.2%	6.2%	15.2%	84.8%
	Grade 11	3.0%	4.5%	12.6%	87.4%
	Grade 12	2.6%	4.0%	10.5%	89.5%
<b>Any Illicit Drug</b>					
	All	10.7%	15.3%	24.9%	75.1%
	Grade 7	3.9%	5.1%	9.2%	90.8%
	Grade 8	6.9%	9.2%	15.3%	84.7%
	Grade 9	11.7%	16.7%	25.6%	74.4%
	Grade 10	13.1%	18.7%	30.5%	69.5%
	Grade 11	14.0%	20.9%	34.1%	65.9%
	Grade 12	15.7%	23.2%	37.9%	62.1%
<b>Marijuana</b>					
	All	9.6%	14.2%	23.6%	76.4%
	Grade 7	2.8%	3.7%	7.4%	92.6%
	Grade 8	5.8%	8.0%	13.6%	86.4%
	Grade 9	10.6%	15.6%	24.2%	75.8%
	Grade 10	12.0%	17.7%	29.5%	70.5%
	Grade 11	13.1%	19.9%	33.3%	66.7%
	Grade 12	14.3%	21.9%	37.0%	63.0%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>					
	All	4.4%	7.2%	13.8%	86.2%
	Grade 7	1.3%	1.7%	4.4%	95.6%
	Grade 8	2.5%	4.0%	7.8%	92.2%
	Grade 9	5.1%	7.9%	13.8%	86.2%
	Grade 10	5.8%	9.0%	17.3%	82.7%
	Grade 11	5.7%	9.7%	19.0%	81.0%
	Grade 12	6.9%	11.7%	22.5%	77.5%
<b>Cocaine or Crack</b>					
	All	1.0%	1.8%	3.8%	96.2%
	Grade 7	0.6%	1.0%	2.0%	98.0%
	Grade 8	0.9%	1.3%	2.5%	97.5%
	Grade 9	1.0%	1.7%	3.9%	96.1%
	Grade 10	1.2%	2.2%	4.5%	95.5%
	Grade 11	1.1%	2.2%	5.4%	94.6%
	Grade 12	1.3%	2.3%	4.9%	95.1%
<b>Cocaine</b>					
	All	0.9%	1.5%	3.4%	96.6%
	Grade 7	0.4%	0.6%	1.3%	98.7%
	Grade 8	0.6%	0.9%	1.8%	98.2%
	Grade 9	0.9%	1.4%	3.4%	96.6%
	Grade 10	1.1%	2.1%	4.2%	95.8%
	Grade 11	1.1%	2.0%	5.1%	94.9%
	Grade 12	1.3%	2.2%	4.9%	95.1%
<b>Crack</b>					
	All	0.3%	0.6%	1.3%	98.7%
	Grade 7	0.4%	0.6%	1.4%	98.6%
	Grade 8	0.6%	0.7%	1.6%	98.4%
	Grade 9	0.4%	0.8%	1.4%	98.6%
	Grade 10	0.3%	0.5%	1.5%	98.5%
	Grade 11	0.1%	0.5%	1.2%	98.8%
	Grade 12	0.1%	0.3%	0.7%	99.3%
<b>Hallucinogens</b>					
	All	1.0%	1.6%	3.2%	96.8%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	0.7%	1.1%	1.9%	98.1%
	Grade 9	1.2%	1.8%	3.1%	96.9%
	Grade 10	1.2%	2.2%	4.4%	95.6%
	Grade 11	1.1%	1.9%	4.4%	95.6%
	Grade 12	1.3%	2.3%	4.7%	95.3%



**State : Grades 7-12 Large  
SPRING 2012**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Uppers</b>					
	All	1.6%	2.5%	4.4%	95.6%
	Grade 7	0.4%	0.6%	0.9%	99.1%
	Grade 8	0.8%	1.0%	1.7%	98.3%
	Grade 9	1.5%	2.2%	3.9%	96.1%
	Grade 10	2.4%	3.6%	6.0%	94.0%
	Grade 11	2.3%	4.1%	7.2%	92.8%
	Grade 12	2.6%	4.2%	7.5%	92.5%
<b>Downers</b>					
	All	1.7%	2.6%	4.5%	95.5%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	0.9%	1.2%	1.9%	98.1%
	Grade 9	1.7%	2.5%	4.2%	95.8%
	Grade 10	2.5%	3.6%	6.0%	94.0%
	Grade 11	2.6%	4.2%	7.1%	92.9%
	Grade 12	2.7%	4.2%	7.7%	92.3%
<b>Rohypnol</b>					
	All	0.7%	1.0%	2.0%	98.0%
	Grade 7	0.5%	0.6%	0.9%	99.1%
	Grade 8	0.9%	1.1%	2.4%	97.6%
	Grade 9	1.1%	1.7%	2.6%	97.4%
	Grade 10	0.7%	1.2%	2.4%	97.6%
	Grade 11	0.4%	0.8%	2.2%	97.8%
	Grade 12	0.4%	0.7%	1.6%	98.4%
<b>Steroids</b>					
	All	0.3%	0.5%	1.1%	98.9%
	Grade 7	0.4%	0.7%	1.3%	98.7%
	Grade 8	0.3%	0.5%	1.2%	98.8%
	Grade 9	0.3%	0.4%	1.1%	98.9%
	Grade 10	0.3%	0.6%	1.0%	99.0%
	Grade 11	0.2%	0.3%	0.9%	99.1%
	Grade 12	0.2%	0.4%	0.9%	99.1%
<b>Ecstasy</b>					
	All	1.5%	2.6%	5.4%	94.6%
	Grade 7	0.4%	0.6%	1.1%	98.9%
	Grade 8	0.9%	1.3%	2.7%	97.3%
	Grade 9	1.9%	3.0%	5.3%	94.7%
	Grade 10	2.0%	3.5%	7.2%	92.8%
	Grade 11	2.0%	3.9%	8.4%	91.6%
	Grade 12	2.1%	3.7%	8.9%	91.1%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B3: Prevalence and recency of use of selected substances by grade  
Female students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.3%	0.5%	1.1%	98.9%
	Grade 7	0.4%	0.5%	1.2%	98.8%
	Grade 8	0.4%	0.6%	1.1%	98.9%
	Grade 9	0.5%	0.7%	1.3%	98.7%
	Grade 10	0.2%	0.3%	0.9%	99.1%
	Grade 11	0.3%	0.3%	1.0%	99.0%
	Grade 12	0.3%	0.5%	0.9%	99.1%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	13.7%	18.1%	28.7%	71.3%
	Grade 7	3.3%	4.9%	11.4%	88.6%
	Grade 8	5.6%	8.5%	17.9%	82.1%
	Grade 9	11.6%	15.4%	26.4%	73.6%
	Grade 10	16.8%	22.4%	32.8%	67.2%
	Grade 11	19.9%	25.8%	39.8%	60.2%
	Grade 12	26.1%	33.5%	45.8%	54.2%
<b>Alcohol</b>					
	All	24.3%	34.9%	55.5%	44.5%
	Grade 7	8.4%	13.3%	32.0%	68.0%
	Grade 8	12.7%	19.6%	41.7%	58.3%
	Grade 9	22.2%	33.6%	56.9%	43.1%
	Grade 10	28.3%	40.8%	61.5%	38.5%
	Grade 11	33.6%	47.6%	69.4%	30.6%
	Grade 12	42.4%	57.1%	73.8%	26.2%
<b>Inhalants</b>					
	All	3.8%	6.1%	14.2%	85.8%
	Grade 7	5.6%	8.4%	15.8%	84.2%
	Grade 8	3.9%	6.8%	14.2%	85.8%
	Grade 9	4.0%	6.0%	15.5%	84.5%
	Grade 10	3.8%	5.8%	14.3%	85.7%
	Grade 11	2.6%	4.6%	13.0%	87.0%
	Grade 12	2.8%	4.6%	12.2%	87.8%
<b>Any Illicit Drug</b>					
	All	10.7%	15.3%	23.3%	76.7%
	Grade 7	2.9%	3.7%	6.1%	93.9%
	Grade 8	4.6%	6.9%	10.7%	89.3%
	Grade 9	9.2%	13.4%	20.1%	79.9%
	Grade 10	13.4%	18.6%	28.4%	71.6%
	Grade 11	15.9%	23.9%	36.2%	63.8%
	Grade 12	19.3%	26.8%	40.5%	59.5%
<b>Marijuana</b>					
	All	9.7%	14.3%	22.4%	77.6%
	Grade 7	2.3%	3.0%	5.1%	94.9%
	Grade 8	3.8%	6.1%	9.7%	90.3%
	Grade 9	8.3%	12.5%	19.1%	80.9%
	Grade 10	12.2%	17.6%	27.5%	72.5%
	Grade 11	14.5%	22.5%	35.2%	64.8%
	Grade 12	17.7%	25.4%	39.8%	60.2%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>					
	All	4.1%	7.1%	12.8%	87.2%
	Grade 7	1.0%	1.5%	2.9%	97.1%
	Grade 8	1.9%	3.4%	5.7%	94.3%
	Grade 9	3.7%	6.3%	11.3%	88.7%
	Grade 10	5.1%	8.4%	15.5%	84.5%
	Grade 11	6.8%	12.0%	20.7%	79.3%
	Grade 12	6.6%	11.5%	21.7%	78.3%
<b>Cocaine or Crack</b>					
	All	0.8%	1.5%	3.1%	96.9%
	Grade 7	0.3%	0.5%	0.9%	99.1%
	Grade 8	0.5%	0.7%	1.5%	98.5%
	Grade 9	0.6%	1.1%	1.9%	98.1%
	Grade 10	1.2%	2.0%	3.8%	96.2%
	Grade 11	1.2%	2.3%	5.0%	95.0%
	Grade 12	1.4%	2.8%	5.9%	94.1%
<b>Cocaine</b>					
	All	0.8%	1.4%	2.9%	97.1%
	Grade 7	0.2%	0.3%	0.7%	99.3%
	Grade 8	0.3%	0.4%	0.9%	99.1%
	Grade 9	0.6%	1.0%	1.8%	98.2%
	Grade 10	1.2%	1.8%	3.7%	96.3%
	Grade 11	1.1%	2.0%	4.7%	95.3%
	Grade 12	1.3%	2.7%	5.9%	94.1%
<b>Crack</b>					
	All	0.3%	0.5%	1.0%	99.0%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.2%	0.5%	0.9%	99.1%
	Grade 9	0.1%	0.3%	0.7%	99.3%
	Grade 10	0.4%	0.6%	1.4%	98.6%
	Grade 11	0.4%	0.7%	1.6%	98.4%
	Grade 12	0.2%	0.4%	1.0%	99.0%
<b>Hallucinogens</b>					
	All	1.4%	2.6%	4.9%	95.1%
	Grade 7	0.5%	0.8%	1.3%	98.7%
	Grade 8	0.6%	1.2%	2.1%	97.9%
	Grade 9	1.3%	2.2%	4.2%	95.8%
	Grade 10	1.8%	3.2%	6.3%	93.7%
	Grade 11	1.9%	3.7%	7.3%	92.7%
	Grade 12	2.3%	4.7%	8.7%	91.3%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Uppers</b>					
	All	2.0%	3.1%	5.3%	94.7%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	0.8%	1.0%	1.6%	98.4%
	Grade 9	1.4%	2.0%	3.6%	96.4%
	Grade 10	3.0%	4.3%	7.0%	93.0%
	Grade 11	2.7%	4.8%	8.4%	91.6%
	Grade 12	4.2%	6.6%	10.9%	89.1%
<b>Downers</b>					
	All	2.1%	3.2%	5.0%	95.0%
	Grade 7	0.3%	0.4%	0.6%	99.4%
	Grade 8	0.6%	0.8%	1.4%	98.6%
	Grade 9	1.4%	2.1%	3.2%	96.8%
	Grade 10	3.1%	4.6%	6.9%	93.1%
	Grade 11	3.2%	4.8%	7.9%	92.1%
	Grade 12	4.4%	6.5%	10.9%	89.1%
<b>Rohypnol</b>					
	All	0.4%	0.6%	1.2%	98.8%
	Grade 7	0.4%	0.5%	0.7%	99.3%
	Grade 8	0.2%	0.4%	1.0%	99.0%
	Grade 9	0.3%	0.5%	1.1%	98.9%
	Grade 10	0.6%	0.9%	1.7%	98.3%
	Grade 11	0.5%	0.7%	1.4%	98.6%
	Grade 12	0.3%	0.5%	1.2%	98.8%
<b>Steroids</b>					
	All	0.5%	0.7%	1.5%	98.5%
	Grade 7	0.4%	0.5%	1.3%	98.7%
	Grade 8	0.3%	0.4%	1.5%	98.5%
	Grade 9	0.2%	0.4%	1.3%	98.7%
	Grade 10	0.7%	1.0%	1.6%	98.4%
	Grade 11	0.7%	0.9%	1.7%	98.3%
	Grade 12	0.5%	0.9%	1.6%	98.4%
<b>Ecstasy</b>					
	All	1.3%	2.5%	5.0%	95.0%
	Grade 7	0.4%	0.6%	1.0%	99.0%
	Grade 8	0.5%	0.7%	1.7%	98.3%
	Grade 9	0.9%	1.9%	3.6%	96.4%
	Grade 10	2.1%	3.6%	6.6%	93.4%
	Grade 11	1.9%	3.2%	8.0%	92.0%
	Grade 12	2.4%	5.2%	9.8%	90.2%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B4: Prevalence and recency of use of selected substances by grade  
White students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.3%	0.4%	0.9%	99.1%
	Grade 7	0.2%	0.2%	0.6%	99.4%
	Grade 8	0.1%	0.3%	0.5%	99.5%
	Grade 9	0.2%	0.4%	0.9%	99.1%
	Grade 10	0.4%	0.5%	1.0%	99.0%
	Grade 11	0.4%	0.5%	1.1%	98.9%
	Grade 12	0.4%	0.5%	1.2%	98.8%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	6.7%	9.4%	20.5%	79.5%
	Grade 7	3.1%	4.0%	11.9%	88.1%
	Grade 8	2.8%	4.4%	15.7%	84.3%
	Grade 9	6.6%	9.7%	21.1%	78.9%
	Grade 10	6.1%	8.5%	21.0%	79.0%
	Grade 11	10.1%	14.3%	26.1%	73.9%
	Grade 12	12.9%	17.4%	29.4%	70.6%
<b>Alcohol</b>					
	All	21.1%	31.2%	54.5%	45.5%
	Grade 7	8.8%	13.1%	33.3%	66.7%
	Grade 8	17.0%	24.3%	45.3%	54.7%
	Grade 9	21.4%	29.2%	58.1%	41.9%
	Grade 10	21.6%	35.0%	59.5%	40.5%
	Grade 11	27.1%	41.6%	65.6%	34.4%
	Grade 12	33.3%	48.0%	68.3%	31.7%
<b>Inhalants</b>					
	All	3.7%	5.8%	12.3%	87.7%
	Grade 7	5.4%	7.1%	12.6%	87.4%
	Grade 8	5.5%	8.9%	16.5%	83.5%
	Grade 9	4.4%	7.4%	15.6%	84.4%
	Grade 10	2.5%	3.6%	9.5%	90.5%
	Grade 11	2.0%	3.0%	10.6%	89.4%
	Grade 12	2.0%	4.0%	7.5%	92.5%
<b>Any Illicit Drug</b>					
	All	12.2%	16.7%	27.2%	72.8%
	Grade 7	3.8%	4.4%	10.2%	89.8%
	Grade 8	7.7%	9.2%	18.7%	81.3%
	Grade 9	11.8%	17.2%	27.9%	72.1%
	Grade 10	14.3%	21.3%	32.1%	67.9%
	Grade 11	16.7%	21.9%	35.3%	64.7%
	Grade 12	20.7%	28.4%	42.6%	57.4%
<b>Marijuana</b>					
	All	11.5%	16.2%	27.0%	73.0%
	Grade 7	2.7%	3.7%	9.1%	90.9%
	Grade 8	6.7%	8.5%	18.1%	81.9%
	Grade 9	11.8%	17.1%	27.8%	72.2%
	Grade 10	13.5%	20.0%	31.6%	68.4%
	Grade 11	15.8%	21.7%	35.9%	64.1%
	Grade 12	20.6%	29.0%	43.0%	57.0%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>					
	All	7.7%	11.2%	20.0%	80.0%
	Grade 7	2.1%	2.5%	6.6%	93.4%
	Grade 8	4.6%	5.9%	13.3%	86.7%
	Grade 9	7.7%	11.5%	20.7%	79.3%
	Grade 10	9.6%	14.8%	24.2%	75.8%
	Grade 11	10.1%	13.8%	25.2%	74.8%
	Grade 12	13.6%	20.3%	32.5%	67.5%
<b>Cocaine or Crack</b>					
	All	0.6%	0.9%	1.8%	98.2%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.3%	0.4%	1.3%	98.7%
	Grade 9	0.9%	1.2%	2.3%	97.7%
	Grade 10	0.5%	0.9%	2.3%	97.7%
	Grade 11	1.2%	1.8%	2.8%	97.2%
	Grade 12	0.6%	0.9%	1.1%	98.9%
<b>Cocaine</b>					
	All	0.5%	0.7%	1.5%	98.5%
	Grade 7	0.2%	0.2%	0.9%	99.1%
	Grade 8	0.1%	0.1%	0.9%	99.1%
	Grade 9	0.8%	1.2%	1.5%	98.5%
	Grade 10	0.3%	0.6%	1.9%	98.1%
	Grade 11	1.2%	1.7%	2.8%	97.2%
	Grade 12	0.6%	0.7%	1.1%	98.9%
<b>Crack</b>					
	All	0.3%	0.5%	0.9%	99.1%
	Grade 7	0.3%	0.4%	0.9%	99.1%
	Grade 8	0.3%	0.4%	0.8%	99.2%
	Grade 9	0.5%	0.5%	1.3%	98.7%
	Grade 10	0.2%	0.5%	0.8%	99.2%
	Grade 11	0.2%	0.5%	0.7%	99.3%
	Grade 12	0.1%	0.3%	0.4%	99.6%
<b>Hallucinogens</b>					
	All	0.6%	1.1%	1.9%	98.1%
	Grade 7	0.3%	0.3%	0.4%	99.6%
	Grade 8	0.5%	0.9%	1.8%	98.2%
	Grade 9	0.4%	0.6%	1.4%	98.6%
	Grade 10	0.3%	1.2%	2.6%	97.4%
	Grade 11	1.0%	1.8%	3.2%	96.8%
	Grade 12	1.4%	1.7%	2.2%	97.8%



**State : Grades 7-12 Large  
SPRING 2012**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Uppers</b>					
	All	0.8%	1.2%	2.4%	97.6%
	Grade 7	0.4%	0.5%	1.2%	98.8%
	Grade 8	0.4%	0.5%	0.9%	99.1%
	Grade 9	0.6%	0.7%	2.0%	98.0%
	Grade 10	0.5%	0.7%	1.9%	98.1%
	Grade 11	1.6%	3.0%	4.6%	95.4%
	Grade 12	1.8%	2.6%	4.1%	95.9%
<b>Downers</b>					
	All	1.0%	1.6%	2.7%	97.3%
	Grade 7	0.1%	0.3%	0.9%	99.1%
	Grade 8	0.5%	0.7%	0.8%	99.2%
	Grade 9	0.7%	1.0%	2.4%	97.6%
	Grade 10	0.4%	0.9%	1.9%	98.1%
	Grade 11	2.9%	4.1%	6.0%	94.0%
	Grade 12	1.8%	3.3%	5.0%	95.0%
<b>Rohypnol</b>					
	All	0.3%	0.5%	0.9%	99.1%
	Grade 7	0.2%	0.3%	0.7%	99.3%
	Grade 8	0.5%	0.5%	1.1%	98.9%
	Grade 9	0.5%	1.0%	1.6%	98.4%
	Grade 10	0.2%	0.4%	0.7%	99.3%
	Grade 11	0.1%	0.2%	0.5%	99.5%
	Grade 12	0.2%	0.4%	0.9%	99.1%
<b>Steroids</b>					
	All	0.4%	0.5%	1.4%	98.6%
	Grade 7	0.8%	1.1%	1.6%	98.4%
	Grade 8	0.7%	0.8%	2.5%	97.5%
	Grade 9	0.0%	0.3%	0.5%	99.5%
	Grade 10	0.4%	0.6%	1.0%	99.0%
	Grade 11	0.0%	0.0%	1.6%	98.4%
	Grade 12	0.4%	0.4%	1.0%	99.0%
<b>Ecstasy</b>					
	All	1.2%	1.8%	3.0%	97.0%
	Grade 7	0.7%	0.8%	1.1%	98.9%
	Grade 8	0.4%	0.5%	1.0%	99.0%
	Grade 9	1.7%	2.5%	3.6%	96.4%
	Grade 10	0.7%	1.8%	3.4%	96.6%
	Grade 11	1.5%	2.7%	4.3%	95.7%
	Grade 12	2.1%	2.7%	4.8%	95.2%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B5: Prevalence and recency of use of selected substances by grade  
Black students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.4%	0.6%	0.9%	99.1%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.6%	0.6%	1.2%	98.8%
	Grade 9	0.4%	0.9%	1.0%	99.0%
	Grade 10	0.2%	0.2%	0.5%	99.5%
	Grade 11	0.6%	0.6%	0.8%	99.2%
	Grade 12	0.4%	0.4%	0.6%	99.4%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	10.5%	15.2%	29.3%	70.7%
	Grade 7	4.2%	5.9%	14.2%	85.8%
	Grade 8	6.0%	9.3%	20.8%	79.2%
	Grade 9	9.9%	14.7%	30.0%	70.0%
	Grade 10	11.4%	17.4%	34.0%	66.0%
	Grade 11	14.5%	20.7%	38.2%	61.8%
	Grade 12	20.2%	27.7%	43.9%	56.1%
<b>Alcohol</b>					
	All	27.1%	37.1%	60.1%	39.9%
	Grade 7	14.2%	18.6%	39.8%	60.2%
	Grade 8	20.4%	27.0%	52.2%	47.8%
	Grade 9	28.2%	38.0%	62.5%	37.5%
	Grade 10	30.6%	43.5%	68.0%	32.0%
	Grade 11	32.8%	46.6%	69.9%	30.1%
	Grade 12	41.2%	55.2%	73.9%	26.1%
<b>Inhalants</b>					
	All	5.8%	8.4%	17.7%	82.3%
	Grade 7	8.6%	11.5%	21.1%	78.9%
	Grade 8	7.5%	10.7%	20.8%	79.2%
	Grade 9	6.2%	9.2%	18.9%	81.1%
	Grade 10	4.3%	6.8%	15.9%	84.1%
	Grade 11	3.7%	5.6%	14.2%	85.8%
	Grade 12	3.3%	5.0%	13.1%	86.9%
<b>Any Illicit Drug</b>					
	All	13.6%	18.6%	30.4%	69.6%
	Grade 7	5.3%	7.2%	12.9%	87.1%
	Grade 8	8.8%	12.0%	20.6%	79.4%
	Grade 9	14.7%	19.8%	31.9%	68.1%
	Grade 10	16.4%	22.5%	37.5%	62.5%
	Grade 11	18.0%	25.1%	40.5%	59.5%
	Grade 12	21.1%	28.9%	44.3%	55.7%
<b>Marijuana</b>					
	All	12.1%	17.3%	29.1%	70.9%
	Grade 7	4.0%	5.7%	11.1%	88.9%
	Grade 8	7.6%	10.9%	18.8%	81.2%
	Grade 9	13.3%	18.7%	30.8%	69.2%
	Grade 10	14.6%	21.1%	36.3%	63.7%
	Grade 11	16.1%	23.6%	39.5%	60.5%
	Grade 12	19.6%	27.7%	43.5%	56.5%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>					
	All	5.3%	8.1%	15.9%	84.1%
	Grade 7	2.1%	3.0%	6.8%	93.2%
	Grade 8	3.5%	5.3%	10.8%	89.2%
	Grade 9	6.2%	8.8%	16.9%	83.1%
	Grade 10	6.7%	10.0%	20.2%	79.8%
	Grade 11	6.0%	10.0%	20.5%	79.5%
	Grade 12	8.1%	12.7%	23.0%	77.0%
<b>Cocaine or Crack</b>					
	All	2.0%	3.1%	6.3%	93.7%
	Grade 7	0.7%	1.3%	2.7%	97.3%
	Grade 8	1.3%	2.0%	3.7%	96.3%
	Grade 9	1.6%	2.5%	5.9%	94.1%
	Grade 10	2.4%	3.7%	7.6%	92.4%
	Grade 11	2.9%	4.2%	9.7%	90.3%
	Grade 12	3.6%	5.5%	10.1%	89.9%
<b>Cocaine</b>					
	All	1.8%	2.8%	5.9%	94.1%
	Grade 7	0.5%	0.9%	1.8%	98.2%
	Grade 8	0.9%	1.5%	3.0%	97.0%
	Grade 9	1.4%	2.2%	5.3%	94.7%
	Grade 10	2.1%	3.4%	7.2%	92.8%
	Grade 11	2.8%	4.2%	9.6%	90.4%
	Grade 12	3.5%	5.4%	10.0%	90.0%
<b>Crack</b>					
	All	0.5%	0.8%	1.8%	98.2%
	Grade 7	0.5%	0.9%	1.8%	98.2%
	Grade 8	0.6%	0.9%	1.9%	98.1%
	Grade 9	0.6%	1.1%	1.8%	98.2%
	Grade 10	0.6%	0.8%	2.1%	97.9%
	Grade 11	0.3%	0.5%	1.7%	98.3%
	Grade 12	0.3%	0.6%	1.3%	98.7%
<b>Hallucinogens</b>					
	All	1.4%	2.0%	4.0%	96.0%
	Grade 7	0.5%	0.8%	1.2%	98.8%
	Grade 8	1.0%	1.5%	2.8%	97.2%
	Grade 9	1.9%	2.4%	4.1%	95.9%
	Grade 10	1.4%	2.3%	5.1%	94.9%
	Grade 11	1.8%	2.5%	5.7%	94.3%
	Grade 12	1.7%	3.1%	6.3%	93.7%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Uppers</b>					
	All	1.8%	2.8%	4.9%	95.1%
	Grade 7	0.4%	0.5%	1.0%	99.0%
	Grade 8	0.9%	1.1%	2.0%	98.0%
	Grade 9	2.0%	2.8%	4.6%	95.4%
	Grade 10	2.4%	3.7%	6.4%	93.6%
	Grade 11	2.8%	4.5%	7.9%	92.1%
	Grade 12	2.8%	4.8%	9.0%	91.0%
<b>Downers</b>					
	All	2.1%	3.2%	5.6%	94.4%
	Grade 7	0.5%	0.6%	0.9%	99.1%
	Grade 8	1.2%	1.5%	2.6%	97.4%
	Grade 9	2.3%	3.3%	5.3%	94.7%
	Grade 10	2.8%	4.1%	7.3%	92.7%
	Grade 11	3.2%	5.0%	9.0%	91.0%
	Grade 12	3.5%	5.5%	10.2%	89.8%
<b>Rohypnol</b>					
	All	1.1%	1.6%	2.9%	97.1%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	1.4%	1.7%	3.2%	96.8%
	Grade 9	1.5%	2.1%	3.5%	96.5%
	Grade 10	1.2%	1.7%	3.3%	96.7%
	Grade 11	0.8%	1.4%	3.3%	96.7%
	Grade 12	1.1%	1.7%	3.0%	97.0%
<b>Steroids</b>					
	All	0.4%	0.6%	1.3%	98.7%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	0.2%	0.5%	1.2%	98.8%
	Grade 9	0.3%	0.4%	1.2%	98.8%
	Grade 10	0.5%	0.7%	1.3%	98.7%
	Grade 11	0.6%	0.8%	1.4%	98.6%
	Grade 12	0.4%	0.9%	1.5%	98.5%
<b>Ecstasy</b>					
	All	2.1%	3.3%	7.0%	93.0%
	Grade 7	0.5%	0.7%	1.4%	98.6%
	Grade 8	1.3%	1.7%	3.5%	96.5%
	Grade 9	2.4%	3.4%	6.5%	93.5%
	Grade 10	2.4%	4.0%	8.7%	91.3%
	Grade 11	3.3%	5.4%	11.5%	88.5%
	Grade 12	3.2%	5.2%	12.3%	87.7%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B6: Prevalence and recency of use of selected substances by grade  
Mexican/American students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.4%	0.6%	1.3%	98.7%
	Grade 7	0.4%	0.5%	1.3%	98.7%
	Grade 8	0.5%	0.7%	1.3%	98.7%
	Grade 9	0.6%	0.7%	1.4%	98.6%
	Grade 10	0.2%	0.6%	1.3%	98.7%
	Grade 11	0.2%	0.4%	1.3%	98.7%
	Grade 12	0.3%	0.6%	1.2%	98.8%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	5.9%	8.9%	17.0%	83.0%
	Grade 7	1.4%	2.1%	6.4%	93.6%
	Grade 8	2.2%	3.9%	10.0%	90.0%
	Grade 9	4.4%	6.6%	13.9%	86.1%
	Grade 10	6.4%	10.0%	18.7%	81.3%
	Grade 11	9.8%	14.2%	25.9%	74.1%
	Grade 12	13.0%	19.5%	31.5%	68.5%
<b>Alcohol</b>					
	All	17.8%	27.0%	48.2%	51.8%
	Grade 7	6.7%	9.6%	27.1%	72.9%
	Grade 8	10.3%	15.7%	36.3%	63.7%
	Grade 9	16.8%	25.5%	48.6%	51.4%
	Grade 10	18.0%	30.8%	54.2%	45.8%
	Grade 11	23.9%	38.6%	63.6%	36.4%
	Grade 12	35.6%	48.5%	66.9%	33.1%
<b>Inhalants</b>					
	All	2.8%	4.4%	10.3%	89.7%
	Grade 7	4.4%	6.2%	12.4%	87.6%
	Grade 8	3.5%	5.7%	11.3%	88.7%
	Grade 9	2.8%	4.5%	10.7%	89.3%
	Grade 10	2.0%	3.1%	9.1%	90.9%
	Grade 11	1.7%	2.7%	8.8%	91.2%
	Grade 12	2.0%	3.4%	9.0%	91.0%
<b>Any Illicit Drug</b>					
	All	6.5%	9.7%	15.8%	84.2%
	Grade 7	1.9%	2.3%	4.5%	95.5%
	Grade 8	2.7%	3.8%	7.0%	93.0%
	Grade 9	5.2%	8.1%	12.3%	87.7%
	Grade 10	6.9%	10.5%	17.8%	82.2%
	Grade 11	10.3%	15.7%	25.6%	74.4%
	Grade 12	14.2%	21.0%	32.2%	67.8%
<b>Marijuana</b>					
	All	5.7%	8.9%	14.9%	85.1%
	Grade 7	1.3%	1.7%	3.6%	96.4%
	Grade 8	2.1%	3.2%	5.9%	94.1%
	Grade 9	4.6%	7.5%	11.6%	88.4%
	Grade 10	5.8%	9.6%	17.0%	83.0%
	Grade 11	9.2%	14.5%	24.2%	75.8%
	Grade 12	12.9%	20.1%	31.6%	68.4%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>					
	All	2.9%	5.1%	9.5%	90.5%
	Grade 7	0.8%	0.9%	2.4%	97.6%
	Grade 8	1.1%	1.9%	3.9%	96.1%
	Grade 9	2.3%	4.4%	7.6%	92.4%
	Grade 10	3.6%	6.1%	11.2%	88.8%
	Grade 11	4.3%	8.0%	15.5%	84.5%
	Grade 12	6.3%	11.0%	19.6%	80.4%
<b>Cocaine or Crack</b>					
	All	0.6%	0.9%	2.0%	98.0%
	Grade 7	0.2%	0.4%	0.8%	99.2%
	Grade 8	0.2%	0.3%	0.9%	99.1%
	Grade 9	0.3%	0.5%	1.6%	98.4%
	Grade 10	0.9%	1.2%	2.3%	97.7%
	Grade 11	0.9%	1.5%	3.4%	96.6%
	Grade 12	1.3%	2.0%	3.7%	96.3%
<b>Cocaine</b>					
	All	0.6%	0.9%	1.9%	98.1%
	Grade 7	0.1%	0.3%	0.6%	99.4%
	Grade 8	0.2%	0.2%	0.7%	99.3%
	Grade 9	0.2%	0.5%	1.4%	98.6%
	Grade 10	0.8%	1.0%	2.1%	97.9%
	Grade 11	0.9%	1.5%	3.3%	96.7%
	Grade 12	1.3%	2.0%	3.7%	96.3%
<b>Crack</b>					
	All	0.2%	0.3%	0.8%	99.2%
	Grade 7	0.1%	0.2%	0.6%	99.4%
	Grade 8	0.2%	0.2%	0.6%	99.4%
	Grade 9	0.1%	0.2%	0.6%	99.4%
	Grade 10	0.4%	0.4%	0.9%	99.1%
	Grade 11	0.3%	0.3%	1.2%	98.8%
	Grade 12	0.1%	0.3%	0.8%	99.2%
<b>Hallucinogens</b>					
	All	0.8%	1.3%	2.4%	97.6%
	Grade 7	0.3%	0.5%	0.7%	99.3%
	Grade 8	0.3%	0.6%	1.2%	98.8%
	Grade 9	0.5%	0.8%	1.5%	98.5%
	Grade 10	0.8%	1.4%	2.6%	97.4%
	Grade 11	1.1%	1.8%	3.7%	96.3%
	Grade 12	1.6%	3.0%	5.3%	94.7%



**State : Grades 7-12 Large  
SPRING 2012**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Uppers</b>					
	All	0.9%	1.5%	2.5%	97.5%
	Grade 7	0.1%	0.2%	0.3%	99.7%
	Grade 8	0.3%	0.4%	0.7%	99.3%
	Grade 9	0.8%	1.1%	1.9%	98.1%
	Grade 10	1.0%	1.5%	2.4%	97.6%
	Grade 11	1.5%	2.5%	4.5%	95.5%
	Grade 12	2.2%	3.6%	5.9%	94.1%
<b>Downers</b>					
	All	0.9%	1.4%	2.6%	97.4%
	Grade 7	0.1%	0.3%	0.4%	99.6%
	Grade 8	0.3%	0.4%	0.8%	99.2%
	Grade 9	0.7%	1.0%	2.0%	98.0%
	Grade 10	1.2%	1.5%	2.6%	97.4%
	Grade 11	1.3%	2.2%	4.3%	95.7%
	Grade 12	2.4%	3.8%	6.2%	93.8%
<b>Rohypnol</b>					
	All	0.3%	0.4%	0.9%	99.1%
	Grade 7	0.3%	0.4%	0.4%	99.6%
	Grade 8	0.1%	0.2%	0.8%	99.2%
	Grade 9	0.5%	0.6%	1.2%	98.8%
	Grade 10	0.2%	0.4%	1.0%	99.0%
	Grade 11	0.2%	0.4%	0.9%	99.1%
	Grade 12	0.3%	0.5%	1.0%	99.0%
<b>Steroids</b>					
	All	0.4%	0.7%	1.2%	98.8%
	Grade 7	0.5%	0.8%	1.5%	98.5%
	Grade 8	0.3%	0.4%	1.2%	98.8%
	Grade 9	0.2%	0.4%	0.8%	99.2%
	Grade 10	0.5%	0.7%	1.0%	99.0%
	Grade 11	0.8%	1.0%	1.6%	98.4%
	Grade 12	0.3%	0.7%	1.2%	98.8%
<b>Ecstasy</b>					
	All	0.8%	1.5%	2.9%	97.1%
	Grade 7	0.3%	0.6%	0.8%	99.2%
	Grade 8	0.2%	0.3%	0.9%	99.1%
	Grade 9	0.6%	1.1%	1.9%	98.1%
	Grade 10	0.9%	1.4%	2.8%	97.2%
	Grade 11	1.5%	2.6%	5.3%	94.7%
	Grade 12	1.9%	3.4%	6.8%	93.2%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B7: Prevalence and recency of use of selected substances by grade  
Students reporting A grades  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.2%	0.3%	0.6%	99.4%
	Grade 7	0.1%	0.2%	0.5%	99.5%
	Grade 8	0.2%	0.3%	0.3%	99.7%
	Grade 9	0.2%	0.3%	0.7%	99.3%
	Grade 10	0.2%	0.2%	0.6%	99.4%
	Grade 11	0.3%	0.4%	0.7%	99.3%
	Grade 12	0.3%	0.4%	0.9%	99.1%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	13.2%	18.1%	32.2%	67.8%
	Grade 7	4.9%	6.9%	16.2%	83.8%
	Grade 8	6.9%	10.3%	23.0%	77.0%
	Grade 9	11.8%	16.8%	32.1%	67.9%
	Grade 10	14.9%	20.8%	36.8%	63.2%
	Grade 11	18.2%	24.5%	41.3%	58.7%
	Grade 12	25.1%	32.2%	47.2%	52.8%
<b>Alcohol</b>					
	All	28.2%	38.9%	61.6%	38.4%
	Grade 7	13.8%	19.1%	40.8%	59.2%
	Grade 8	20.3%	27.8%	52.7%	47.3%
	Grade 9	27.8%	38.4%	63.8%	36.2%
	Grade 10	32.4%	45.2%	68.4%	31.6%
	Grade 11	35.4%	49.1%	70.9%	29.1%
	Grade 12	42.6%	57.5%	75.4%	24.6%
<b>Inhalants</b>					
	All	5.6%	8.4%	18.0%	82.0%
	Grade 7	8.5%	11.6%	21.2%	78.8%
	Grade 8	7.2%	10.6%	20.9%	79.1%
	Grade 9	6.1%	9.1%	19.7%	80.3%
	Grade 10	4.7%	7.1%	16.6%	83.4%
	Grade 11	3.6%	5.8%	15.2%	84.8%
	Grade 12	3.2%	5.2%	13.3%	86.7%
<b>Any Illicit Drug</b>					
	All	14.8%	20.3%	32.2%	67.8%
	Grade 7	5.4%	7.2%	13.0%	87.0%
	Grade 8	9.2%	12.5%	21.0%	79.0%
	Grade 9	14.9%	20.5%	32.7%	67.3%
	Grade 10	18.2%	25.0%	39.5%	60.5%
	Grade 11	19.7%	27.5%	42.9%	57.1%
	Grade 12	23.2%	31.2%	47.1%	52.9%
<b>Marijuana</b>					
	All	13.4%	19.1%	31.1%	68.9%
	Grade 7	4.1%	5.9%	11.2%	88.8%
	Grade 8	8.0%	11.4%	19.6%	80.4%
	Grade 9	13.7%	19.5%	31.6%	68.4%
	Grade 10	16.6%	23.7%	38.4%	61.6%
	Grade 11	18.0%	26.2%	42.3%	57.7%
	Grade 12	21.7%	30.0%	46.5%	53.5%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>					
	All	6.1%	9.4%	17.6%	82.4%
	Grade 7	2.2%	3.1%	6.8%	93.2%
	Grade 8	3.8%	5.9%	11.6%	88.4%
	Grade 9	6.6%	9.7%	18.3%	81.7%
	Grade 10	7.7%	11.8%	22.0%	78.0%
	Grade 11	7.9%	12.4%	23.2%	76.8%
	Grade 12	9.1%	14.2%	25.5%	74.5%
<b>Cocaine or Crack</b>					
	All	1.7%	2.7%	5.6%	94.4%
	Grade 7	0.8%	1.2%	2.4%	97.6%
	Grade 8	1.2%	1.8%	3.3%	96.7%
	Grade 9	1.5%	2.3%	4.9%	95.1%
	Grade 10	1.9%	3.2%	6.7%	93.3%
	Grade 11	2.4%	3.7%	8.4%	91.6%
	Grade 12	2.8%	4.7%	8.9%	91.1%
<b>Cocaine</b>					
	All	1.5%	2.4%	5.2%	94.8%
	Grade 7	0.5%	0.8%	1.7%	98.3%
	Grade 8	0.8%	1.2%	2.6%	97.4%
	Grade 9	1.3%	2.0%	4.4%	95.6%
	Grade 10	1.7%	2.9%	6.3%	93.7%
	Grade 11	2.3%	3.6%	8.2%	91.8%
	Grade 12	2.7%	4.5%	8.8%	91.2%
<b>Crack</b>					
	All	0.5%	0.8%	1.6%	98.4%
	Grade 7	0.5%	0.8%	1.6%	98.4%
	Grade 8	0.6%	0.9%	1.7%	98.3%
	Grade 9	0.6%	1.0%	1.7%	98.3%
	Grade 10	0.4%	0.8%	2.0%	98.0%
	Grade 11	0.4%	0.7%	1.6%	98.4%
	Grade 12	0.3%	0.7%	1.2%	98.8%
<b>Hallucinogens</b>					
	All	1.5%	2.5%	4.8%	95.2%
	Grade 7	0.6%	0.8%	1.3%	98.7%
	Grade 8	1.1%	1.7%	2.9%	97.1%
	Grade 9	1.8%	2.6%	4.6%	95.4%
	Grade 10	1.6%	2.9%	6.3%	93.7%
	Grade 11	2.0%	3.3%	7.0%	93.0%
	Grade 12	2.1%	3.8%	7.4%	92.6%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Uppers</b>					
	All	2.1%	3.2%	5.6%	94.4%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	1.1%	1.3%	2.2%	97.8%
	Grade 9	1.9%	2.7%	4.6%	95.4%
	Grade 10	2.9%	4.3%	7.4%	92.6%
	Grade 11	3.0%	5.2%	9.0%	91.0%
	Grade 12	3.7%	6.0%	10.6%	89.4%
<b>Downers</b>					
	All	2.5%	3.7%	6.1%	93.9%
	Grade 7	0.5%	0.6%	1.1%	98.9%
	Grade 8	1.2%	1.5%	2.5%	97.5%
	Grade 9	2.2%	3.2%	5.0%	95.0%
	Grade 10	3.1%	4.8%	7.9%	92.1%
	Grade 11	4.0%	6.0%	9.8%	90.2%
	Grade 12	4.2%	6.4%	11.4%	88.6%
<b>Rohypnol</b>					
	All	0.9%	1.4%	2.5%	97.5%
	Grade 7	0.5%	0.7%	1.2%	98.8%
	Grade 8	1.2%	1.5%	2.8%	97.2%
	Grade 9	1.2%	1.7%	2.8%	97.2%
	Grade 10	1.1%	1.6%	3.0%	97.0%
	Grade 11	0.8%	1.2%	2.7%	97.3%
	Grade 12	0.8%	1.3%	2.6%	97.4%
<b>Steroids</b>					
	All	0.5%	0.7%	1.5%	98.5%
	Grade 7	0.6%	0.7%	1.4%	98.6%
	Grade 8	0.3%	0.5%	1.7%	98.3%
	Grade 9	0.3%	0.4%	1.3%	98.7%
	Grade 10	0.6%	0.9%	1.5%	98.5%
	Grade 11	0.5%	0.7%	1.6%	98.4%
	Grade 12	0.6%	1.0%	1.7%	98.3%
<b>Ecstasy</b>					
	All	2.0%	3.3%	6.9%	93.1%
	Grade 7	0.5%	0.7%	1.4%	98.6%
	Grade 8	1.2%	1.7%	3.3%	96.7%
	Grade 9	2.2%	3.3%	6.3%	93.7%
	Grade 10	2.5%	4.4%	9.0%	91.0%
	Grade 11	2.8%	4.9%	10.8%	89.2%
	Grade 12	3.1%	5.5%	11.8%	88.2%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B8: Prevalence and recency of use of selected substances by grade  
Students reporting grades lower than A  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.4%	0.6%	1.3%	98.7%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	0.4%	0.7%	1.3%	98.7%
	Grade 9	0.5%	0.7%	1.4%	98.6%
	Grade 10	0.3%	0.6%	1.3%	98.7%
	Grade 11	0.4%	0.5%	1.4%	98.6%
	Grade 12	0.3%	0.6%	1.2%	98.8%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	8.9%	12.5%	23.0%	77.0%
	Grade 7	2.4%	3.4%	9.0%	91.0%
	Grade 8	4.2%	6.5%	14.4%	85.6%
	Grade 9	7.6%	11.2%	22.4%	77.6%
	Grade 10	10.1%	14.8%	27.1%	72.9%
	Grade 11	13.3%	18.4%	32.6%	67.4%
	Grade 12	18.7%	25.1%	38.0%	62.0%
<b>Alcohol</b>					
	All	22.3%	31.5%	52.6%	47.4%
	Grade 7	9.8%	13.5%	31.5%	68.5%
	Grade 8	14.6%	20.2%	41.5%	58.5%
	Grade 9	21.8%	31.3%	54.8%	45.2%
	Grade 10	24.7%	36.2%	59.7%	40.3%
	Grade 11	30.2%	42.8%	65.4%	34.6%
	Grade 12	38.1%	51.6%	69.2%	30.8%
<b>Inhalants</b>					
	All	4.3%	6.5%	14.1%	85.9%
	Grade 7	6.4%	9.0%	16.4%	83.6%
	Grade 8	5.4%	7.8%	15.6%	84.4%
	Grade 9	4.7%	7.0%	15.4%	84.6%
	Grade 10	3.4%	5.3%	13.1%	86.9%
	Grade 11	2.9%	4.5%	12.3%	87.7%
	Grade 12	2.6%	4.3%	10.7%	89.3%
<b>Any Illicit Drug</b>					
	All	9.7%	13.6%	22.1%	77.9%
	Grade 7	3.1%	4.1%	7.5%	92.5%
	Grade 8	5.1%	7.0%	11.9%	88.1%
	Grade 9	9.6%	13.6%	21.6%	78.4%
	Grade 10	11.6%	16.5%	27.0%	73.0%
	Grade 11	14.4%	20.4%	33.3%	66.7%
	Grade 12	17.2%	23.6%	36.7%	63.3%
<b>Marijuana</b>					
	All	8.5%	12.5%	20.9%	79.1%
	Grade 7	2.1%	3.0%	6.1%	93.9%
	Grade 8	4.0%	5.9%	10.4%	89.6%
	Grade 9	8.6%	12.7%	20.5%	79.5%
	Grade 10	10.2%	15.2%	26.0%	74.0%
	Grade 11	12.7%	19.1%	32.2%	67.8%
	Grade 12	16.1%	22.8%	36.0%	64.0%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>					
	All	4.1%	6.4%	12.3%	87.7%
	Grade 7	1.2%	1.7%	3.9%	96.1%
	Grade 8	1.8%	2.9%	6.1%	93.9%
	Grade 9	4.4%	6.6%	12.2%	87.8%
	Grade 10	4.9%	7.9%	15.2%	84.8%
	Grade 11	6.0%	9.7%	18.7%	81.3%
	Grade 12	7.3%	11.6%	20.9%	79.1%
<b>Cocaine or Crack</b>					
	All	1.2%	1.8%	3.7%	96.3%
	Grade 7	0.4%	0.6%	1.3%	98.7%
	Grade 8	0.8%	1.2%	2.1%	97.9%
	Grade 9	1.1%	1.7%	3.2%	96.8%
	Grade 10	1.4%	2.2%	4.7%	95.3%
	Grade 11	1.8%	2.7%	5.9%	94.1%
	Grade 12	2.0%	3.2%	5.8%	94.2%
<b>Cocaine</b>					
	All	1.1%	1.7%	3.4%	96.6%
	Grade 7	0.3%	0.5%	1.0%	99.0%
	Grade 8	0.5%	0.8%	1.6%	98.4%
	Grade 9	1.0%	1.5%	2.8%	97.2%
	Grade 10	1.2%	2.1%	4.4%	95.6%
	Grade 11	1.7%	2.5%	5.7%	94.3%
	Grade 12	1.9%	3.2%	5.8%	94.2%
<b>Crack</b>					
	All	0.3%	0.5%	1.1%	98.9%
	Grade 7	0.3%	0.4%	0.9%	99.1%
	Grade 8	0.4%	0.6%	1.1%	98.9%
	Grade 9	0.4%	0.6%	1.1%	98.9%
	Grade 10	0.3%	0.5%	1.5%	98.5%
	Grade 11	0.3%	0.6%	1.2%	98.8%
	Grade 12	0.2%	0.3%	0.6%	99.4%
<b>Hallucinogens</b>					
	All	1.0%	1.6%	3.1%	96.9%
	Grade 7	0.4%	0.5%	0.8%	99.2%
	Grade 8	0.6%	0.9%	1.8%	98.2%
	Grade 9	1.2%	1.6%	2.7%	97.3%
	Grade 10	1.1%	2.0%	4.0%	96.0%
	Grade 11	1.6%	2.4%	4.6%	95.4%
	Grade 12	1.4%	2.9%	5.3%	94.7%



**State : Grades 7-12 Large  
SPRING 2012**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Uppers	All	1.3%	1.9%	3.5%	96.5%
	Grade 7	0.3%	0.4%	0.6%	99.4%
	Grade 8	0.5%	0.6%	1.2%	98.8%
	Grade 9	1.3%	1.7%	3.0%	97.0%
	Grade 10	1.4%	2.3%	4.3%	95.7%
	Grade 11	2.0%	3.3%	6.0%	94.0%
	Grade 12	2.4%	3.9%	7.2%	92.8%
	Downers	All	1.4%	2.1%	3.7%
Grade 7		0.2%	0.3%	0.5%	99.5%
Grade 8		0.6%	0.8%	1.3%	98.7%
Grade 9		1.1%	1.8%	2.9%	97.1%
Grade 10		1.6%	2.6%	4.7%	95.3%
Grade 11		2.3%	3.8%	6.3%	93.7%
Grade 12		2.9%	4.4%	7.9%	92.1%
Rohypnol		All	0.6%	0.8%	1.6%
	Grade 7	0.3%	0.4%	0.7%	99.3%
	Grade 8	0.7%	0.9%	1.7%	98.3%
	Grade 9	0.6%	0.9%	1.7%	98.3%
	Grade 10	0.6%	0.8%	1.8%	98.2%
	Grade 11	0.6%	1.0%	1.9%	98.1%
	Grade 12	0.6%	1.0%	1.9%	98.1%
	Steroids	All	0.4%	0.6%	1.3%
Grade 7		0.4%	0.5%	1.2%	98.8%
Grade 8		0.3%	0.6%	1.5%	98.5%
Grade 9		0.2%	0.3%	0.9%	99.1%
Grade 10		0.4%	0.7%	1.2%	98.8%
Grade 11		0.6%	0.9%	1.6%	98.4%
Grade 12		0.5%	0.9%	1.5%	98.5%
Ecstasy		All	1.2%	2.1%	4.4%
	Grade 7	0.2%	0.4%	0.7%	99.3%
	Grade 8	0.6%	0.8%	1.7%	98.3%
	Grade 9	1.3%	1.9%	4.0%	96.0%
	Grade 10	1.5%	2.5%	5.3%	94.7%
	Grade 11	2.0%	3.5%	7.6%	92.4%
	Grade 12	2.3%	4.2%	8.7%	91.3%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B9: Prevalence and recency of use of selected substances by grade  
Students living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.3%	0.4%	0.9%	99.1%
	Grade 7	0.3%	0.4%	0.8%	99.2%
	Grade 8	0.4%	0.6%	1.1%	98.9%
	Grade 9	0.3%	0.4%	0.8%	99.2%
	Grade 10	0.2%	0.4%	0.9%	99.1%
	Grade 11	0.4%	0.4%	0.9%	99.1%
	Grade 12	0.3%	0.4%	0.8%	99.2%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	14.3%	19.7%	35.1%	64.9%
	Grade 7	6.0%	8.5%	19.7%	80.3%
	Grade 8	7.6%	11.6%	26.7%	73.3%
	Grade 9	13.3%	18.5%	34.9%	65.1%
	Grade 10	16.3%	22.4%	39.0%	61.0%
	Grade 11	19.2%	26.0%	43.1%	56.9%
	Grade 12	24.7%	32.4%	48.3%	51.7%
<b>Alcohol</b>					
	All	29.6%	41.4%	65.3%	34.7%
	Grade 7	14.5%	20.5%	44.6%	55.4%
	Grade 8	21.7%	30.4%	57.5%	42.5%
	Grade 9	29.8%	40.7%	67.5%	32.5%
	Grade 10	34.2%	49.0%	71.4%	28.6%
	Grade 11	34.8%	50.9%	73.7%	26.3%
	Grade 12	43.2%	58.6%	77.6%	22.4%
<b>Inhalants</b>					
	All	5.5%	8.3%	18.3%	81.7%
	Grade 7	8.5%	11.5%	21.8%	78.2%
	Grade 8	7.1%	11.2%	21.9%	78.1%
	Grade 9	5.9%	9.1%	20.3%	79.7%
	Grade 10	4.6%	7.2%	16.7%	83.3%
	Grade 11	3.3%	5.5%	14.7%	85.3%
	Grade 12	3.3%	5.2%	13.8%	86.2%
<b>Any Illicit Drug</b>					
	All	16.5%	22.7%	35.6%	64.4%
	Grade 7	6.4%	8.4%	15.0%	85.0%
	Grade 8	10.7%	14.7%	25.0%	75.0%
	Grade 9	16.5%	22.7%	36.0%	64.0%
	Grade 10	20.4%	27.9%	43.3%	56.7%
	Grade 11	20.9%	29.6%	45.0%	55.0%
	Grade 12	24.6%	33.9%	50.4%	49.6%
<b>Marijuana</b>					
	All	15.2%	21.6%	34.7%	65.3%
	Grade 7	5.1%	7.2%	13.5%	86.5%
	Grade 8	9.8%	14.0%	24.0%	76.0%
	Grade 9	15.4%	21.8%	35.1%	64.9%
	Grade 10	18.9%	26.7%	42.2%	57.8%
	Grade 11	19.5%	28.3%	44.3%	55.7%
	Grade 12	22.7%	32.4%	49.8%	50.2%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>					
	All	6.8%	10.6%	19.9%	80.1%
	Grade 7	2.6%	3.6%	8.2%	91.8%
	Grade 8	5.1%	7.8%	14.8%	85.2%
	Grade 9	7.1%	10.8%	20.5%	79.5%
	Grade 10	9.0%	13.5%	24.6%	75.4%
	Grade 11	7.8%	13.2%	24.5%	75.5%
	Grade 12	9.4%	15.4%	27.5%	72.5%
<b>Cocaine or Crack</b>					
	All	1.7%	2.8%	5.9%	94.1%
	Grade 7	0.9%	1.5%	2.8%	97.2%
	Grade 8	1.0%	1.6%	3.5%	96.5%
	Grade 9	1.2%	2.2%	5.2%	94.8%
	Grade 10	2.1%	3.3%	6.6%	93.4%
	Grade 11	2.3%	3.9%	8.6%	91.4%
	Grade 12	2.9%	4.7%	9.2%	90.8%
<b>Cocaine</b>					
	All	1.5%	2.5%	5.5%	94.5%
	Grade 7	0.5%	0.9%	2.0%	98.0%
	Grade 8	0.7%	1.2%	2.7%	97.3%
	Grade 9	1.1%	1.9%	4.7%	95.3%
	Grade 10	1.8%	2.9%	6.3%	93.7%
	Grade 11	2.3%	3.8%	8.4%	91.6%
	Grade 12	2.8%	4.5%	9.0%	91.0%
<b>Crack</b>					
	All	0.5%	0.8%	1.8%	98.2%
	Grade 7	0.7%	1.0%	1.8%	98.2%
	Grade 8	0.5%	0.8%	1.8%	98.2%
	Grade 9	0.5%	0.9%	1.8%	98.2%
	Grade 10	0.6%	0.9%	1.9%	98.1%
	Grade 11	0.4%	0.6%	1.9%	98.1%
	Grade 12	0.3%	0.7%	1.5%	98.5%
<b>Hallucinogens</b>					
	All	1.7%	2.9%	5.7%	94.3%
	Grade 7	0.8%	1.1%	1.8%	98.2%
	Grade 8	1.2%	2.0%	3.5%	96.5%
	Grade 9	1.9%	2.9%	5.5%	94.5%
	Grade 10	2.0%	3.5%	7.3%	92.7%
	Grade 11	1.8%	3.5%	7.9%	92.1%
	Grade 12	2.6%	4.3%	8.6%	91.4%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Uppers	All	2.6%	3.9%	6.6%	93.4%
	Grade 7	0.5%	0.8%	1.6%	98.4%
	Grade 8	1.3%	1.6%	2.7%	97.3%
	Grade 9	2.0%	3.0%	5.2%	94.8%
	Grade 10	3.8%	5.4%	8.5%	91.5%
	Grade 11	3.6%	6.0%	10.1%	89.9%
	Grade 12	4.4%	7.0%	11.8%	88.2%
Downers	All	3.0%	4.3%	7.0%	93.0%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	1.4%	1.9%	3.0%	97.0%
	Grade 9	2.7%	3.8%	6.1%	93.9%
	Grade 10	4.2%	5.9%	8.9%	91.1%
	Grade 11	4.5%	6.6%	11.0%	89.0%
	Grade 12	4.6%	7.2%	12.3%	87.7%
Rohypnol	All	1.0%	1.5%	2.7%	97.3%
	Grade 7	0.7%	0.8%	1.3%	98.7%
	Grade 8	1.1%	1.6%	3.0%	97.0%
	Grade 9	1.5%	2.1%	3.5%	96.5%
	Grade 10	1.3%	2.0%	3.3%	96.7%
	Grade 11	0.7%	1.0%	2.6%	97.4%
	Grade 12	0.7%	1.2%	2.3%	97.7%
Steroids	All	0.5%	0.7%	1.7%	98.3%
	Grade 7	0.8%	1.1%	2.0%	98.0%
	Grade 8	0.2%	0.3%	1.6%	98.4%
	Grade 9	0.4%	0.6%	1.6%	98.4%
	Grade 10	0.7%	1.0%	1.6%	98.4%
	Grade 11	0.5%	0.6%	1.7%	98.3%
	Grade 12	0.4%	0.8%	1.6%	98.4%
Ecstasy	All	2.4%	3.9%	7.8%	92.2%
	Grade 7	1.0%	1.4%	2.2%	97.8%
	Grade 8	1.3%	1.9%	4.0%	96.0%
	Grade 9	2.5%	4.0%	6.8%	93.2%
	Grade 10	2.9%	5.3%	10.4%	89.6%
	Grade 11	3.3%	5.4%	11.7%	88.3%
	Grade 12	3.4%	5.6%	12.4%	87.6%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B10: Prevalence and recency of use of selected substances by grade  
Students not living with two parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.4%	0.6%	1.4%	98.6%
	Grade 7	0.3%	0.5%	1.3%	98.7%
	Grade 8	0.3%	0.5%	1.0%	99.0%
	Grade 9	0.5%	0.8%	1.8%	98.2%
	Grade 10	0.5%	0.7%	1.4%	98.6%
	Grade 11	0.3%	0.6%	1.6%	98.4%
	Grade 12	0.4%	0.7%	1.5%	98.5%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	9.3%	13.2%	24.7%	75.3%
	Grade 7	2.7%	4.1%	10.4%	89.6%
	Grade 8	4.4%	6.8%	16.4%	83.6%
	Grade 9	7.8%	11.4%	23.8%	76.2%
	Grade 10	10.5%	15.5%	28.8%	71.2%
	Grade 11	14.0%	19.2%	33.9%	66.1%
	Grade 12	19.5%	25.7%	39.7%	60.3%
<b>Alcohol</b>					
	All	22.9%	32.9%	55.3%	44.7%
	Grade 7	9.5%	13.3%	32.5%	67.5%
	Grade 8	14.8%	21.0%	45.0%	55.0%
	Grade 9	22.2%	32.1%	57.7%	42.3%
	Grade 10	26.4%	39.4%	62.9%	37.1%
	Grade 11	30.2%	44.5%	67.5%	32.5%
	Grade 12	39.1%	53.4%	72.2%	27.8%
<b>Inhalants</b>					
	All	4.2%	6.3%	14.1%	85.9%
	Grade 7	6.2%	8.4%	15.7%	84.3%
	Grade 8	5.1%	7.7%	15.7%	84.3%
	Grade 9	4.6%	6.9%	15.8%	84.2%
	Grade 10	3.5%	5.4%	13.4%	86.6%
	Grade 11	2.7%	4.3%	11.9%	88.1%
	Grade 12	2.5%	4.0%	10.7%	89.3%
<b>Any Illicit Drug</b>					
	All	10.1%	14.4%	23.9%	76.1%
	Grade 7	3.0%	3.9%	7.7%	92.3%
	Grade 8	5.7%	7.8%	14.0%	86.0%
	Grade 9	9.5%	13.9%	23.3%	76.7%
	Grade 10	12.7%	18.2%	29.8%	70.2%
	Grade 11	14.5%	21.1%	34.4%	65.6%
	Grade 12	17.9%	25.6%	40.0%	60.0%
<b>Marijuana</b>					
	All	9.2%	13.6%	23.0%	77.0%
	Grade 7	2.3%	3.2%	6.6%	93.4%
	Grade 8	4.9%	7.1%	12.8%	87.2%
	Grade 9	8.8%	13.2%	22.4%	77.6%
	Grade 10	11.5%	17.2%	28.8%	71.2%
	Grade 11	13.4%	20.1%	33.6%	66.4%
	Grade 12	16.7%	24.6%	39.3%	60.7%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>					
	All	4.5%	7.3%	14.1%	85.9%
	Grade 7	1.2%	1.8%	4.3%	95.7%
	Grade 8	2.5%	4.0%	8.4%	91.6%
	Grade 9	4.4%	7.0%	13.9%	86.1%
	Grade 10	6.1%	9.6%	18.0%	82.0%
	Grade 11	6.4%	10.4%	20.1%	79.9%
	Grade 12	7.6%	12.7%	23.3%	76.7%
<b>Cocaine or Crack</b>					
	All	1.0%	1.6%	3.5%	96.5%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	0.6%	0.9%	2.0%	98.0%
	Grade 9	0.9%	1.4%	3.2%	96.8%
	Grade 10	1.3%	2.0%	4.2%	95.8%
	Grade 11	1.5%	2.2%	5.3%	94.7%
	Grade 12	1.7%	2.8%	6.0%	94.0%
<b>Cocaine</b>					
	All	0.9%	1.4%	3.2%	96.8%
	Grade 7	0.2%	0.4%	0.9%	99.1%
	Grade 8	0.4%	0.7%	1.6%	98.4%
	Grade 9	0.8%	1.3%	2.8%	97.2%
	Grade 10	1.2%	1.9%	4.0%	96.0%
	Grade 11	1.4%	2.1%	5.2%	94.8%
	Grade 12	1.6%	2.7%	5.9%	94.1%
<b>Crack</b>					
	All	0.3%	0.4%	0.9%	99.1%
	Grade 7	0.3%	0.4%	0.8%	99.2%
	Grade 8	0.3%	0.4%	1.0%	99.0%
	Grade 9	0.3%	0.5%	1.0%	99.0%
	Grade 10	0.3%	0.4%	1.1%	98.9%
	Grade 11	0.2%	0.2%	0.8%	99.2%
	Grade 12	0.2%	0.4%	0.8%	99.2%
<b>Hallucinogens</b>					
	All	0.9%	1.6%	3.3%	96.7%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	0.6%	0.9%	1.8%	98.2%
	Grade 9	1.1%	1.6%	2.8%	97.2%
	Grade 10	1.1%	1.9%	4.1%	95.9%
	Grade 11	1.2%	2.2%	5.0%	95.0%
	Grade 12	1.6%	3.0%	5.9%	94.1%



**State : Grades 7-12 Large  
SPRING 2012**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Uppers</b>					
	All	1.3%	2.2%	3.9%	96.1%
	Grade 7	0.2%	0.3%	0.7%	99.3%
	Grade 8	0.6%	0.8%	1.3%	98.7%
	Grade 9	1.2%	1.8%	3.1%	96.9%
	Grade 10	1.8%	2.8%	4.9%	95.1%
	Grade 11	2.0%	3.7%	6.8%	93.2%
	Grade 12	2.5%	4.3%	7.9%	92.1%
<b>Downers</b>					
	All	1.6%	2.4%	4.1%	95.9%
	Grade 7	0.2%	0.3%	0.6%	99.4%
	Grade 8	0.7%	0.9%	1.5%	98.5%
	Grade 9	1.3%	2.1%	3.4%	96.6%
	Grade 10	2.1%	3.1%	5.3%	94.7%
	Grade 11	2.5%	4.1%	7.1%	92.9%
	Grade 12	3.0%	4.5%	8.4%	91.6%
<b>Rohypnol</b>					
	All	0.5%	0.8%	1.6%	98.4%
	Grade 7	0.3%	0.4%	0.6%	99.4%
	Grade 8	0.6%	0.8%	1.5%	98.5%
	Grade 9	0.6%	1.0%	1.7%	98.3%
	Grade 10	0.6%	0.9%	2.0%	98.0%
	Grade 11	0.6%	0.9%	2.0%	98.0%
	Grade 12	0.4%	0.8%	1.6%	98.4%
<b>Steroids</b>					
	All	0.3%	0.5%	1.1%	98.9%
	Grade 7	0.3%	0.4%	1.1%	98.9%
	Grade 8	0.2%	0.3%	1.3%	98.7%
	Grade 9	0.2%	0.3%	0.8%	99.2%
	Grade 10	0.4%	0.6%	1.0%	99.0%
	Grade 11	0.3%	0.5%	1.3%	98.7%
	Grade 12	0.4%	0.7%	1.4%	98.6%
<b>Ecstasy</b>					
	All	1.2%	2.1%	4.7%	95.3%
	Grade 7	0.2%	0.4%	0.7%	99.3%
	Grade 8	0.5%	0.8%	1.7%	98.3%
	Grade 9	1.4%	2.2%	4.3%	95.7%
	Grade 10	1.6%	2.7%	5.9%	94.1%
	Grade 11	1.8%	3.2%	7.9%	92.1%
	Grade 12	2.2%	4.2%	9.4%	90.6%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B11: Prevalence and recency of use of selected substances by grade  
Students would seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.2%	0.3%	0.7%	99.3%
	Grade 7	0.2%	0.3%	0.7%	99.3%
	Grade 8	0.3%	0.4%	0.7%	99.3%
	Grade 9	0.3%	0.5%	0.9%	99.1%
	Grade 10	0.2%	0.3%	0.7%	99.3%
	Grade 11	0.2%	0.2%	0.7%	99.3%
	Grade 12	0.2%	0.2%	0.6%	99.4%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students would not seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	17.1%	23.5%	38.5%	61.5%
	Grade 7	8.3%	10.5%	24.3%	75.7%
	Grade 8	10.3%	15.7%	31.1%	68.9%
	Grade 9	16.8%	23.1%	38.4%	61.6%
	Grade 10	19.2%	25.8%	40.7%	59.3%
	Grade 11	21.4%	29.3%	45.0%	55.0%
	Grade 12	26.6%	36.2%	50.9%	49.1%
<b>Alcohol</b>					
	All	33.7%	45.1%	66.6%	33.4%
	Grade 7	20.3%	28.7%	54.0%	46.0%
	Grade 8	27.9%	37.4%	60.1%	39.9%
	Grade 9	34.0%	44.9%	67.8%	32.2%
	Grade 10	36.8%	49.1%	69.7%	30.3%
	Grade 11	39.1%	51.7%	73.0%	27.0%
	Grade 12	43.6%	58.1%	74.4%	25.6%
<b>Inhalants</b>					
	All	7.3%	11.0%	22.7%	77.3%
	Grade 7	11.5%	16.1%	29.8%	70.2%
	Grade 8	10.2%	15.3%	28.0%	72.0%
	Grade 9	7.7%	11.9%	24.3%	75.7%
	Grade 10	5.9%	8.4%	19.3%	80.7%
	Grade 11	4.9%	7.8%	18.7%	81.3%
	Grade 12	3.6%	6.6%	16.2%	83.8%
<b>Any Illicit Drug</b>					
	All	20.8%	27.4%	39.9%	60.1%
	Grade 7	9.8%	12.8%	21.1%	78.9%
	Grade 8	14.2%	19.1%	29.6%	70.4%
	Grade 9	20.6%	26.9%	39.2%	60.8%
	Grade 10	24.1%	31.7%	46.2%	53.8%
	Grade 11	27.1%	36.0%	50.2%	49.8%
	Grade 12	28.7%	36.8%	52.3%	47.7%
<b>Marijuana</b>					
	All	18.4%	25.4%	38.6%	61.4%
	Grade 7	7.1%	10.0%	17.6%	82.4%
	Grade 8	12.1%	17.2%	28.0%	72.0%
	Grade 9	18.8%	25.5%	38.2%	61.8%
	Grade 10	21.4%	29.5%	45.2%	54.8%
	Grade 11	24.3%	34.0%	49.2%	50.8%
	Grade 12	25.8%	34.9%	51.7%	48.3%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students would not seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>					
	All	8.0%	11.7%	19.9%	80.1%
	Grade 7	4.1%	5.3%	10.5%	89.5%
	Grade 8	5.7%	8.5%	14.6%	85.4%
	Grade 9	8.8%	12.0%	20.2%	79.8%
	Grade 10	8.8%	13.3%	23.1%	76.9%
	Grade 11	9.3%	14.5%	23.5%	76.5%
	Grade 12	11.2%	16.2%	27.2%	72.8%
<b>Cocaine or Crack</b>					
	All	2.9%	4.6%	8.4%	91.6%
	Grade 7	1.4%	2.5%	4.3%	95.7%
	Grade 8	2.2%	3.2%	5.6%	94.4%
	Grade 9	2.5%	3.4%	6.7%	93.3%
	Grade 10	2.9%	4.1%	8.9%	91.1%
	Grade 11	4.1%	7.4%	13.6%	86.4%
	Grade 12	4.5%	7.4%	11.7%	88.3%
<b>Cocaine</b>					
	All	2.5%	4.1%	7.6%	92.4%
	Grade 7	0.9%	1.7%	2.7%	97.3%
	Grade 8	1.3%	2.1%	3.9%	96.1%
	Grade 9	2.2%	3.0%	6.1%	93.9%
	Grade 10	2.5%	3.6%	8.3%	91.7%
	Grade 11	3.9%	6.9%	13.1%	86.9%
	Grade 12	4.4%	7.4%	11.7%	88.3%
<b>Crack</b>					
	All	1.0%	1.6%	3.1%	96.9%
	Grade 7	1.0%	1.9%	3.3%	96.7%
	Grade 8	1.4%	1.9%	3.2%	96.8%
	Grade 9	0.9%	1.5%	3.0%	97.0%
	Grade 10	0.9%	1.4%	3.1%	96.9%
	Grade 11	1.1%	2.2%	4.2%	95.8%
	Grade 12	0.6%	1.0%	1.9%	98.1%
<b>Hallucinogens</b>					
	All	2.5%	3.9%	7.1%	92.9%
	Grade 7	0.9%	1.1%	2.3%	97.7%
	Grade 8	2.0%	3.1%	4.7%	95.3%
	Grade 9	2.6%	3.9%	7.1%	92.9%
	Grade 10	2.7%	4.4%	8.9%	91.1%
	Grade 11	3.1%	4.7%	9.5%	90.5%
	Grade 12	3.6%	6.3%	9.9%	90.1%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students would not seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Uppers</b>					
	All	3.5%	4.9%	7.7%	92.3%
	Grade 7	1.0%	1.3%	2.1%	97.9%
	Grade 8	1.7%	1.9%	3.2%	96.8%
	Grade 9	2.7%	3.6%	6.3%	93.7%
	Grade 10	4.3%	6.0%	9.3%	90.7%
	Grade 11	5.0%	7.7%	11.6%	88.4%
	Grade 12	6.0%	8.9%	13.7%	86.3%
<b>Downers</b>					
	All	3.6%	5.4%	8.3%	91.7%
	Grade 7	0.7%	0.9%	1.5%	98.5%
	Grade 8	2.0%	2.6%	4.1%	95.9%
	Grade 9	2.6%	4.3%	6.6%	93.4%
	Grade 10	4.3%	6.4%	10.1%	89.9%
	Grade 11	6.2%	9.0%	13.3%	86.7%
	Grade 12	6.2%	9.4%	14.4%	85.6%
<b>Rohypnol</b>					
	All	1.6%	2.2%	3.8%	96.2%
	Grade 7	0.8%	0.9%	1.7%	98.3%
	Grade 8	1.9%	2.2%	4.4%	95.6%
	Grade 9	2.2%	3.1%	4.9%	95.1%
	Grade 10	1.6%	2.5%	4.0%	96.0%
	Grade 11	0.9%	1.4%	3.0%	97.0%
	Grade 12	1.8%	2.6%	4.1%	95.9%
<b>Steroids</b>					
	All	0.8%	1.2%	2.2%	97.8%
	Grade 7	1.5%	1.6%	2.8%	97.2%
	Grade 8	0.6%	1.2%	2.7%	97.3%
	Grade 9	0.4%	0.6%	2.0%	98.0%
	Grade 10	0.7%	1.3%	1.9%	98.1%
	Grade 11	0.7%	1.0%	1.9%	98.1%
	Grade 12	0.8%	1.5%	2.2%	97.8%
<b>Ecstasy</b>					
	All	3.4%	5.1%	9.5%	90.5%
	Grade 7	1.5%	1.8%	3.1%	96.9%
	Grade 8	2.4%	3.4%	6.2%	93.8%
	Grade 9	3.3%	4.8%	8.4%	91.6%
	Grade 10	4.2%	6.5%	11.9%	88.1%
	Grade 11	4.1%	6.7%	13.7%	86.3%
	Grade 12	4.5%	7.2%	13.3%	86.7%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B12: Prevalence and recency of use of selected substances by grade  
Students would not seek help from adults for substance abuse problems  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.7%	1.2%	2.2%	97.8%
	Grade 7	0.8%	0.8%	1.9%	98.1%
	Grade 8	0.7%	1.3%	2.4%	97.6%
	Grade 9	0.7%	1.1%	1.9%	98.1%
	Grade 10	0.5%	1.1%	2.2%	97.8%
	Grade 11	0.9%	1.1%	2.7%	97.3%
	Grade 12	0.8%	1.5%	2.4%	97.6%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	11.3%	15.6%	29.7%	70.3%
	Grade 7	4.4%	6.3%	16.3%	83.7%
	Grade 8	6.5%	9.7%	22.3%	77.7%
	Grade 9	10.8%	15.1%	30.5%	69.5%
	Grade 10	14.3%	19.4%	34.9%	65.1%
	Grade 11	17.0%	22.8%	40.2%	59.8%
	Grade 12	24.7%	32.6%	48.3%	51.7%
<b>Alcohol</b>					
	All	24.8%	33.9%	57.3%	42.7%
	Grade 7	12.3%	17.0%	38.0%	62.0%
	Grade 8	20.1%	26.3%	51.0%	49.0%
	Grade 9	26.3%	36.2%	60.5%	39.5%
	Grade 10	29.5%	41.6%	65.9%	34.1%
	Grade 11	32.4%	44.9%	69.3%	30.7%
	Grade 12	40.1%	53.2%	74.0%	26.0%
<b>Inhalants</b>					
	All	5.8%	8.4%	17.7%	82.3%
	Grade 7	8.0%	10.8%	20.4%	79.6%
	Grade 8	7.2%	10.2%	20.7%	79.3%
	Grade 9	5.8%	8.5%	18.7%	81.3%
	Grade 10	4.3%	7.1%	15.2%	84.8%
	Grade 11	3.7%	5.8%	14.5%	85.5%
	Grade 12	3.5%	5.1%	13.2%	86.8%
<b>Any Illicit Drug</b>					
	All	12.9%	17.6%	28.9%	71.1%
	Grade 7	5.2%	6.2%	12.5%	87.5%
	Grade 8	8.7%	12.2%	20.5%	79.5%
	Grade 9	13.5%	19.0%	30.5%	69.5%
	Grade 10	16.2%	22.4%	36.8%	63.2%
	Grade 11	18.4%	25.7%	41.4%	58.6%
	Grade 12	23.8%	31.1%	46.9%	53.1%
<b>Marijuana</b>					
	All	11.6%	16.6%	27.9%	72.1%
	Grade 7	4.1%	5.2%	11.2%	88.8%
	Grade 8	7.6%	11.1%	19.1%	80.9%
	Grade 9	12.3%	18.1%	29.8%	70.2%
	Grade 10	14.4%	21.2%	35.9%	64.1%
	Grade 11	17.0%	24.7%	40.6%	59.4%
	Grade 12	22.6%	30.3%	46.3%	53.7%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>					
	All	5.5%	8.2%	16.3%	83.7%
	Grade 7	2.2%	2.5%	7.0%	93.0%
	Grade 8	3.7%	5.6%	11.2%	88.8%
	Grade 9	5.8%	8.9%	17.5%	82.5%
	Grade 10	7.0%	10.6%	21.1%	78.9%
	Grade 11	8.1%	12.5%	23.5%	76.5%
	Grade 12	9.8%	14.4%	25.5%	74.5%
<b>Cocaine or Crack</b>					
	All	1.6%	2.3%	4.8%	95.2%
	Grade 7	0.6%	1.0%	1.8%	98.2%
	Grade 8	1.0%	1.6%	3.2%	96.8%
	Grade 9	1.4%	2.2%	4.3%	95.7%
	Grade 10	2.2%	3.0%	6.3%	93.7%
	Grade 11	2.6%	3.4%	7.6%	92.4%
	Grade 12	3.0%	4.6%	9.0%	91.0%
<b>Cocaine</b>					
	All	1.5%	2.1%	4.5%	95.5%
	Grade 7	0.5%	0.7%	1.6%	98.4%
	Grade 8	0.8%	1.3%	2.6%	97.4%
	Grade 9	1.4%	1.9%	3.9%	96.1%
	Grade 10	2.0%	2.8%	6.1%	93.9%
	Grade 11	2.5%	3.2%	7.3%	92.7%
	Grade 12	2.9%	4.6%	9.0%	91.0%
<b>Crack</b>					
	All	0.4%	0.7%	1.4%	98.6%
	Grade 7	0.3%	0.6%	1.1%	98.9%
	Grade 8	0.4%	0.6%	2.0%	98.0%
	Grade 9	0.4%	0.8%	1.4%	98.6%
	Grade 10	0.4%	0.5%	1.4%	98.6%
	Grade 11	0.6%	0.9%	1.6%	98.4%
	Grade 12	0.2%	0.6%	1.0%	99.0%
<b>Hallucinogens</b>					
	All	1.2%	2.2%	4.5%	95.5%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	1.2%	1.9%	3.4%	96.6%
	Grade 9	1.4%	2.4%	4.7%	95.3%
	Grade 10	1.5%	2.8%	6.1%	93.9%
	Grade 11	1.5%	3.1%	6.2%	93.8%
	Grade 12	1.9%	3.2%	7.3%	92.7%



**State : Grades 7-12 Large  
SPRING 2012**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Uppers</b>					
	All	1.8%	2.7%	4.9%	95.1%
	Grade 7	0.3%	0.5%	1.3%	98.7%
	Grade 8	1.1%	1.3%	2.5%	97.5%
	Grade 9	1.7%	2.5%	4.4%	95.6%
	Grade 10	2.9%	4.1%	6.9%	93.1%
	Grade 11	2.4%	4.4%	7.9%	92.1%
	Grade 12	3.9%	5.7%	10.9%	89.1%
<b>Downers</b>					
	All	2.2%	3.1%	5.1%	94.9%
	Grade 7	0.3%	0.5%	1.0%	99.0%
	Grade 8	1.2%	1.6%	2.7%	97.3%
	Grade 9	2.4%	3.4%	5.1%	94.9%
	Grade 10	2.7%	4.2%	6.9%	93.1%
	Grade 11	3.5%	5.1%	8.6%	91.4%
	Grade 12	4.7%	6.1%	10.9%	89.1%
<b>Rohypnol</b>					
	All	0.8%	1.1%	2.2%	97.8%
	Grade 7	0.4%	0.5%	0.8%	99.2%
	Grade 8	0.9%	1.2%	2.3%	97.7%
	Grade 9	1.1%	1.7%	2.8%	97.2%
	Grade 10	0.9%	1.4%	2.7%	97.3%
	Grade 11	0.7%	1.0%	2.5%	97.5%
	Grade 12	0.7%	1.1%	2.8%	97.2%
<b>Steroids</b>					
	All	0.5%	0.7%	1.6%	98.4%
	Grade 7	0.6%	0.7%	1.5%	98.5%
	Grade 8	0.5%	0.7%	1.9%	98.1%
	Grade 9	0.1%	0.3%	1.2%	98.8%
	Grade 10	0.7%	1.1%	1.7%	98.3%
	Grade 11	0.6%	0.7%	1.9%	98.1%
	Grade 12	0.3%	0.4%	1.5%	98.5%
<b>Ecstasy</b>					
	All	1.8%	2.8%	5.9%	94.1%
	Grade 7	0.6%	0.9%	1.5%	98.5%
	Grade 8	1.2%	1.6%	3.5%	96.5%
	Grade 9	2.1%	2.9%	5.6%	94.4%
	Grade 10	2.7%	4.5%	8.5%	91.5%
	Grade 11	2.4%	3.9%	9.4%	90.6%
	Grade 12	3.1%	5.0%	11.2%	88.8%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B13: Prevalence and recency of use of selected substances by grade  
Students living in town three years or less  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.3%	0.5%	1.2%	98.8%
	Grade 7	0.3%	0.4%	1.1%	98.9%
	Grade 8	0.4%	0.6%	1.2%	98.8%
	Grade 9	0.2%	0.4%	1.2%	98.8%
	Grade 10	0.4%	0.6%	1.2%	98.8%
	Grade 11	0.2%	0.4%	1.5%	98.5%
	Grade 12	0.3%	0.5%	1.3%	98.7%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years**

		Past Month	School Year	Ever Used	Never Used
<b>Tobacco</b>					
	All	10.9%	15.3%	27.1%	72.9%
	Grade 7	3.5%	4.9%	11.4%	88.6%
	Grade 8	5.0%	7.9%	17.8%	82.2%
	Grade 9	9.5%	13.7%	26.1%	73.9%
	Grade 10	11.9%	17.2%	30.4%	69.6%
	Grade 11	15.4%	21.0%	35.7%	64.3%
	Grade 12	20.7%	27.4%	41.2%	58.8%
<b>Alcohol</b>					
	All	25.3%	35.9%	57.8%	42.2%
	Grade 7	11.1%	15.6%	35.7%	64.3%
	Grade 8	16.2%	23.3%	46.5%	53.5%
	Grade 9	24.6%	34.7%	59.6%	40.4%
	Grade 10	28.0%	41.0%	63.8%	36.2%
	Grade 11	32.1%	46.5%	68.7%	31.3%
	Grade 12	40.3%	54.8%	72.5%	27.5%
<b>Inhalants</b>					
	All	4.5%	6.8%	15.1%	84.9%
	Grade 7	6.8%	9.6%	17.5%	82.5%
	Grade 8	5.7%	8.8%	17.2%	82.8%
	Grade 9	5.0%	7.6%	16.8%	83.2%
	Grade 10	3.7%	5.7%	14.2%	85.8%
	Grade 11	2.9%	4.6%	12.9%	87.1%
	Grade 12	2.8%	4.6%	11.8%	88.2%
<b>Any Illicit Drug</b>					
	All	12.2%	17.0%	26.8%	73.2%
	Grade 7	3.9%	5.3%	9.2%	90.8%
	Grade 8	6.6%	9.0%	15.5%	84.5%
	Grade 9	11.9%	16.6%	26.1%	73.9%
	Grade 10	14.6%	20.4%	32.0%	68.0%
	Grade 11	16.6%	23.7%	36.8%	63.2%
	Grade 12	19.8%	27.4%	41.6%	58.4%
<b>Marijuana</b>					
	All	11.0%	15.9%	25.7%	74.3%
	Grade 7	2.8%	4.1%	7.6%	92.4%
	Grade 8	5.6%	8.1%	14.2%	85.8%
	Grade 9	10.9%	15.7%	25.0%	75.0%
	Grade 10	13.3%	19.1%	31.0%	69.0%
	Grade 11	14.9%	22.2%	35.9%	64.1%
	Grade 12	18.3%	26.3%	41.0%	59.0%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Marijuana Only</b>					
	All	5.0%	8.0%	14.9%	85.1%
	Grade 7	1.5%	2.3%	4.6%	95.4%
	Grade 8	2.7%	4.4%	8.7%	91.3%
	Grade 9	5.3%	8.1%	14.7%	85.3%
	Grade 10	6.3%	9.9%	18.1%	81.9%
	Grade 11	6.4%	10.7%	20.2%	79.8%
	Grade 12	7.9%	12.9%	23.2%	76.8%
<b>Cocaine or Crack</b>					
	All	1.3%	2.2%	4.5%	95.5%
	Grade 7	0.6%	0.9%	1.9%	98.1%
	Grade 8	0.8%	1.2%	2.3%	97.7%
	Grade 9	1.1%	1.7%	3.9%	96.1%
	Grade 10	1.5%	2.5%	5.2%	94.8%
	Grade 11	1.8%	3.1%	6.8%	93.2%
	Grade 12	2.3%	3.7%	7.0%	93.0%
<b>Cocaine</b>					
	All	1.2%	1.9%	4.1%	95.9%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	0.5%	0.8%	1.7%	98.3%
	Grade 9	0.9%	1.5%	3.5%	96.5%
	Grade 10	1.3%	2.3%	4.8%	95.2%
	Grade 11	1.8%	2.9%	6.6%	93.4%
	Grade 12	2.2%	3.6%	6.9%	93.1%
<b>Crack</b>					
	All	0.4%	0.6%	1.4%	98.6%
	Grade 7	0.4%	0.6%	1.3%	98.7%
	Grade 8	0.5%	0.7%	1.1%	98.9%
	Grade 9	0.4%	0.7%	1.4%	98.6%
	Grade 10	0.5%	0.7%	1.8%	98.2%
	Grade 11	0.3%	0.5%	1.5%	98.5%
	Grade 12	0.3%	0.5%	1.0%	99.0%
<b>Hallucinogens</b>					
	All	1.3%	2.1%	4.0%	96.0%
	Grade 7	0.5%	0.6%	1.0%	99.0%
	Grade 8	0.7%	1.1%	2.0%	98.0%
	Grade 9	1.5%	2.0%	3.5%	96.5%
	Grade 10	1.4%	2.4%	4.9%	95.1%
	Grade 11	1.8%	2.8%	5.9%	94.1%
	Grade 12	2.0%	3.6%	6.6%	93.4%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
<b>Uppers</b>					
	All	1.8%	2.7%	4.6%	95.4%
	Grade 7	0.4%	0.5%	0.9%	99.1%
	Grade 8	0.7%	0.9%	1.4%	98.6%
	Grade 9	1.5%	2.1%	3.7%	96.3%
	Grade 10	2.2%	3.3%	5.6%	94.4%
	Grade 11	2.6%	4.4%	7.5%	92.5%
	Grade 12	3.1%	5.2%	8.8%	91.2%
<b>Downers</b>					
	All	2.0%	3.0%	5.0%	95.0%
	Grade 7	0.4%	0.5%	0.8%	99.2%
	Grade 8	0.8%	1.0%	1.7%	98.3%
	Grade 9	1.5%	2.4%	3.9%	96.1%
	Grade 10	2.5%	3.7%	6.1%	93.9%
	Grade 11	3.0%	4.8%	8.0%	92.0%
	Grade 12	3.5%	5.5%	9.5%	90.5%
<b>Rohypnol</b>					
	All	0.7%	1.1%	2.0%	98.0%
	Grade 7	0.5%	0.6%	1.0%	99.0%
	Grade 8	0.8%	1.1%	2.1%	97.9%
	Grade 9	0.9%	1.3%	2.3%	97.7%
	Grade 10	0.9%	1.2%	2.3%	97.7%
	Grade 11	0.6%	0.9%	2.1%	97.9%
	Grade 12	0.6%	1.1%	2.0%	98.0%
<b>Steroids</b>					
	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	0.6%	0.8%	1.4%	98.6%
	Grade 8	0.2%	0.4%	1.4%	98.6%
	Grade 9	0.3%	0.4%	1.2%	98.8%
	Grade 10	0.5%	0.7%	1.2%	98.8%
	Grade 11	0.6%	0.8%	1.5%	98.5%
	Grade 12	0.5%	1.0%	1.5%	98.5%
<b>Ecstasy</b>					
	All	1.7%	2.8%	5.7%	94.3%
	Grade 7	0.4%	0.6%	1.2%	98.8%
	Grade 8	0.8%	1.1%	2.2%	97.8%
	Grade 9	1.7%	2.7%	5.0%	95.0%
	Grade 10	1.8%	3.2%	6.8%	93.2%
	Grade 11	2.5%	4.4%	9.2%	90.8%
	Grade 12	2.7%	4.8%	10.1%	89.9%

**State : Grades 7-12 Large  
SPRING 2012**

**Table B14: Prevalence and recency of use of selected substances by grade  
Students living in town more than three years  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.4%	0.5%	1.1%	98.9%
	Grade 7	0.3%	0.4%	0.9%	99.1%
	Grade 8	0.3%	0.5%	1.0%	99.0%
	Grade 9	0.5%	0.6%	1.2%	98.8%
	Grade 10	0.3%	0.5%	1.1%	98.9%
	Grade 11	0.4%	0.5%	1.1%	98.9%
	Grade 12	0.4%	0.6%	1.1%	98.9%

### 3. Margin Tables





**State : Grades 7-12 Large  
SPRING 2012**

GENDER		
q1	Frequency	Percent
Female	820,805	51.6%
Male	770,267	48.4%

Frequency Missing = 8763.4902758

GRADE		
q2	Frequency	Percent
Grade 7	280,464	17.5%
Grade 8	275,939	17.2%
Grade 9	301,492	18.8%
Grade 10	265,751	16.6%
Grade 11	247,609	15.5%
Grade 12	228,581	14.3%

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	615,402	38.9%
Yes	968,538	61.1%

Frequency Missing = 15896.149449

AGE		
q4	Frequency	Percent
11 or younger	2,175	0.1%
12	93,080	5.8%
13	244,790	15.4%
14	273,201	17.2%
15	293,402	18.4%
16	266,462	16.7%
17	249,008	15.6%
18	153,993	9.7%
19 or older	15,306	1.0%

Frequency Missing = 8421.1788986

ETHNICITY		
q5	Frequency	Percent
African/American	210,375	13.3%
Asian/American	22,738	1.4%
Mexican/American	771,162	48.8%
Native/American	8,003	0.5%
Other	41,776	2.6%
White	525,511	33.3%

Frequency Missing = 20271.020704

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	471,045	29.8%
Mostly B's	831,988	52.7%
Mostly C's	238,581	15.1%
Mostly D's	26,774	1.7%
Mostly F's	9,845	0.6%

Frequency Missing = 21602.498006

LENGTH OF TIME IN THIS DISTRICT		
q7	Frequency	Percent
<1 year	143,407	9.1%
2- 3 years	256,000	16.2%
>4 years	1,180,925	74.7%

Frequency Missing = 19504.038104

DO YOU HAVE A JOB		
q8	Frequency	Percent
No	1,271,504	80.5%
Yes	308,828	19.5%

Frequency Missing = 19504.394929

DO YOU GET AN ALLOWANCE		
q9	Frequency	Percent
No	1,031,639	65.7%
Yes	539,293	34.3%

Frequency Missing = 28904.295548

EITHER PARENT COLLEGE GRADUATE		
q10	Frequency	Percent
Don't Know	270,789	17.1%
No	628,739	39.8%
Yes	679,565	43.0%

Frequency Missing = 20742.979085

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q11	Frequency	Percent
Don't Know	241,290	15.3%
No	609,663	38.6%
Yes	727,156	46.1%

Frequency Missing = 21727.64892

PARTICIPATE IN SCHOOL ATHLETICS (UIL, VARSITY, JR VARSITY)		
q12a	Frequency	Percent
No	736,372	49.7%
Yes	744,666	50.3%

Frequency Missing = 118797.73267

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q12b	Frequency	Percent
No	1,114,176	81.4%
Yes	254,632	18.6%

Frequency Missing = 231027.97713

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**State : Grades 7-12 Large  
SPRING 2012**

PARTICIPATE IN SCHOOL CHOIR		
q12c	Frequency	Percent
No	1,172,800	88.0%
Yes	159,820	12.0%

Frequency Missing = 267216.60963

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES		
q12h	Frequency	Percent
No	1,078,626	80.3%
Yes	264,525	19.7%

Frequency Missing = 256685.41955

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q12m	Frequency	Percent
No	997,133	73.3%
Yes	363,575	26.7%

Frequency Missing = 239128.84848

PARTICIPATE IN DRAMA/SPEECH/ART CLUBS		
q12d	Frequency	Percent
No	1,064,885	79.4%
Yes	276,235	20.6%

Frequency Missing = 258716.53491

PARTICIPATE IN ACADEMIC COMPETITION GROUPS		
q12i	Frequency	Percent
No	1,166,245	86.8%
Yes	176,583	13.2%

Frequency Missing = 257008.46332

DO YOU FEEL SAFE IN YOUR HOME		
q13a	Frequency	Percent
Very Safe	1,319,277	83.3%
Somewhat Safe	229,024	14.5%
Not Very Safe	15,549	1.0%
Not Safe At All	5,943	0.4%
Don't Know	14,059	0.9%

Frequency Missing = 15984.239291

PARTICIPATE IN DRILL TEAM/CHEERLEADING		
q12e	Frequency	Percent
No	1,216,049	91.5%
Yes	113,536	8.5%

Frequency Missing = 270251.83559

PARTICIPATE IN SCHOOL SERVICE CLUBS		
q12j	Frequency	Percent
No	1,217,533	91.3%
Yes	115,497	8.7%

Frequency Missing = 266805.86286

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q13b	Frequency	Percent
Very Safe	685,539	43.5%
Somewhat Safe	729,547	46.3%
Not Very Safe	104,714	6.6%
Not Safe At All	27,866	1.8%
Don't Know	27,948	1.8%

Frequency Missing = 24223.122914

PARTICIPATE IN STUDENT GOVERNMENT		
q12f	Frequency	Percent
No	1,262,133	95.8%
Yes	55,799	4.2%

Frequency Missing = 281903.90463

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q12k	Frequency	Percent
No	1,047,525	78.2%
Yes	292,304	21.8%

Frequency Missing = 260007.47174

DO YOU FEEL SAFE AT SCHOOL		
q13c	Frequency	Percent
Very Safe	710,142	45.1%
Somewhat Safe	675,315	42.9%
Not Very Safe	101,409	6.4%
Not Safe At All	45,829	2.9%
Don't Know	41,396	2.6%

Frequency Missing = 25745.416081

PARTICIPATE IN SCHOOL NEWSPAPER/YEARBOOK		
q12g	Frequency	Percent
No	1,253,653	94.9%
Yes	67,568	5.1%

Frequency Missing = 278615.45682

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q12l	Frequency	Percent
No	890,302	64.3%
Yes	494,243	35.7%

Frequency Missing = 215292.18353

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**State : Grades 7-12 Large  
SPRING 2012**

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q14a	Frequency	Percent
None	77,654	4.9%
A Few	389,650	24.7%
Some	404,484	25.7%
Most	557,837	35.4%
All	146,254	9.3%

Frequency Missing = 23957.193953

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q14e	Frequency	Percent
None	931,265	59.4%
A Few	418,408	26.7%
Some	137,351	8.8%
Most	53,671	3.4%
All	28,269	1.8%

Frequency Missing = 30872.841022

RECENT INHALANT USE - COMPUTER DUSTING SPRAYS		
Q16C	Frequency	Percent
Never Heard/Used	1,498,177	97.4%
In Your Lifetime	23,848	1.5%
Since School Began	6,927	0.5%
In the Past Month	9,796	0.6%

Frequency Missing = 61087.822871

HOW MANY FRIENDS CARRY WEAPONS		
q14b	Frequency	Percent
None	1,054,443	68.1%
A Few	305,058	19.7%
Some	120,844	7.8%
Most	48,721	3.1%
All	19,930	1.3%

Frequency Missing = 50840.348647

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q15	Frequency	Percent
No	833,464	59.4%
Yes	569,582	40.6%

Frequency Missing = 196790.40489

RECENT INHALANT USE - HELIUM, BUTANE, PROPANE, WHIPPETS, REFRIGERANTS/FREON		
Q16D	Frequency	Percent
Never Heard/Used	1,422,492	91.9%
In Your Lifetime	67,770	4.4%
Since School Began	20,018	1.3%
In the Past Month	37,494	2.4%

Frequency Missing = 52063.014201

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q14c	Frequency	Percent
None	40,069	2.6%
A Few	194,332	12.7%
Some	347,920	22.7%
Most	662,862	43.2%
All	288,720	18.8%

Frequency Missing = 65933.012028

RECENT INHALANT USE - SPRAY PAINT		
Q16A	Frequency	Percent
Never Heard/Used	1,508,713	96.2%
In Your Lifetime	40,695	2.6%
Since School Began	7,223	0.5%
In the Past Month	12,242	0.8%

Frequency Missing = 30962.848207

RECENT INHALANT USE - GLUE		
Q16E	Frequency	Percent
Never Heard/Used	1,503,654	98.3%
In Your Lifetime	15,046	1.0%
Since School Began	3,608	0.2%
In the Past Month	8,094	0.5%

Frequency Missing = 69434.945885

HOW MANY FRIENDS BELONG TO A GANG		
q14d	Frequency	Percent
None	1,179,106	75.2%
A Few	232,315	14.8%
Some	96,893	6.2%
Most	41,961	2.7%
All	18,283	1.2%

Frequency Missing = 31279.530422

RECENT INHALANT USE - WHITEOUT, CORRECTION FLUID, MAGIC MARKERS		
Q16B	Frequency	Percent
Never Heard/Used	1,421,417	91.5%
In Your Lifetime	80,872	5.2%
Since School Began	19,442	1.3%
In the Past Month	31,006	2.0%

Frequency Missing = 47098.423702

RECENT INHALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS		
Q16F	Frequency	Percent
Never Heard/Used	1,501,507	98.1%
In Your Lifetime	15,722	1.0%
Since School Began	4,573	0.3%
In the Past Month	8,420	0.6%

Frequency Missing = 69615.080794

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**State : Grades 7-12 Large  
SPRING 2012**

RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER Q16G Frequency Percent			RECENT BEER USE Q17C Frequency Percent			RECENT INHALANT USE Q17G Frequency Percent		
Never Heard/Used	1,490,494	97.0%	Never Heard/Used	826,789	54.8%	Never Heard/Used	1,422,303	93.1%
In Your Lifetime	25,416	1.7%	In Your Lifetime	292,608	19.4%	In Your Lifetime	64,560	4.2%
Since School Began	5,655	0.4%	Since School Began	127,300	8.4%	Since School Began	14,707	1.0%
In the Past Month	15,563	1.0%	In the Past Month	261,564	17.3%	In the Past Month	26,890	1.8%
Frequency Missing = 62708.597123			Frequency Missing = 91575.998145			Frequency Missing = 71376.411535		

RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS Q16H Frequency Percent			RECENT WINE COOLER USE Q17D Frequency Percent			RECENT MARIJUANA USE Q18A Frequency Percent		
Never Heard/Used	1,504,932	96.8%	Never Heard/Used	923,813	60.4%	Never Heard/Used	1,140,707	73.8%
In Your Lifetime	26,871	1.7%	In Your Lifetime	246,954	16.2%	In Your Lifetime	158,016	10.2%
Since School Began	7,463	0.5%	Since School Began	128,310	8.4%	Since School Began	76,085	4.9%
In the Past Month	15,513	1.0%	In the Past Month	229,371	15.0%	In the Past Month	171,825	11.1%
Frequency Missing = 45056.403731			Frequency Missing = 71388.672315			Frequency Missing = 53202.881887		

RECENT CIGARETTE USE Q17A Frequency Percent			RECENT WINE USE Q17E Frequency Percent			RECENT COCAINE USE Q18B Frequency Percent		
Never Heard/Used	1,148,277	74.1%	Never Heard/Used	934,218	62.7%	Never Heard/Used	1,461,908	95.8%
In Your Lifetime	186,735	12.1%	In Your Lifetime	283,925	19.1%	In Your Lifetime	33,567	2.2%
Since School Began	62,458	4.0%	Since School Began	112,024	7.5%	Since School Began	11,333	0.7%
In the Past Month	151,244	9.8%	In the Past Month	160,193	10.7%	In the Past Month	18,865	1.2%
Frequency Missing = 51122.360582			Frequency Missing = 109475.20688			Frequency Missing = 74162.36307		

RECENT SMOKELESS TOBACCO USE Q17B Frequency Percent			RECENT LIQUOR USE Q17F Frequency Percent			RECENT CRACK USE Q18C Frequency Percent		
Never Heard/Used	1,378,136	90.7%	Never Heard/Used	904,233	59.2%	Never Heard/Used	1,490,644	98.6%
In Your Lifetime	61,782	4.1%	In Your Lifetime	237,502	15.5%	In Your Lifetime	11,064	0.7%
Since School Began	24,813	1.6%	Since School Began	136,238	8.9%	Since School Began	3,695	0.2%
In the Past Month	55,310	3.6%	In the Past Month	250,714	16.4%	In the Past Month	5,977	0.4%
Frequency Missing = 79795.414565			Frequency Missing = 71149.958075			Frequency Missing = 88455.36419		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**State : Grades 7-12 Large  
SPRING 2012**

RECENT HALLUCINOGEN USE			RECENT STEROID USE			ALCOHOL USE IN PAST MONTH		
	Q18E Frequency	Percent		Q18I Frequency	Percent		q19b Frequency	Percent
Never Heard/Used	1,446,358	95.9%	Never Heard/Used	1,478,215	98.6%	Never Heard/Used	1,069,847	69.6%
In Your Lifetime	29,553	2.0%	In Your Lifetime	11,266	0.8%	1- 2 times	282,944	18.4%
Since School Began	12,515	0.8%	Since School Began	3,259	0.2%	3- 10 times	130,388	8.5%
In the Past Month	19,528	1.3%	In the Past Month	6,768	0.5%	11+ times	53,384	3.5%
Frequency Missing = 91882.81406			Frequency Missing = 100327.82325			Frequency Missing = 63272.62601		

RECENT UPPER USE			RECENT ECSTASY USE			INHALANT USE IN PAST MONTH		
	Q18F Frequency	Percent		Q18J Frequency	Percent		q19c Frequency	Percent
Never Heard/Used	1,424,166	95.3%	Never Heard/Used	1,419,501	94.3%	Never Heard/Used	1,473,945	97.2%
In Your Lifetime	29,519	2.0%	In Your Lifetime	44,130	2.9%	1- 2 times	32,564	2.1%
Since School Began	13,902	0.9%	Since School Began	16,651	1.1%	3- 10 times	7,065	0.5%
In the Past Month	26,317	1.8%	In the Past Month	25,643	1.7%	11+ times	2,676	0.2%
Frequency Missing = 105932.75718			Frequency Missing = 93911.483205			Frequency Missing = 83586.69012		

RECENT DOWNER USE			RECENT HEROIN USE			MARIJUANA USE IN PAST MONTH		
	Q18G Frequency	Percent		Q18K Frequency	Percent		q19d Frequency	Percent
Never Heard/Used	1,424,456	95.0%	Never Heard/Used	1,504,787	98.9%	Never Heard/Used	1,265,879	83.8%
In Your Lifetime	30,107	2.0%	In Your Lifetime	8,681	0.6%	1- 2 times	107,479	7.1%
Since School Began	14,811	1.0%	Since School Began	2,558	0.2%	3- 10 times	62,134	4.1%
In the Past Month	29,953	2.0%	In the Past Month	5,329	0.4%	11+ times	75,806	5.0%
Frequency Missing = 100509.87796			Frequency Missing = 78481.602141			Frequency Missing = 88537.766958		

RECENT ROHYPNOL USE			TOBACCO USE IN PAST MONTH			COCAINE USE IN PAST MONTH		
	Q18H Frequency	Percent		q19a Frequency	Percent		q19e Frequency	Percent
Never Heard/Used	1,474,850	98.0%	Never Heard/Used	1,341,328	87.3%	Never Heard/Used	1,488,428	97.9%
In Your Lifetime	14,363	1.0%	1- 2 times	89,401	5.8%	1- 2 times	20,741	1.4%
Since School Began	4,983	0.3%	3- 10 times	45,314	2.9%	3- 10 times	6,786	0.4%
In the Past Month	11,129	0.7%	11+ times	60,296	3.9%	11+ times	4,492	0.3%
Frequency Missing = 94511.349207			Frequency Missing = 63497.400098			Frequency Missing = 79389.684124		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**State : Grades 7-12 Large  
SPRING 2012**

CRACK USE IN PAST MONTH		
q19f	Frequency	Percent
Never Heard/Used	1,524,163	99.3%
1- 2 times	7,519	0.5%
3- 10 times	1,359	0.1%
11+ times	2,068	0.1%
Frequency Missing = 64727.421145		

CLOSE FRIENDS USE WINE COOLERS		
q20d	Frequency	Percent
Never heard/None	771,046	51.8%
A few	293,553	19.7%
Some	216,647	14.6%
Most	154,819	10.4%
All	52,104	3.5%
Frequency Missing = 111667.18149		

CLOSE FRIENDS USE MARIJUANA		
q20h	Frequency	Percent
Never heard/None	731,356	48.9%
A few	279,084	18.6%
Some	209,014	14.0%
Most	200,178	13.4%
All	77,231	5.2%
Frequency Missing = 102972.94203		

CLOSE FRIENDS USE CIGARETTES		
q20a	Frequency	Percent
Never heard/None	756,462	49.8%
A few	451,243	29.7%
Some	201,873	13.3%
Most	92,064	6.1%
All	16,187	1.1%
Frequency Missing = 82007.472556		

CLOSE FRIENDS USE WINE		
q20e	Frequency	Percent
Never heard/None	862,346	58.2%
A few	321,176	21.7%
Some	175,992	11.9%
Most	88,897	6.0%
All	32,365	2.2%
Frequency Missing = 119060.07921		

DIFFICULT TO GET CIGARETTES		
q21a	Frequency	Percent
Never heard of	254,373	17.0%
Impossible	285,268	19.1%
Very difficult	98,804	6.6%
Somewhat diff	148,575	9.9%
Somewhat easy	252,726	16.9%
Very easy	455,988	30.5%
Frequency Missing = 104103.59482		

CLOSE FRIENDS USE SMOKELESS TOBACCO		
q20b	Frequency	Percent
Never heard/None	1,060,219	70.8%
A few	254,434	17.0%
Some	123,762	8.3%
Most	49,262	3.3%
All	9,582	0.6%
Frequency Missing = 102576.2983		

CLOSE FRIENDS USE LIQUOR		
q20f	Frequency	Percent
Never heard/None	684,334	45.9%
A few	301,941	20.3%
Some	229,079	15.4%
Most	203,891	13.7%
All	71,056	4.8%
Frequency Missing = 109535.93816		

DIFFICULT TO GET SMOKELESS TOBACCO		
q21b	Frequency	Percent
Never heard of	412,277	27.9%
Impossible	330,416	22.4%
Very difficult	119,007	8.1%
Somewhat diff	142,791	9.7%
Somewhat easy	171,395	11.6%
Very easy	301,824	20.4%
Frequency Missing = 122125.28917		

CLOSE FRIENDS USE BEER		
q20c	Frequency	Percent
Never heard/None	564,075	37.8%
A few	349,204	23.4%
Some	263,172	17.6%
Most	237,882	15.9%
All	77,678	5.2%
Frequency Missing = 107825.98124		

CLOSE FRIENDS USE INHALANTS		
q20g	Frequency	Percent
Never heard/None	1,249,847	83.6%
A few	163,572	10.9%
Some	54,639	3.7%
Most	19,902	1.3%
All	6,862	0.5%
Frequency Missing = 105015.11569		

DIFFICULT TO GET BEER		
q21c	Frequency	Percent
Never heard of	216,749	14.7%
Impossible	211,208	14.4%
Very difficult	91,947	6.3%
Somewhat diff	178,145	12.1%
Somewhat easy	289,932	19.7%
Very easy	482,571	32.8%
Frequency Missing = 129284.87244		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**State : Grades 7-12 Large  
SPRING 2012**

DIFFICULT TO GET WINE COOLERS		
	q21d Frequency	Percent
Never heard of	299,612	20.3%
Impossible	244,114	16.5%
Very difficult	106,342	7.2%
Somewhat diff	179,381	12.1%
Somewhat easy	259,460	17.6%
Very easy	388,846	26.3%
Frequency Missing = 122081.41042		

DIFFICULT TO GET MARIJUANA		
	q21h Frequency	Percent
Never heard of	279,134	19.0%
Impossible	383,328	26.2%
Very difficult	112,815	7.7%
Somewhat diff	131,630	9.0%
Somewhat easy	181,367	12.4%
Very easy	377,141	25.7%
Frequency Missing = 134420.62466		

DIFFICULT TO GET UPPERS		
	q21m Frequency	Percent
Never heard of	755,398	52.6%
Impossible	302,266	21.0%
Very difficult	111,534	7.8%
Somewhat diff	90,706	6.3%
Somewhat easy	72,862	5.1%
Very easy	104,534	7.3%
Frequency Missing = 162535.31856		

DIFFICULT TO GET WINE		
	q21e Frequency	Percent
Never heard of	254,289	17.4%
Impossible	250,311	17.1%
Very difficult	118,115	8.1%
Somewhat diff	187,981	12.9%
Somewhat easy	259,709	17.8%
Very easy	391,945	26.8%
Frequency Missing = 137486.41069		

DIFFICULT TO GET COCAINE		
	q21i Frequency	Percent
Never heard of	371,587	25.6%
Impossible	527,652	36.4%
Very difficult	196,310	13.5%
Somewhat diff	149,788	10.3%
Somewhat easy	89,469	6.2%
Very easy	114,566	7.9%
Frequency Missing = 150465.96001		

DIFFICULT TO GET DOWNERS		
	q21n Frequency	Percent
Never heard of	751,094	52.4%
Impossible	300,362	21.0%
Very difficult	113,208	7.9%
Somewhat diff	90,009	6.3%
Somewhat easy	71,249	5.0%
Very easy	107,344	7.5%
Frequency Missing = 166571.28491		

DIFFICULT TO GET LIQUOR		
	q21f Frequency	Percent
Never heard of	247,620	16.7%
Impossible	278,782	18.8%
Very difficult	126,217	8.5%
Somewhat diff	177,533	12.0%
Somewhat easy	247,830	16.8%
Very easy	401,550	27.1%
Frequency Missing = 120303.24842		

DIFFICULT TO GET CRACK		
	q21j Frequency	Percent
Never heard of	392,192	27.2%
Impossible	538,419	37.3%
Very difficult	206,420	14.3%
Somewhat diff	140,261	9.7%
Somewhat easy	76,804	5.3%
Very easy	89,192	6.2%
Frequency Missing = 156547.59542		

DIFFICULT TO GET ROHYPNOL		
	q21o Frequency	Percent
Never heard of	682,201	47.4%
Impossible	385,312	26.8%
Very difficult	150,850	10.5%
Somewhat diff	92,842	6.4%
Somewhat easy	52,080	3.6%
Very easy	76,632	5.3%
Frequency Missing = 159919.85812		

DIFFICULT TO GET INHALANTS		
	q21g Frequency	Percent
Never heard of	403,053	27.4%
Impossible	276,569	18.8%
Very difficult	81,399	5.5%
Somewhat diff	98,725	6.7%
Somewhat easy	151,398	10.3%
Very easy	458,458	31.2%
Frequency Missing = 130233.51858		

DIFFICULT TO GET HALLUCINOGENS		
	q21l Frequency	Percent
Never heard of	601,203	41.5%
Impossible	397,347	27.4%
Very difficult	162,478	11.2%
Somewhat diff	121,204	8.4%
Somewhat easy	75,235	5.2%
Very easy	91,648	6.3%
Frequency Missing = 150722.67118		

DIFFICULT TO GET STEROIDS		
	q21p Frequency	Percent
Never heard of	433,723	30.3%
Impossible	533,216	37.3%
Very difficult	187,052	13.1%
Somewhat diff	124,231	8.7%
Somewhat easy	68,006	4.8%
Very easy	83,217	5.8%
Frequency Missing = 170391.37811		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**State : Grades 7-12 Large  
SPRING 2012**

DIFFICULT TO GET ECSTASY		
	q21q Frequency	Percent
Never heard of	531,819	37.0%
Impossible	413,123	28.8%
Very difficult	150,844	10.5%
Somewhat diff	115,365	8.0%
Somewhat easy	93,195	6.5%
Very easy	132,561	9.2%
Frequency Missing = 162930.19054		

DIFFICULT TO GET HEROIN		
	q21r Frequency	Percent
Never heard of	515,230	36.1%
Impossible	519,345	36.4%
Very difficult	180,508	12.6%
Somewhat diff	95,202	6.7%
Somewhat easy	47,395	3.3%
Very easy	69,639	4.9%
Frequency Missing = 172517.16538		

AGE WHEN FIRST USED CIGARETTES		
	q22a Frequency	Percent
9 or younger	49,605	12.2%
10 years old	27,067	6.7%
11 years old	30,905	7.6%
12 years old	45,910	11.3%
13 years old	60,342	14.9%
14 years old	58,754	14.5%
15 years old	56,462	13.9%
16 years old	41,939	10.4%
17 years old	24,030	5.9%
18 or older	10,179	2.5%
Frequency Missing = 1194642.961		

AGE WHEN FIRST USED SMOKELESS TOBACCO		
	q22b Frequency	Percent
9 or younger	10,350	7.7%
10 years old	6,684	5.0%
11 years old	7,484	5.6%
12 years old	13,984	10.4%
13 years old	18,064	13.4%
14 years old	24,106	17.9%
15 years old	25,006	18.6%
16 years old	17,493	13.0%
17 years old	7,980	5.9%
18 or older	3,515	2.6%
Frequency Missing = 1465172.5294		

AGE WHEN FIRST USED BEER		
	q22c Frequency	Percent
9 or younger	125,807	17.5%
10 years old	51,958	7.2%
11 years old	49,083	6.8%
12 years old	79,032	11.0%
13 years old	104,343	14.5%
14 years old	107,143	14.9%
15 years old	101,087	14.1%
16 years old	63,632	8.9%
17 years old	26,581	3.7%
18 or older	8,951	1.2%
Frequency Missing = 882219.81309		

AGE WHEN FIRST USED WINE COOLERS		
	q22d Frequency	Percent
9 or younger	53,465	9.2%
10 years old	34,377	5.9%
11 years old	40,790	7.0%
12 years old	66,468	11.4%
13 years old	94,882	16.3%
14 years old	100,811	17.3%
15 years old	95,550	16.4%
16 years old	61,608	10.6%
17 years old	25,688	4.4%
18 or older	8,156	1.4%
Frequency Missing = 1018042.4879		

AGE WHEN FIRST USED WINE		
	q22e Frequency	Percent
9 or younger	62,105	10.8%
10 years old	40,977	7.1%
11 years old	43,750	7.6%
12 years old	70,314	12.2%
13 years old	93,217	16.2%
14 years old	91,650	15.9%
15 years old	86,783	15.1%
16 years old	54,121	9.4%
17 years old	25,118	4.4%
18 or older	7,651	1.3%
Frequency Missing = 1024150.8982		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.



**State : Grades 7-12 Large  
SPRING 2012**

AGE WHEN FIRST USED LIQUOR		
	q22f Frequency	Percent
9 or younger	33,785	5.5%
10 years old	23,642	3.9%
11 years old	33,578	5.5%
12 years old	60,305	9.8%
13 years old	98,451	16.1%
14 years old	114,085	18.6%
15 years old	119,180	19.4%
16 years old	80,571	13.1%
17 years old	37,032	6.0%
18 or older	12,142	2.0%

Frequency Missing = 987064.59992

AGE WHEN FIRST USED MARIJUANA		
	q22h Frequency	Percent
9 or younger	19,967	5.2%
10 years old	13,236	3.5%
11 years old	20,866	5.5%
12 years old	40,829	10.7%
13 years old	68,019	17.8%
14 years old	74,884	19.6%
15 years old	70,360	18.4%
16 years old	48,259	12.6%
17 years old	20,510	5.4%
18 or older	5,855	1.5%

Frequency Missing = 1217051.1882

AGE WHEN FIRST USED CRACK		
	q22j Frequency	Percent
9 or younger	1,628	9.1%
10 years old	975	5.4%
11 years old	814	4.5%
12 years old	2,342	13.1%
13 years old	3,260	18.2%
14 years old	3,194	17.8%
15 years old	2,589	14.5%
16 years old	1,791	10.0%
17 years old	1,087	6.1%
18 or older	236	1.3%

Frequency Missing = 1581920.2016

AGE WHEN FIRST USED INHALANTS		
	q22g Frequency	Percent
9 or younger	18,091	17.6%
10 years old	10,196	9.9%
11 years old	11,832	11.5%
12 years old	16,606	16.1%
13 years old	17,729	17.2%
14 years old	12,462	12.1%
15 years old	9,162	8.9%
16 years old	5,001	4.9%
17 years old	1,407	1.4%
18 or older	355	0.3%

Frequency Missing = 1496994.76

AGE WHEN FIRST USED COCAINE		
	q22i Frequency	Percent
9 or younger	1,721	2.9%
10 years old	1,243	2.1%
11 years old	2,103	3.6%
12 years old	4,353	7.4%
13 years old	7,889	13.4%
14 years old	10,663	18.1%
15 years old	11,585	19.7%
16 years old	10,841	18.4%
17 years old	6,673	11.4%
18 or older	1,721	2.9%

Frequency Missing = 1541043.1344

AGE WHEN FIRST USED HALLUCINOGENS		
	q22l Frequency	Percent
9 or younger	1,601	3.1%
10 years old	1,436	2.7%
11 years old	2,143	4.1%
12 years old	3,482	6.6%
13 years old	7,038	13.4%
14 years old	9,430	18.0%
15 years old	11,003	21.0%
16 years old	9,396	17.9%
17 years old	5,678	10.8%
18 or older	1,249	2.4%

Frequency Missing = 1547379.3533

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**State : Grades 7-12 Large  
SPRING 2012**

AGE WHEN FIRST USED UPPERS		
	q22m Frequency	Percent
9 or younger	1,553	2.3%
10 years old	1,211	1.8%
11 years old	2,863	4.2%
12 years old	5,332	7.8%
13 years old	9,283	13.5%
14 years old	13,892	20.2%
15 years old	16,836	24.5%
16 years old	11,491	16.7%
17 years old	4,991	7.3%
18 or older	1,194	1.7%

Frequency Missing = 1531189.9935

AGE WHEN FIRST USED ROHYPNOL		
	q22o Frequency	Percent
9 or younger	1,104	4.3%
10 years old	850	3.3%
11 years old	1,743	6.8%
12 years old	2,923	11.4%
13 years old	5,116	19.9%
14 years old	5,005	19.4%
15 years old	5,219	20.3%
16 years old	2,418	9.4%
17 years old	1,109	4.3%
18 or older	245	1.0%

Frequency Missing = 1574102.9916

AGE WHEN FIRST USED ECSTASY		
	q22q Frequency	Percent
9 or younger	1,433	1.8%
10 years old	1,523	1.9%
11 years old	2,084	2.6%
12 years old	4,791	5.9%
13 years old	9,971	12.2%
14 years old	15,240	18.7%
15 years old	19,941	24.5%
16 years old	15,986	19.6%
17 years old	8,521	10.5%
18 or older	1,994	2.4%

Frequency Missing = 1518350.9634

AGE WHEN FIRST USED DOWNERS		
	q22n Frequency	Percent
9 or younger	2,112	2.9%
10 years old	1,289	1.8%
11 years old	2,488	3.5%
12 years old	5,478	7.6%
13 years old	10,467	14.6%
14 years old	14,432	20.1%
15 years old	18,352	25.6%
16 years old	11,449	16.0%
17 years old	4,539	6.3%
18 or older	1,082	1.5%

Frequency Missing = 1528148.4862

AGE WHEN FIRST USED STEROIDS		
	q22p Frequency	Percent
9 or younger	3,783	21.6%
10 years old	1,135	6.5%
11 years old	1,564	8.9%
12 years old	1,591	9.1%
13 years old	2,019	11.5%
14 years old	2,216	12.6%
15 years old	2,061	11.8%
16 years old	2,081	11.9%
17 years old	720	4.1%
18 or older	357	2.0%

Frequency Missing = 1582309.3916

AGE WHEN FIRST USED HEROIN		
	q22r Frequency	Percent
9 or younger	1,094	8.7%
10 years old	850	6.8%
11 years old	831	6.6%
12 years old	1,374	10.9%
13 years old	2,037	16.2%
14 years old	1,961	15.6%
15 years old	1,896	15.1%
16 years old	1,511	12.0%
17 years old	663	5.3%
18 or older	348	2.8%

Frequency Missing = 1587271.8865

HOW OFTEN NORMALLY USE CIGARETTES		
	q23a Frequency	Percent
Every day	32,632	2.2%
Several times/wk	31,537	2.1%
Several times/mo	43,068	2.9%
About once/month	69,775	4.7%
About once/year	59,218	4.0%
< once/year	107,653	7.3%
Never used	1,130,936	76.7%

Frequency Missing = 125016.53614

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**State : Grades 7-12 Large  
SPRING 2012**

HOW OFTEN NORMALLY USE SMOKELESS TOBACCO		
q23b	Frequency	Percent
Every day	13,261	0.9%
Several times/wk	9,633	0.7%
Several times/mo	13,940	1.0%
About once/month	20,475	1.4%
About once/year	20,712	1.4%
< once/year	39,621	2.7%
Never used	1,332,488	91.9%
Frequency Missing = 149707.12572		

HOW OFTEN NORMALLY USE WINE		
q23e	Frequency	Percent
Every day	1,077	0.1%
Several times/wk	17,619	1.2%
Several times/mo	61,338	4.3%
About once/month	109,863	7.6%
About once/year	162,782	11.3%
< once/year	148,208	10.3%
Never used	939,631	65.2%
Frequency Missing = 159318.7258		

HOW OFTEN NORMALLY USE MARIJUANA		
q23h	Frequency	Percent
Every day	41,686	3.0%
Several times/wk	44,379	3.2%
Several times/mo	58,132	4.2%
About once/month	66,024	4.8%
About once/year	59,251	4.3%
< once/year	72,346	5.2%
Never used	1,043,731	75.3%
Frequency Missing = 214286.82248		

HOW OFTEN NORMALLY USE BEER		
q23c	Frequency	Percent
Every day	3,462	0.2%
Several times/wk	39,073	2.7%
Several times/mo	121,673	8.4%
About once/month	160,977	11.1%
About once/year	145,491	10.0%
< once/year	147,055	10.1%
Never used	839,047	57.6%
Frequency Missing = 143058.71957		

HOW OFTEN NORMALLY USE LIQUOR		
q23f	Frequency	Percent
Every day	2,540	0.2%
Several times/wk	30,437	2.1%
Several times/mo	115,465	7.9%
About once/month	151,788	10.4%
About once/year	146,742	10.1%
< once/year	113,455	7.8%
Never used	899,405	61.6%
Frequency Missing = 140004.99927		

HOW OFTEN NORMALLY USE COCAINE		
q23i	Frequency	Percent
Every day	1,712	0.1%
Several times/wk	3,710	0.3%
Several times/mo	6,037	0.4%
About once/month	9,749	0.7%
About once/year	10,537	0.8%
< once/year	16,532	1.2%
Never used	1,334,715	96.5%
Frequency Missing = 216844.68453		

HOW OFTEN NORMALLY USE WINE COOLERS		
q23d	Frequency	Percent
Every day	2,085	0.1%
Several times/wk	24,859	1.7%
Several times/mo	93,424	6.4%
About once/month	138,538	9.5%
About once/year	143,045	9.9%
< once/year	117,775	8.1%
Never used	932,210	64.2%
Frequency Missing = 147900.20703		

HOW OFTEN NORMALLY USE INHALANTS		
q23g	Frequency	Percent
Every day	1,780	0.1%
Several times/wk	5,192	0.4%
Several times/mo	8,010	0.6%
About once/month	12,937	0.9%
About once/year	17,094	1.2%
< once/year	37,137	2.7%
Never used	1,312,405	94.1%
Frequency Missing = 205280.6136		

HOW OFTEN NORMALLY USE CRACK		
q23j	Frequency	Percent
Every day	1,049	0.1%
Several times/wk	1,350	0.1%
Several times/mo	2,132	0.2%
About once/month	3,078	0.2%
About once/year	3,294	0.2%
< once/year	5,442	0.4%
Never used	1,373,287	98.8%
Frequency Missing = 210205.22794		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**State : Grades 7-12 Large  
SPRING 2012**

HOW OFTEN NORMALLY USE HALLUCINOGENS		
q23l	Frequency	Percent
Every day	724	0.1%
Several times/wk	1,580	0.1%
Several times/mo	4,248	0.3%
About once/month	9,050	0.7%
About once/year	15,957	1.1%
< once/year	15,777	1.1%
Never used	1,344,661	96.6%
Frequency Missing = 207839.7119		

HOW OFTEN NORMALLY USE ROHYPNOL		
q23o	Frequency	Percent
Every day	690	0.0%
Several times/wk	1,653	0.1%
Several times/mo	3,413	0.2%
About once/month	4,780	0.3%
About once/year	5,691	0.4%
< once/year	7,129	0.5%
Never used	1,379,814	98.3%
Frequency Missing = 196666.1899		

HOW OFTEN NORMALLY USE HEROIN		
q23r	Frequency	Percent
Every day	756	0.1%
Several times/wk	900	0.1%
Several times/mo	1,468	0.1%
About once/month	1,471	0.1%
About once/year	2,578	0.2%
< once/year	4,879	0.3%
Never used	1,423,102	99.2%
Frequency Missing = 164682.28825		

HOW OFTEN NORMALLY USE UPPERS		
q23m	Frequency	Percent
Every day	2,242	0.2%
Several times/wk	4,265	0.3%
Several times/mo	9,832	0.7%
About once/month	15,069	1.1%
About once/year	14,916	1.1%
< once/year	15,416	1.1%
Never used	1,321,118	95.5%
Frequency Missing = 216977.53378		

HOW OFTEN NORMALLY USE STEROIDS		
q23p	Frequency	Percent
Every day	1,373	0.1%
Several times/wk	1,237	0.1%
Several times/mo	1,189	0.1%
About once/month	2,000	0.1%
About once/year	2,711	0.2%
< once/year	5,922	0.4%
Never used	1,377,760	99.0%
Frequency Missing = 207644.65729		

AMOUNT OF BEER AT ONE TIME		
q24a	Frequency	Percent
Never drink this	793,221	53.8%
12+ drinks	51,468	3.5%
9- 11 drinks	39,825	2.7%
5- 8 drinks	81,856	5.6%
3- 4 drinks	102,252	6.9%
2 drinks	97,035	6.6%
1 drink	117,767	8.0%
< 1 drink	190,909	12.9%
Frequency Missing = 125503.12803		

HOW OFTEN NORMALLY USE DOWNERS		
q23n	Frequency	Percent
Every day	2,134	0.2%
Several times/wk	4,858	0.3%
Several times/mo	11,077	0.8%
About once/month	16,285	1.2%
About once/year	14,939	1.1%
< once/year	16,511	1.2%
Never used	1,325,612	95.3%
Frequency Missing = 208420.18783		

HOW OFTEN NORMALLY USE ECSTASY		
q23q	Frequency	Percent
Every day	658	0.0%
Several times/wk	3,354	0.2%
Several times/mo	7,924	0.6%
About once/month	14,507	1.0%
About once/year	20,958	1.5%
< once/year	24,599	1.7%
Never used	1,341,692	94.9%
Frequency Missing = 186143.5461		

AMOUNT OF WINE COOLERS AT ONE TIME		
q24b	Frequency	Percent
Never drink this	875,532	60.2%
12+ drinks	27,879	1.9%
9- 11 drinks	21,991	1.5%
5- 8 drinks	60,553	4.2%
3- 4 drinks	106,453	7.3%
2 drinks	115,554	7.9%
1 drink	121,499	8.4%
< 1 drink	124,861	8.6%
Frequency Missing = 145512.5252		

The frequencies have been weighted so that the analysis reflects  
the distribution of students by grade level in the district.

**State : Grades 7-12 Large  
SPRING 2012**

AMOUNT OF WINE AT ONE TIME		
	q24c Frequency	Percent
Never drink this	891,326	61.6%
12+ drinks	16,305	1.1%
9- 11 drinks	9,310	0.6%
5- 8 drinks	22,907	1.6%
3- 4 drinks	51,513	3.6%
2 drinks	84,232	5.8%
1 drink	151,848	10.5%
< 1 drink	218,575	15.1%
Frequency Missing = 153819.63956		

AMOUNT OF LIQUOR AT ONE TIME		
	q24d Frequency	Percent
Never drink this	848,536	58.4%
12+ drinks	42,558	2.9%
9- 11 drinks	33,911	2.3%
5- 8 drinks	78,472	5.4%
3- 4 drinks	115,571	7.9%
2 drinks	96,308	6.6%
1 drink	105,519	7.3%
< 1 drink	133,333	9.2%
Frequency Missing = 145629.07975		

HOW MANY 5+ DRINKS IN PAST 30 DAYS		
	q25 Frequency	Percent
Never 5+ at time	688,291	45.7%
None	549,570	36.5%
1 day	92,487	6.1%
2 days	56,205	3.7%
3 to 5 days	62,078	4.1%
6 to 9 days	25,434	1.7%
10 or more days	31,936	2.1%
Frequency Missing = 93836.545818		

GET ALCOHOLIC BEVERAGES FROM HOME		
	q26a Frequency	Percent
Do not Drink	724,008	48.9%
Never	351,919	23.8%
Seldom	283,002	19.1%
Most of the Time	85,701	5.8%
Always	36,936	2.5%
Frequency Missing = 118271.52799		

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
	q26b Frequency	Percent
Do not Drink	682,798	46.7%
Never	275,079	18.8%
Seldom	218,959	15.0%
Most of the Time	208,196	14.2%
Always	76,510	5.2%
Frequency Missing = 138295.05939		

GET ALCOHOLIC BEVERAGES FROM A STORE		
	q26c Frequency	Percent
Do not Drink	715,501	49.2%
Never	563,101	38.7%
Seldom	90,104	6.2%
Most of the Time	57,786	4.0%
Always	28,970	2.0%
Frequency Missing = 144375.12632		

GET ALCOHOLIC BEVERAGES AT PARTIES		
	q26d Frequency	Percent
Do not Drink	657,188	44.9%
Never	239,678	16.4%
Seldom	181,897	12.4%
Most of the Time	194,421	13.3%
Always	191,203	13.1%
Frequency Missing = 135448.86179		

GET ALCOHOLIC BEVERAGES FROM OTHER SOURCES		
	q26e Frequency	Percent
Do not Drink	719,207	49.3%
Never	377,124	25.9%
Seldom	173,609	11.9%
Most of the Time	99,530	6.8%
Always	88,849	6.1%
Frequency Missing = 141518.57402		

USE MARIJUANA AS JOINTS		
	q27a Frequency	Percent
Never	1,176,892	79.8%
Seldom	117,078	7.9%
Half the time	66,322	4.5%
Most of the time	56,260	3.8%
Always	45,936	3.1%
Don't know	12,698	0.9%
Frequency Missing = 124650.9701		

USE MARIJUANA AS BLUNTS		
	q27b Frequency	Percent
Never	1,166,241	79.8%
Seldom	97,232	6.7%
Half the time	56,048	3.8%
Most of the time	65,260	4.5%
Always	63,516	4.3%
Don't know	13,079	0.9%
Frequency Missing = 138460.6766		

USE MARIJUANA IN BONGS OR WATER PIPES		
	q27c Frequency	Percent
Never	1,211,734	83.5%
Seldom	85,353	5.9%
Half the time	52,974	3.6%
Most of the time	47,973	3.3%
Always	43,590	3.0%
Don't know	10,419	0.7%
Frequency Missing = 147793.61064		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**State : Grades 7-12 Large  
SPRING 2012**

USE MARIJUANA IN PIPES		
	q27d Frequency	Percent
Never	1,188,139	82.2%
Seldom	77,139	5.3%
Half the time	50,830	3.5%
Most of the time	64,907	4.5%
Always	53,685	3.7%
Don't know	10,741	0.7%
Frequency Missing = 154396.10392		

RECENT PRESCRIPTION DRUG USE - OXYCONTIN ETC		
	q29b Frequency	Percent
Never heard/used	1,384,756	96.4%
At least once/month	17,004	1.2%
At least once/year	13,357	0.9%
At least once/life	21,376	1.5%
Frequency Missing = 163344.05706		

TAKE DXM, TRIPLE CS, ETC. TO GET HIGH		
	q30 Frequency	Percent
Never heard/used	1,386,446	95.4%
At least once/month	25,406	1.7%
At least once/year	13,853	1.0%
At least once/life	26,931	1.9%
Frequency Missing = 147201.46078		

USE MARIJUANA OTHER WAYS		
	q27e Frequency	Percent
Never	1,262,965	87.3%
Seldom	75,709	5.2%
Half the time	24,076	1.7%
Most of the time	22,727	1.6%
Always	33,705	2.3%
Don't know	28,011	1.9%
Frequency Missing = 152644.92807		

RECENT PRESCRIPTION DRUG USE - VICODIN ETC		
	q29c Frequency	Percent
Never heard/used	1,321,185	92.5%
At least once/month	38,561	2.7%
At least once/year	32,889	2.3%
At least once/life	35,373	2.5%
Frequency Missing = 171827.64798		

DANGEROUS FOR KIDS TO USE TOBACCO		
	q31a Frequency	Percent
Very	822,111	56.8%
Somewhat	365,820	25.3%
Not very	145,186	10.0%
Not at all	42,569	2.9%
Don't know	71,496	4.9%
Frequency Missing = 152654.32744		

USED METHAMPHETAMINE EVEN ONE TIME		
	q28 Frequency	Percent
Never heard/used	1,455,443	97.5%
At least once/month	11,347	0.8%
At least once/year	7,124	0.5%
At least once/life	18,784	1.3%
Frequency Missing = 107138.38719		

RECENT PRESCRIPTION DRUG USE - VALIUM ETC		
	q29d Frequency	Percent
Never heard/used	1,398,027	98.0%
At least once/month	9,733	0.7%
At least once/year	6,733	0.5%
At least once/life	12,205	0.9%
Frequency Missing = 173137.83178		

DANGEROUS FOR KIDS TO USE ALCOHOL		
	q31b Frequency	Percent
Very	715,316	50.3%
Somewhat	421,608	29.7%
Not very	188,405	13.3%
Not at all	45,201	3.2%
Don't know	50,243	3.5%
Frequency Missing = 179062.96663		

RECENT PRESCRIPTION DRUG USE - CODEINE		
	q29a Frequency	Percent
Never heard/used	1,302,046	89.2%
At least once/month	58,779	4.0%
At least once/year	40,982	2.8%
At least once/life	58,686	4.0%
Frequency Missing = 139344.24776		

RECENT PRESCRIPTION DRUG USE - XANAX ETC		
	q29e Frequency	Percent
Never heard/used	1,378,536	96.1%
At least once/month	21,465	1.5%
At least once/year	14,247	1.0%
At least once/life	20,044	1.4%
Frequency Missing = 165543.97599		

DANGEROUS FOR KIDS TO USE INHALANTS		
	q31c Frequency	Percent
Very	1,031,093	73.6%
Somewhat	205,074	14.6%
Not very	62,317	4.5%
Not at all	23,110	1.7%
Don't know	78,486	5.6%
Frequency Missing = 199756.29527		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**State : Grades 7-12 Large  
SPRING 2012**

DANGEROUS FOR KIDS TO USE MARIJUANA		
q31d	Frequency	Percent
Very	814,403	58.2%
Somewhat	198,276	14.2%
Not very	164,513	11.8%
Not at all	168,400	12.0%
Don't know	53,646	3.8%
Frequency Missing = 200597.48841		

DANGEROUS FOR KIDS TO USE STEROIDS		
q31h	Frequency	Percent
Very	1,050,080	76.3%
Somewhat	173,492	12.6%
Not very	54,648	4.0%
Not at all	19,954	1.5%
Don't know	77,296	5.6%
Frequency Missing = 224366.24448		

DAYS ILL SINCE SEPTEMBER		
q32b	Frequency	Percent
None	445,130	30.9%
1- 3 days	737,628	51.2%
4- 9 days	206,157	14.3%
10+ days	51,568	3.6%
Frequency Missing = 159353.02636		

DANGEROUS FOR KIDS TO USE COCAINE		
q31e	Frequency	Percent
Very	1,174,048	85.0%
Somewhat	109,542	7.9%
Not very	22,386	1.6%
Not at all	12,153	0.9%
Don't know	62,513	4.5%
Frequency Missing = 219194.10089		

DANGEROUS FOR KIDS TO USE HEROIN		
q31i	Frequency	Percent
Very	1,197,137	86.7%
Somewhat	74,195	5.4%
Not very	14,431	1.0%
Not at all	11,198	0.8%
Don't know	83,584	6.1%
Frequency Missing = 219290.77325		

OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER		
q32c	Frequency	Percent
None	565,785	39.8%
1- 3 days	696,461	49.0%
4- 9 days	120,355	8.5%
10+ days	37,504	2.6%
Frequency Missing = 179732.03873		

DANGEROUS FOR KIDS TO USE CRACK		
q31f	Frequency	Percent
Very	1,185,666	86.6%
Somewhat	91,870	6.7%
Not very	16,705	1.2%
Not at all	10,864	0.8%
Don't know	64,204	4.7%
Frequency Missing = 230527.56539		

DANGEROUS FOR KIDS TO USE METHAMPHETAMINE		
q31j	Frequency	Percent
Very	1,178,827	84.5%
Somewhat	73,163	5.2%
Not very	14,663	1.1%
Not at all	10,721	0.8%
Don't know	117,846	8.4%
Frequency Missing = 204616.35985		

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q32d	Frequency	Percent
None	1,213,730	84.5%
1- 3 days	169,396	11.8%
4- 9 days	30,941	2.2%
10+ days	22,475	1.6%
Frequency Missing = 163293.93158		

DANGEROUS FOR KIDS TO USE ECSTASY		
q31g	Frequency	Percent
Very	1,075,215	78.5%
Somewhat	140,172	10.2%
Not very	45,324	3.3%
Not at all	18,242	1.3%
Don't know	91,369	6.7%
Frequency Missing = 229515.11007		

DAYS SKIPPED SINCE SEPTEMBER		
q32a	Frequency	Percent
None	1,140,887	78.6%
1- 3 days	226,549	15.6%
4- 9 days	52,349	3.6%
10+ days	31,428	2.2%
Frequency Missing = 148623.38384		

SOMEONE CALLED HOME SINCE SEPTEMBER		
q32e	Frequency	Percent
None	1,242,694	87.2%
1- 3 days	143,063	10.0%
4- 9 days	23,722	1.7%
10+ days	15,687	1.1%
Frequency Missing = 174671.03243		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**State : Grades 7-12 Large  
SPRING 2012**

IN TROUBLE FOR DRINKING SINCE SEPTEMBER		
q32f	Frequency	Percent
None	1,390,665	99.0%
1- 3 days	8,959	0.6%
4- 9 days	1,868	0.1%
10+ days	3,140	0.2%

Frequency Missing = 195204.95885

CRITICIZED BY DATE BECAUSE OF DRINKING		
q33c	Frequency	Percent
None	1,285,214	93.5%
1- 3 times	73,440	5.3%
4- 9 times	8,782	0.6%
10+ times	6,530	0.5%

Frequency Missing = 225869.82653

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q33g	Frequency	Percent
None	1,232,035	93.6%
1- 3 times	65,575	5.0%
4- 9 times	9,312	0.7%
10+ times	8,968	0.7%

Frequency Missing = 283946.94511

IN TROUBLE FOR DRUG USE SINCE SEPTEMBER		
q32g	Frequency	Percent
None	1,391,343	98.6%
1- 3 days	13,162	0.9%
4- 9 days	2,243	0.2%
10+ days	3,874	0.3%

Frequency Missing = 189213.99915

TROUBLE WITH POLICE BECAUSE OF DRINKING		
q33d	Frequency	Percent
None	1,325,978	97.6%
1- 3 times	26,601	2.0%
4- 9 times	2,842	0.2%
10+ times	2,641	0.2%

Frequency Missing = 241775.49987

TROUBLE WITH POLICE BECAUSE OF DRUG USE		
q33h	Frequency	Percent
None	1,295,755	97.8%
1- 3 times	23,688	1.8%
4- 9 times	3,171	0.2%
10+ times	2,378	0.2%

Frequency Missing = 274844.67053

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q33a	Frequency	Percent
None	1,336,948	94.5%
1- 3 times	67,493	4.8%
4- 9 times	6,111	0.4%
10+ times	4,047	0.3%

Frequency Missing = 185237.87146

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q33e	Frequency	Percent
None	1,285,651	94.8%
1- 3 times	58,375	4.3%
4- 9 times	8,218	0.6%
10+ times	4,575	0.3%

Frequency Missing = 243016.93135

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q34a	Frequency	Percent
None	1,337,548	93.5%
1- 3 days	70,039	4.9%
4- 9 days	12,653	0.9%
10+ days	10,235	0.7%

Frequency Missing = 169361.05014

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q33b	Frequency	Percent
None	1,308,526	94.3%
1- 3 times	61,548	4.4%
4- 9 times	9,774	0.7%
10+ times	7,657	0.6%

Frequency Missing = 212330.7021

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q33f	Frequency	Percent
None	1,246,510	93.6%
1- 3 times	52,465	3.9%
4- 9 times	14,142	1.1%
10+ times	18,216	1.4%

Frequency Missing = 268502.97768

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q34b	Frequency	Percent
None	1,271,644	89.3%
1- 3 days	79,503	5.6%
4- 9 days	28,119	2.0%
10+ days	44,796	3.1%

Frequency Missing = 175774.41536

The frequencies have been weighted so that the analysis reflects  
the distribution of students by grade level in the district.



**State : Grades 7-12 Large  
SPRING 2012**

CLASS DAYS HIGH ON INHALANTS SINCE SEPT		
q34c	Frequency	Percent
None	1,395,036	98.1%
1- 3 days	17,797	1.3%
4- 9 days	3,657	0.3%
10+ days	5,270	0.4%

Frequency Missing = 178075.78667

CLASS DAYS HIGH ON OTHER DRUG(S)		
q34d	Frequency	Percent
None	1,360,055	95.2%
1- 3 days	41,826	2.9%
4- 9 days	11,967	0.8%
10+ days	14,068	1.0%

Frequency Missing = 171919.78846

ALCOHOL USE AT PARTIES THIS SCHOOL YEAR		
q35a	Frequency	Percent
Never	656,158	45.5%
Seldom	129,301	9.0%
Half the time	92,919	6.4%
Most of the time	143,669	10.0%
Always	214,059	14.9%
Don't know	26,650	1.8%
Didn't attend	178,156	12.4%

Frequency Missing = 158924.43326

DRUG USE AT PARTIES THIS SCHOOL YEAR		
q35b	Frequency	Percent
Never	789,583	54.9%
Seldom	118,425	8.2%
Half the time	82,416	5.7%
Most of the time	102,340	7.1%
Always	132,462	9.2%
Don't know	35,004	2.4%
Didn't attend	178,510	12.4%

Frequency Missing = 161096.74002

SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM		
q36	Frequency	Percent
No	1,224,530	92.0%
Yes	106,871	8.0%

Frequency Missing = 268435.60368

WOULD SEEK HELP FROM SCHOOL COUNSELOR		
q37a	Frequency	Percent
No	876,867	62.7%
Yes	520,957	37.3%

Frequency Missing = 202012.66461

WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL		
q37b	Frequency	Percent
No	810,607	58.6%
Yes	571,615	41.4%

Frequency Missing = 217614.43025

WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL		
q37c	Frequency	Percent
No	813,876	59.8%
Yes	548,208	40.2%

Frequency Missing = 237753.06429

WOULD SEEK HELP FROM PARENTS		
q37d	Frequency	Percent
No	502,538	36.6%
Yes	872,157	63.4%

Frequency Missing = 225141.19842

WOULD SEEK HELP FROM A MEDICAL DOCTOR		
q37e	Frequency	Percent
No	710,922	52.1%
Yes	654,279	47.9%

Frequency Missing = 234635.6276

WOULD SEEK HELP FROM FRIENDS		
q37f	Frequency	Percent
No	448,726	32.7%
Yes	924,327	67.3%

Frequency Missing = 226783.74994

WOULD SEEK HELP FROM ANOTHER ADULT		
q37g	Frequency	Percent
No	525,849	38.1%
Yes	854,272	61.9%

Frequency Missing = 219715.52573

WOULD NOT SEEK HELP		
q37h	Frequency	Percent
No	1,137,500	83.4%
Yes	225,669	16.6%

Frequency Missing = 236667.41806

DRUG/ALCOHOL INFO - - SCHOOL HEALTH CLASS		
q38a	Frequency	Percent
No	658,226	53.0%
Yes	584,606	47.0%

Frequency Missing = 357004.06963

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district.

**State : Grades 7-12 Large  
SPRING 2012**

DRUG/ALCOHOL INFO- - SCHOOL ASSEMBLY PROGRAM		
q38b	Frequency	Percent
No	638,448	52.3%
Yes	581,437	47.7%

Frequency Missing = 379951.45547

DRUG/ALCOHOL INFO- - INVITED SCHOOL GUEST		
q38g	Frequency	Percent
No	800,238	65.5%
Yes	420,975	34.5%

Frequency Missing = 378623.39856

PARENTS FEEL ABOUT KIDS USING MARIJUANA		
q39c	Frequency	Percent
Strong disapprove	1,123,148	80.4%
Mild disapprove	77,740	5.6%
Neither	71,722	5.1%
Mildly approve	18,490	1.3%
Strongly approve	20,238	1.4%
Don't know	85,555	6.1%

Frequency Missing = 202942.32537

DRUG/ALCOHOL INFO- - SCHOOL GUIDANCE COUNSELOR		
q38c	Frequency	Percent
No	878,570	72.7%
Yes	329,315	27.3%

Frequency Missing = 391951.84698

DRUG/ALCOHOL INFO- - ANOTHER SCHOOL SOURCE		
q38h	Frequency	Percent
No	846,760	68.7%
Yes	385,580	31.3%

Frequency Missing = 367496.52056

TESTED FOR DRUG USE AT SCHOOL		
q40	Frequency	Percent
No	1,267,236	88.5%
Yes	164,029	11.5%

Frequency Missing = 168571.63351

DRUG/ALCOHOL INFO- - SCIENCE CLASS		
q38d	Frequency	Percent
No	809,212	67.3%
Yes	393,993	32.7%

Frequency Missing = 396631.7083

PARENTS FEEL ABOUT KIDS SMOKING CIGARETTES		
q39a	Frequency	Percent
Strong disapprove	1,084,839	77.4%
Mild disapprove	106,134	7.6%
Neither	87,854	6.3%
Mildly approve	16,386	1.2%
Strongly approve	12,227	0.9%
Don't know	94,513	6.7%

Frequency Missing = 197882.71261

DRUG TESTING SHOULD BE REQUIRED FOR ALL STUDENT ATHLETES		
q41	Frequency	Percent
Don't Know	317,245	22.0%
No	310,925	21.6%
Yes	812,497	56.4%

Frequency Missing = 159169.60974

DRUG/ALCOHOL INFO- - SOCIAL STUDIES CLASS		
q38e	Frequency	Percent
No	1,009,503	83.8%
Yes	195,437	16.2%

Frequency Missing = 394896.11596

PARENTS FEEL ABOUT KIDS DRINKING BEER		
q39b	Frequency	Percent
Strong disapprove	910,634	65.4%
Mild disapprove	192,861	13.8%
Neither	139,510	10.0%
Mildly approve	47,283	3.4%
Strongly approve	16,047	1.2%
Don't know	86,293	6.2%

Frequency Missing = 207207.1126

DRUG/ALCOHOL INFO- - SCHOOL STUDENT GROUP OR CLUB		
q38f	Frequency	Percent
No	1,019,200	84.1%
Yes	192,444	15.9%

Frequency Missing = 388193.11425

The frequencies have been weighted so that the analysis reflects  
the distribution of students by grade level in the district.