
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2020



STATE REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Pearson

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	3
Tobacco	4
Alcohol	7
Drugs	15
Inhalants	30
Miscellaneous	34
2 Prevalence Tables	40
Table B-1: All Students	41
Table B-2: Male Students	45
Table B-3: Female Students	49
Table B-4: White Non-Hispanic Students	53
Table B-5: African American Non-Hispanic Students	57
Table B-6: Hispanic or Latino Students	61
Table B-7: Students Reporting A Grades on Average	65
Table B-8: Students Reporting Grades Lower Than an A on Average	69
Table B-9: Students Living with 2 Parents	73
Table B-10: Students Not Living with 2 Parents	77
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	81
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	85
3 Margin Tables	89
Appendix: Reporting Methods for Prevalence & Recency of Use	112

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data for the entire state of Texas. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

During the 2019-2020 school year, schools across Texas were closed from early March through the end of the school year due to the COVID-19 pandemic. Due to this sudden and unexpected closure, many schools that had registered for the survey were unable to complete it. Please

note that both the drop in participation along with the fact that those that did complete did so before March may have impacted the data.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	14.2%	17.9%	30.2%	69.8%
Grade 7	4.4%	5.8%	13.2%	86.8%
Grade 8	9.6%	12.1%	23.1%	76.9%
Grade 9	13.7%	16.5%	27.7%	72.3%
Grade 10	16.8%	22.0%	37.3%	62.7%
Grade 11	19.1%	24.1%	38.9%	61.1%
Grade 12	24.7%	30.9%	45.7%	54.3%
Cigarettes?				
All	2.9%	4.3%	11.7%	88.3%
Grade 7	0.8%	1.2%	4.8%	95.2%
Grade 8	1.8%	2.4%	9.0%	91.0%
Grade 9	2.2%	3.1%	9.0%	91.0%
Grade 10	3.9%	5.4%	13.8%	86.2%
Grade 11	3.9%	6.6%	15.2%	84.8%
Grade 12	5.6%	8.5%	21.3%	78.7%
Smokeless Tobacco?				
All	2.3%	3.2%	6.6%	93.4%
Grade 7	0.6%	0.8%	2.5%	97.5%
Grade 8	1.6%	2.0%	4.6%	95.4%
Grade 9	1.9%	2.9%	5.8%	94.2%
Grade 10	2.6%	4.0%	8.7%	91.3%
Grade 11	3.2%	4.2%	8.9%	91.1%
Grade 12	4.4%	5.9%	10.5%	89.5%
Electronic Vapor Products?				
All	10.9%	15.1%	27.0%	73.0%
Grade 7	2.6%	4.1%	10.5%	89.5%
Grade 8	6.9%	9.7%	20.2%	79.8%
Grade 9	10.2%	13.8%	25.1%	74.9%
Grade 10	12.7%	18.7%	33.3%	66.7%
Grade 11	15.3%	20.7%	35.5%	64.5%
Grade 12	20.4%	27.2%	41.8%	58.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 4 of 127

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	87.7%	1.8%	1.2%	1.5%	2.0%	1.9%	3.9%
Grade 7	95.8%	0.0%	0.2%	0.5%	0.8%	0.7%	1.9%
Grade 8	92.3%	0.4%	0.4%	1.0%	1.2%	1.8%	2.9%
Grade 9	89.8%	1.1%	1.0%	1.6%	2.0%	1.2%	3.3%
Grade 10	85.6%	1.7%	1.5%	1.5%	2.7%	2.3%	4.6%
Grade 11	82.5%	3.4%	1.8%	2.0%	2.8%	2.1%	5.4%
Grade 12	77.5%	4.8%	2.9%	2.5%	2.7%	4.0%	5.6%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.2	10.6	11.3	12.3	13.3	13.8	14.7

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	31.9%	21.4%	8.0%	10.4%	13.3%	15.0%
Grade 7	41.8%	33.3%	8.2%	6.5%	5.8%	4.4%
Grade 8	33.7%	30.1%	8.7%	9.3%	10.5%	7.7%
Grade 9	30.4%	22.4%	9.3%	11.0%	13.6%	13.3%
Grade 10	27.9%	14.7%	8.9%	13.3%	17.0%	18.2%
Grade 11	27.4%	14.4%	6.9%	12.4%	16.9%	22.0%
Grade 12	28.7%	10.0%	5.2%	10.2%	17.5%	28.4%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	74.2%	15.2%	6.0%	3.6%	1.1%
Grade 7	89.4%	8.0%	1.7%	0.6%	0.3%
Grade 8	83.0%	11.3%	4.0%	1.3%	0.4%
Grade 9	75.4%	16.1%	4.4%	3.2%	1.0%
Grade 10	69.0%	18.2%	7.9%	3.3%	1.6%
Grade 11	64.7%	18.8%	9.4%	5.5%	1.5%
Grade 12	59.0%	20.3%	9.9%	8.9%	2.0%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 5 of 127

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.4%	7.2%	4.8%	1.0%	0.6%	7.9%
Grade 7	83.1%	4.1%	1.9%	0.4%	0.3%	10.2%
Grade 8	83.1%	4.5%	2.9%	0.7%	0.9%	7.8%
Grade 9	80.7%	6.9%	4.1%	1.0%	0.5%	6.9%
Grade 10	76.9%	7.7%	5.3%	0.9%	0.8%	8.3%
Grade 11	75.1%	9.9%	5.7%	1.1%	0.6%	7.6%
Grade 12	69.8%	11.2%	9.7%	2.3%	0.6%	6.5%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	61.5%	24.7%	6.7%	1.6%	5.5%
	Grade 7	74.4%	16.3%	3.5%	0.6%	5.2%
	Grade 8	68.5%	20.7%	4.8%	1.2%	4.8%
	Grade 9	62.5%	24.4%	7.0%	1.3%	4.7%
	Grade 10	56.3%	26.9%	7.8%	2.0%	7.0%
	Grade 11	53.1%	31.3%	7.8%	2.0%	5.8%
	Grade 12	50.7%	30.7%	10.2%	2.6%	5.8%
Electronic Vapor Products?						
	All	62.0%	18.9%	9.9%	3.4%	5.7%
	Grade 7	75.5%	12.9%	4.2%	1.6%	5.8%
	Grade 8	66.9%	15.8%	8.1%	3.6%	5.5%
	Grade 9	61.7%	19.5%	10.1%	2.9%	5.8%
	Grade 10	57.1%	21.2%	11.7%	4.2%	5.9%
	Grade 11	55.0%	21.7%	13.2%	4.4%	5.7%
	Grade 12	53.1%	23.5%	13.4%	4.2%	5.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 6 of 127

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	27.4%	32.4%	50.5%	49.5%
Grade 7	16.5%	18.8%	35.9%	64.1%
Grade 8	21.5%	24.8%	43.5%	56.5%
Grade 9	26.0%	31.0%	50.8%	49.2%
Grade 10	30.8%	36.5%	55.8%	44.2%
Grade 11	31.9%	39.0%	57.1%	42.9%
Grade 12	41.6%	48.7%	63.9%	36.1%
Beer?				
All	9.9%	15.5%	37.7%	62.3%
Grade 7	4.2%	6.6%	26.9%	73.1%
Grade 8	6.7%	9.4%	32.8%	67.2%
Grade 9	8.4%	14.1%	35.7%	64.3%
Grade 10	11.9%	19.1%	41.9%	58.1%
Grade 11	13.2%	20.6%	43.2%	56.8%
Grade 12	17.0%	26.7%	49.2%	50.8%
Wine Coolers?				
All	8.5%	13.7%	29.7%	70.3%
Grade 7	2.7%	4.3%	15.2%	84.8%
Grade 8	4.8%	7.3%	21.4%	78.6%
Grade 9	7.5%	12.7%	28.7%	71.3%
Grade 10	9.9%	16.2%	34.6%	65.4%
Grade 11	11.5%	18.7%	37.3%	62.7%
Grade 12	16.8%	26.4%	45.5%	54.5%
Wine?				
All	6.9%	11.8%	32.0%	68.0%
Grade 7	3.1%	5.2%	20.8%	79.2%
Grade 8	5.0%	7.8%	26.4%	73.6%
Grade 9	6.7%	11.5%	31.2%	68.8%
Grade 10	7.6%	13.4%	36.0%	64.0%
Grade 11	7.5%	14.3%	36.9%	63.1%
Grade 12	12.7%	21.0%	44.3%	55.7%
Liquor?				
All	10.7%	17.0%	34.6%	65.4%
Grade 7	2.8%	4.8%	16.7%	83.3%
Grade 8	5.9%	8.8%	24.7%	75.3%
Grade 9	9.9%	15.1%	33.8%	66.2%
Grade 10	12.8%	20.4%	41.1%	58.9%
Grade 11	14.6%	23.7%	42.7%	57.3%
Grade 12	21.1%	33.4%	54.3%	45.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 7 of 127

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	63.0%	0.3%	1.4%	5.8%	10.5%	10.0%	9.1%
Grade 7	80.1%	0.2%	0.5%	1.7%	4.0%	5.6%	7.9%
Grade 8	72.0%	0.2%	0.6%	3.7%	6.1%	8.2%	9.2%
Grade 9	64.8%	0.2%	1.1%	3.8%	11.1%	9.7%	9.3%
Grade 10	57.4%	0.4%	1.8%	6.3%	12.7%	11.9%	9.6%
Grade 11	53.3%	0.3%	2.3%	8.8%	13.2%	12.4%	9.6%
Grade 12	45.1%	0.7%	2.2%	12.2%	17.5%	13.2%	9.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	66.0%	34.0%	5.9%	16.1%	12.0%
	Grade 7	76.2%	23.8%	1.2%	9.9%	12.6%
	Grade 8	70.7%	29.3%	2.9%	12.1%	14.3%
	Grade 9	68.1%	31.9%	4.2%	14.9%	12.8%
	Grade 10	62.7%	37.3%	7.0%	18.5%	11.9%
	Grade 11	60.6%	39.4%	10.1%	19.2%	10.1%
	Grade 12	54.5%	45.5%	11.6%	24.3%	9.6%
Wine Coolers						
	All	73.5%	26.5%	5.1%	15.0%	6.5%
	Grade 7	87.1%	12.9%	1.0%	6.0%	5.9%
	Grade 8	81.6%	18.4%	2.1%	9.1%	7.1%
	Grade 9	74.6%	25.4%	3.9%	14.8%	6.7%
	Grade 10	69.5%	30.5%	5.4%	18.4%	6.7%
	Grade 11	66.1%	33.9%	7.4%	19.7%	6.9%
	Grade 12	57.7%	42.3%	12.4%	24.5%	5.4%
Wine						
	All	72.2%	27.8%	1.9%	13.5%	12.4%
	Grade 7	82.6%	17.4%	0.6%	7.0%	9.7%
	Grade 8	77.5%	22.5%	1.2%	9.0%	12.4%
	Grade 9	72.9%	27.1%	1.5%	13.2%	12.4%
	Grade 10	68.5%	31.5%	2.1%	15.3%	14.1%
	Grade 11	68.0%	32.0%	2.9%	16.2%	13.0%
	Grade 12	60.6%	39.4%	3.8%	22.3%	13.2%
Liquor						
	All	67.7%	32.3%	7.5%	15.5%	9.3%
	Grade 7	84.9%	15.1%	1.3%	6.2%	7.6%
	Grade 8	78.2%	21.8%	3.3%	8.3%	10.2%
	Grade 9	68.9%	31.1%	5.7%	15.3%	10.1%
	Grade 10	62.0%	38.0%	8.5%	20.1%	9.4%
	Grade 11	59.6%	40.4%	11.9%	19.1%	9.4%
	Grade 12	47.4%	52.6%	16.8%	26.7%	9.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 9 of 127

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	89.4%	4.0%	2.3%	2.3%	0.7%	1.3%
Grade 7	96.1%	1.9%	0.6%	0.4%	0.2%	0.9%
Grade 8	94.7%	1.9%	1.2%	1.3%	0.3%	0.6%
Grade 9	91.1%	3.8%	1.7%	1.8%	0.6%	1.1%
Grade 10	87.9%	5.2%	2.2%	2.2%	1.0%	1.6%
Grade 11	85.0%	4.9%	4.1%	3.4%	0.9%	1.8%
Grade 12	79.3%	6.9%	5.0%	5.1%	1.4%	2.3%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.8	10.3	11.2	12.2	13.0	13.9	14.7

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	25.1%	13.7%	6.2%	10.8%	18.1%	26.2%
Grade 7	35.1%	23.3%	8.0%	9.8%	12.3%	11.7%
Grade 8	27.3%	19.0%	7.9%	12.5%	15.7%	17.6%
Grade 9	24.1%	13.4%	6.5%	11.6%	17.9%	26.5%
Grade 10	21.0%	7.9%	5.1%	11.8%	21.1%	33.2%
Grade 11	20.3%	9.4%	4.4%	10.4%	20.9%	34.6%
Grade 12	21.0%	6.9%	4.6%	8.5%	21.8%	37.3%

Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.1%	3.1%	0.5%	0.3%
Grade 7	97.8%	2.0%	0.1%	0.1%
Grade 8	96.4%	3.0%	0.4%	0.2%
Grade 9	95.9%	3.3%	0.5%	0.2%
Grade 10	95.1%	3.9%	0.7%	0.4%
Grade 11	95.4%	3.1%	1.0%	0.5%
Grade 12	95.7%	3.4%	0.5%	0.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 10 of 127

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.0
Alcohol Non-Users	2.9
Average Days Conduct Problems Reported	
Alcohol Users	2.0
Alcohol Non-Users	0.7

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	96.4%	2.6%	0.6%	0.4%
Grade 9	98.8%	1.0%	0.1%	0.1%
Grade 10	97.1%	2.2%	0.5%	0.2%
Grade 11	96.3%	2.7%	0.6%	0.5%
Grade 12	92.7%	5.2%	1.2%	0.9%
 Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.4%	3.2%	0.3%	0.2%
Grade 7	97.8%	1.9%	0.2%	0.2%
Grade 8	97.5%	1.9%	0.4%	0.1%
Grade 9	95.9%	3.7%	0.2%	0.2%
Grade 10	95.5%	4.1%	0.3%	0.1%
Grade 11	95.9%	3.6%	0.3%	0.2%
Grade 12	95.3%	4.0%	0.5%	0.1%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	52.8%	22.2%	12.7%	9.4%	3.0%
Grade 7	77.1%	16.0%	4.6%	1.6%	0.7%
Grade 8	64.2%	22.1%	8.8%	3.9%	1.0%
Grade 9	52.8%	24.6%	13.0%	7.9%	1.7%
Grade 10	42.9%	25.0%	16.7%	11.7%	3.7%
Grade 11	39.3%	23.5%	17.7%	14.7%	4.7%
Grade 12	34.0%	22.6%	17.0%	19.3%	7.2%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 11 of 127

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	52.0%	7.1%	5.1%	8.2%	8.7%	2.2%	16.8%
Grade 7	72.7%	6.3%	3.2%	3.5%	1.5%	2.1%	10.8%
Grade 8	63.4%	6.6%	5.4%	4.9%	3.9%	2.2%	13.7%
Grade 9	51.4%	7.8%	5.9%	7.2%	5.6%	3.0%	19.2%
Grade 10	42.3%	7.8%	6.2%	11.7%	10.1%	2.2%	19.7%
Grade 11	40.8%	6.4%	5.1%	10.9%	14.4%	2.0%	20.4%
Grade 12	36.6%	7.5%	4.9%	12.4%	19.8%	1.2%	17.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 12 of 127

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	60.8%	16.2%	15.0%	5.2%	2.8%
	Grade 7	70.4%	15.0%	10.6%	3.0%	1.0%
	Grade 8	66.7%	15.8%	12.5%	3.6%	1.4%
	Grade 9	63.1%	15.2%	14.4%	4.8%	2.4%
	Grade 10	58.0%	14.7%	17.2%	6.0%	4.0%
	Grade 11	54.9%	19.0%	16.9%	5.9%	3.4%
	Grade 12	48.3%	18.0%	19.7%	8.8%	5.2%
Friends?						
	All	61.7%	17.1%	10.4%	8.1%	2.7%
	Grade 7	75.7%	19.4%	3.1%	1.5%	0.4%
	Grade 8	70.3%	17.4%	6.7%	4.6%	1.0%
	Grade 9	64.0%	16.9%	10.4%	6.7%	2.0%
	Grade 10	56.8%	16.7%	13.5%	10.1%	2.9%
	Grade 11	52.8%	17.4%	13.1%	11.8%	4.9%
	Grade 12	45.8%	14.3%	17.4%	16.4%	6.2%
A Store?						
	All	64.7%	28.9%	3.1%	2.1%	1.2%
	Grade 7	76.2%	21.7%	1.1%	0.8%	0.3%
	Grade 8	71.5%	25.6%	1.5%	0.8%	0.6%
	Grade 9	67.0%	28.4%	2.3%	1.6%	0.7%
	Grade 10	60.4%	32.7%	3.2%	2.1%	1.6%
	Grade 11	58.3%	31.6%	5.2%	2.9%	1.9%
	Grade 12	50.9%	35.3%	6.3%	4.9%	2.6%
Parties?						
	All	60.1%	15.1%	9.5%	9.1%	6.2%
	Grade 7	72.6%	16.0%	6.6%	3.6%	1.2%
	Grade 8	67.3%	15.8%	8.8%	5.4%	2.6%
	Grade 9	62.0%	14.9%	9.5%	8.3%	5.3%
	Grade 10	55.9%	15.5%	9.5%	11.3%	7.8%
	Grade 11	53.3%	15.5%	10.8%	11.9%	8.6%
	Grade 12	45.7%	12.6%	12.5%	15.8%	13.4%
Other Sources?						
	All	65.0%	21.3%	6.9%	3.9%	3.0%
	Grade 7	75.5%	17.8%	4.1%	1.7%	0.8%
	Grade 8	71.0%	18.6%	5.9%	2.6%	1.9%
	Grade 9	66.2%	21.5%	6.4%	3.5%	2.3%
	Grade 10	61.1%	22.9%	7.5%	4.5%	4.1%
	Grade 11	59.4%	23.6%	7.7%	5.0%	4.3%
	Grade 12	53.0%	24.2%	10.4%	6.8%	5.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 13 of 127

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	60.9%	14.4%	11.8%	4.4%	0.9%	7.6%
Grade 7	72.6%	9.7%	5.6%	1.5%	0.3%	10.2%
Grade 8	69.8%	11.2%	7.5%	2.9%	0.8%	7.7%
Grade 9	62.4%	16.4%	10.0%	3.4%	0.8%	7.1%
Grade 10	55.5%	17.5%	13.4%	4.3%	1.4%	7.9%
Grade 11	54.5%	16.5%	16.3%	5.4%	1.1%	6.2%
Grade 12	47.7%	15.5%	19.9%	9.9%	1.3%	5.7%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	47.8%	30.5%	14.5%	2.7%	4.5%
Grade 7	58.5%	24.6%	10.1%	2.0%	4.8%
Grade 8	51.6%	28.1%	13.1%	2.4%	4.8%
Grade 9	47.4%	31.0%	15.0%	2.8%	3.8%
Grade 10	42.6%	32.0%	17.3%	3.0%	5.1%
Grade 11	42.4%	34.0%	15.6%	3.3%	4.8%
Grade 12	42.4%	34.5%	16.6%	2.8%	3.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 14 of 127

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	13.0%	17.1%	22.7%	77.3%
Grade 7	4.4%	6.0%	7.7%	92.3%
Grade 8	7.8%	10.9%	14.7%	85.3%
Grade 9	12.1%	15.7%	18.9%	81.1%
Grade 10	15.1%	20.2%	27.7%	72.3%
Grade 11	18.8%	24.2%	31.5%	68.5%
Grade 12	22.4%	29.4%	41.0%	59.0%
Marijuana?				
All	12.4%	15.1%	20.8%	79.2%
Grade 7	3.4%	3.9%	5.3%	94.7%
Grade 8	7.1%	8.3%	11.7%	88.3%
Grade 9	11.6%	13.8%	17.4%	82.6%
Grade 10	14.9%	18.5%	25.9%	74.1%
Grade 11	18.3%	22.6%	30.6%	69.4%
Grade 12	22.0%	27.4%	39.9%	60.1%
Cocaine?				
All	1.2%	1.4%	2.3%	97.7%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.7%	0.8%	1.3%	98.7%
Grade 9	1.1%	1.1%	1.7%	98.3%
Grade 10	1.4%	1.8%	2.9%	97.1%
Grade 11	1.9%	2.1%	3.2%	96.8%
Grade 12	2.0%	2.4%	4.7%	95.3%
Crack?				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.6%	0.9%	1.1%	98.9%
Grade 11	0.4%	0.5%	0.9%	99.1%
Grade 12	0.5%	0.6%	1.1%	98.9%
Hallucinogens?				
All	1.2%	1.7%	3.4%	96.6%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.5%	0.6%	1.5%	98.5%
Grade 9	1.1%	1.6%	2.7%	97.3%
Grade 10	1.5%	1.9%	3.8%	96.2%
Grade 11	1.8%	2.6%	5.1%	94.9%
Grade 12	2.2%	3.8%	7.3%	92.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.2%	0.3%	0.4%	99.6%
Grade 12	0.1%	0.2%	0.4%	99.6%
Steroids?				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.2%	0.4%	1.3%	98.7%
Grade 8	0.4%	0.6%	1.3%	98.7%
Grade 9	0.3%	0.4%	1.3%	98.7%
Grade 10	0.3%	0.7%	1.9%	98.1%
Grade 11	0.2%	0.3%	1.0%	99.0%
Grade 12	0.2%	0.5%	1.3%	98.7%
Ecstasy?				
All	0.6%	0.9%	2.1%	97.9%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.4%	0.6%	1.2%	98.8%
Grade 10	0.7%	1.0%	2.6%	97.4%
Grade 11	0.9%	1.5%	3.2%	96.8%
Grade 12	1.6%	2.2%	4.6%	95.4%
Heroin?				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.1%	0.1%	0.4%	99.6%
Methamphetamine?				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.3%	0.4%	0.9%	99.1%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	0.2%	0.5%	0.7%	99.3%
Grade 12	0.3%	0.5%	1.2%	98.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 16 of 127

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.2%	1.8%	3.5%	96.5%
Grade 7	0.5%	0.7%	1.3%	98.7%
Grade 8	1.1%	1.5%	2.9%	97.1%
Grade 9	1.3%	2.1%	3.6%	96.4%
Grade 10	1.8%	2.6%	5.2%	94.8%
Grade 11	1.7%	2.3%	4.8%	95.2%
Grade 12	0.9%	1.4%	3.8%	96.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	82.2%	1.8%	1.9%	2.8%	3.5%	3.7%	4.0%
Grade 7	96.4%	0.1%	0.5%	0.5%	0.5%	1.2%	0.8%
Grade 8	90.7%	0.5%	1.0%	1.5%	1.7%	2.2%	2.5%
Grade 9	85.3%	1.5%	1.8%	2.4%	3.1%	3.2%	2.7%
Grade 10	76.6%	2.1%	1.8%	4.4%	4.1%	4.8%	6.1%
Grade 11	74.0%	3.5%	3.3%	3.6%	6.0%	4.2%	5.4%
Grade 12	65.6%	3.5%	3.8%	5.0%	6.7%	7.8%	7.6%
Cocaine?							
All	98.3%	0.0%	0.1%	0.2%	0.2%	0.4%	0.7%
Grade 7	99.4%	0.1%	0.0%	0.0%	0.2%	0.1%	0.2%
Grade 8	99.3%	0.0%	0.0%	0.1%	0.2%	0.2%	0.3%
Grade 9	98.6%	0.0%	0.2%	0.2%	0.1%	0.6%	0.3%
Grade 10	97.8%	0.0%	0.1%	0.3%	0.3%	0.6%	0.9%
Grade 11	97.2%	0.0%	0.2%	0.5%	0.4%	0.5%	1.0%
Grade 12	97.0%	0.0%	0.1%	0.2%	0.2%	0.8%	1.8%
Crack?							
All	99.4%	0.0%	0.1%	0.1%	0.0%	0.2%	0.2%
Grade 7	99.5%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
Grade 8	99.4%	0.0%	0.1%	0.1%	0.0%	0.2%	0.3%
Grade 9	99.5%	0.0%	0.1%	0.1%	0.0%	0.1%	0.1%
Grade 10	99.3%	0.0%	0.2%	0.1%	0.0%	0.3%	0.1%
Grade 11	99.6%	0.0%	0.0%	0.1%	0.1%	0.0%	0.2%
Grade 12	99.2%	0.0%	0.1%	0.0%	0.0%	0.2%	0.4%
Steroids?							
All	99.3%	0.1%	0.0%	0.0%	0.1%	0.1%	0.3%
Grade 7	99.4%	0.0%	0.0%	0.1%	0.1%	0.1%	0.2%
Grade 8	99.4%	0.0%	0.1%	0.0%	0.1%	0.1%	0.3%
Grade 9	99.4%	0.1%	0.0%	0.0%	0.2%	0.1%	0.3%
Grade 10	99.0%	0.2%	0.0%	0.0%	0.0%	0.1%	0.5%
Grade 11	99.5%	0.0%	0.0%	0.0%	0.0%	0.2%	0.3%
Grade 12	99.1%	0.0%	0.0%	0.1%	0.3%	0.0%	0.4%
Ecstasy?							
All	98.3%	0.0%	0.1%	0.1%	0.3%	0.5%	0.7%
Grade 7	99.7%	0.0%	0.1%	0.0%	0.1%	0.1%	0.0%
Grade 8	99.2%	0.0%	0.0%	0.1%	0.1%	0.2%	0.3%
Grade 9	99.0%	0.0%	0.0%	0.1%	0.2%	0.1%	0.5%
Grade 10	98.1%	0.1%	0.1%	0.2%	0.3%	0.4%	0.8%
Grade 11	97.2%	0.0%	0.2%	0.1%	0.3%	1.0%	1.2%
Grade 12	96.2%	0.1%	0.1%	0.2%	0.7%	1.5%	1.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	99.6%	0.1%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.7%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	99.5%	0.1%	0.2%	0.1%	0.0%	0.1%	0.1%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 12	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
Methamphetamine?								
	All	99.5%	0.1%	0.1%	0.0%	0.1%	0.2%	0.2%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.6%	0.1%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 9	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
	Grade 10	99.2%	0.2%	0.1%	0.1%	0.1%	0.2%	0.0%
	Grade 11	99.4%	0.1%	0.0%	0.0%	0.2%	0.1%	0.3%
	Grade 12	99.3%	0.0%	0.1%	0.1%	0.0%	0.4%	0.2%
Synthetic Marijuana?								
	All	97.4%	0.1%	0.2%	0.3%	0.5%	0.6%	0.9%
	Grade 7	99.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.3%
	Grade 8	98.0%	0.1%	0.3%	0.4%	0.5%	0.2%	0.5%
	Grade 9	97.3%	0.0%	0.2%	0.5%	0.6%	0.7%	0.7%
	Grade 10	96.4%	0.2%	0.4%	0.4%	0.6%	1.0%	1.0%
	Grade 11	96.0%	0.1%	0.3%	0.3%	0.8%	1.0%	1.4%
	Grade 12	97.3%	0.1%	0.1%	0.0%	0.3%	0.7%	1.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.9	11.3	12.1	13.1	13.8	14.4	15.2
Cocaine	14.3	11.2	12.1	13.0	14.4	14.6	15.8
Crack	13.4	11.6	12.3	13.8	14.3	13.8	14.3
Steroids	12.4	9.8	10.7	12.0	13.7	12.9	13.8
Ecstasy	14.6	11.5	12.3	13.6	13.9	15.2	15.8
Heroin	12.7	9.8	10.5	13.7	13.9	13.5	15.3
Methamphetamine	13.6	10.5	11.9	12.5	13.6	15.3	16.2
Synthetic Marijuana	13.8	11.0	11.9	13.6	13.7	14.7	15.4

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?	All	30.7%	23.3%	7.6%	8.9%	12.0%	17.5%
	Grade 7	43.7%	38.2%	7.2%	4.6%	3.3%	3.0%
	Grade 8	33.9%	33.8%	9.1%	7.3%	7.2%	8.8%
	Grade 9	28.9%	23.8%	9.2%	10.9%	13.5%	13.7%
	Grade 10	25.3%	16.5%	7.7%	11.4%	15.5%	23.5%
	Grade 11	25.0%	13.1%	7.5%	10.1%	16.5%	27.8%
	Grade 12	25.3%	9.6%	4.4%	9.3%	17.8%	33.6%
Cocaine?	All	40.2%	34.1%	11.7%	6.9%	3.2%	3.8%
	Grade 7	46.5%	43.1%	6.1%	2.3%	1.1%	0.9%
	Grade 8	39.9%	42.1%	9.5%	4.4%	1.7%	2.4%
	Grade 9	37.6%	36.7%	12.8%	7.3%	3.0%	2.6%
	Grade 10	36.9%	29.7%	14.3%	8.9%	4.6%	5.5%
	Grade 11	38.2%	26.7%	14.7%	9.6%	4.9%	5.9%
	Grade 12	42.1%	22.5%	14.0%	9.8%	4.7%	6.8%
Crack?	All	42.4%	35.0%	11.8%	5.6%	2.2%	3.0%
	Grade 7	48.0%	42.0%	6.0%	2.1%	1.0%	0.9%
	Grade 8	41.7%	42.2%	8.9%	3.6%	1.3%	2.2%
	Grade 9	39.6%	37.3%	12.7%	5.8%	2.3%	2.3%
	Grade 10	39.3%	31.5%	14.0%	7.5%	2.9%	4.7%
	Grade 11	40.8%	28.6%	15.9%	7.4%	3.0%	4.3%
	Grade 12	45.2%	25.5%	14.4%	7.8%	3.2%	4.0%
Steroids?	All	44.5%	32.4%	11.3%	6.1%	2.7%	3.0%
	Grade 7	50.4%	38.4%	6.5%	2.9%	0.9%	1.0%
	Grade 8	44.5%	38.1%	9.4%	4.5%	1.4%	2.1%
	Grade 9	41.5%	35.4%	11.7%	6.5%	2.6%	2.3%
	Grade 10	40.8%	29.3%	13.7%	7.2%	4.1%	4.9%
	Grade 11	43.0%	26.3%	14.4%	7.6%	4.1%	4.6%
	Grade 12	47.0%	24.4%	13.0%	8.3%	3.8%	3.6%
Ecstasy?	All	51.1%	27.7%	9.1%	5.1%	3.3%	3.8%
	Grade 7	62.1%	30.7%	4.4%	1.4%	0.6%	0.7%
	Grade 8	55.5%	31.5%	7.0%	2.9%	1.2%	1.9%
	Grade 9	48.9%	30.6%	9.1%	5.1%	3.4%	2.9%
	Grade 10	45.8%	25.8%	11.7%	6.4%	4.6%	5.6%
	Grade 11	45.9%	24.2%	11.6%	8.5%	4.6%	5.2%
	Grade 12	46.6%	21.7%	11.4%	7.4%	5.7%	7.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 21 of 127

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?						
All	46.7%	35.6%	10.1%	3.8%	1.4%	2.3%
Grade 7	53.7%	37.7%	5.1%	1.7%	0.6%	1.1%
Grade 8	47.6%	38.8%	8.3%	2.6%	1.1%	1.6%
Grade 9	44.1%	38.4%	10.4%	3.7%	1.5%	1.8%
Grade 10	42.1%	35.2%	11.8%	5.8%	1.7%	3.4%
Grade 11	44.5%	31.9%	13.7%	4.9%	1.8%	3.3%
Grade 12	48.1%	30.2%	12.2%	4.6%	1.7%	3.1%
Methamphetamine?						
All	48.6%	33.4%	9.6%	3.9%	1.9%	2.7%
Grade 7	57.3%	34.9%	4.6%	1.7%	0.6%	0.8%
Grade 8	51.3%	35.6%	7.5%	2.9%	0.8%	1.8%
Grade 9	45.9%	35.4%	10.6%	4.2%	1.8%	2.2%
Grade 10	43.0%	33.4%	11.4%	5.5%	3.0%	3.8%
Grade 11	45.8%	30.4%	13.0%	4.3%	2.6%	4.0%
Grade 12	47.3%	29.3%	11.3%	5.2%	2.8%	4.1%
Synthetic Marijuana?						
All	49.5%	27.1%	7.7%	5.6%	4.6%	5.4%
Grade 7	59.0%	32.3%	4.4%	2.1%	1.0%	1.2%
Grade 8	52.3%	31.9%	6.5%	3.5%	2.3%	3.5%
Grade 9	47.7%	29.1%	7.8%	5.5%	5.0%	4.8%
Grade 10	43.7%	24.5%	8.6%	7.9%	7.3%	8.0%
Grade 11	45.1%	21.7%	10.3%	7.7%	6.3%	8.8%
Grade 12	48.2%	21.2%	9.4%	7.8%	6.2%	7.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 22 of 127

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	92.4%	4.1%	1.3%	2.2%
Grade 7	98.5%	1.1%	0.3%	0.1%
Grade 8	95.6%	2.6%	0.9%	0.9%
Grade 9	92.0%	3.6%	1.6%	2.9%
Grade 10	91.4%	5.3%	1.7%	1.7%
Grade 11	88.2%	6.1%	1.8%	3.9%
Grade 12	87.2%	6.9%	1.5%	4.4%
Attended Class While High from Use of Some Other Drug?				
All	96.9%	2.0%	0.5%	0.6%
Grade 7	98.5%	1.2%	0.2%	0.1%
Grade 8	97.0%	2.2%	0.4%	0.4%
Grade 9	96.2%	2.1%	0.8%	0.9%
Grade 10	96.7%	2.1%	0.4%	0.8%
Grade 11	95.8%	2.6%	0.7%	0.8%
Grade 12	96.8%	1.8%	0.5%	0.9%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.3
Marijuana Non-Users	3.2
Average Days Conduct Problems Reported	
Marijuana Users	2.9
Marijuana Non-Users	0.9

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	94.1%	3.4%	1.0%	1.5%
Grade 9	98.2%	1.1%	0.3%	0.4%
Grade 10	96.2%	2.3%	0.6%	0.9%
Grade 11	92.5%	4.4%	1.1%	2.0%
Grade 12	88.2%	6.4%	2.1%	3.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.7%	2.7%	0.3%	0.3%
Grade 7	98.4%	1.4%	0.1%	0.1%
Grade 8	96.9%	2.4%	0.5%	0.2%
Grade 9	96.6%	2.5%	0.3%	0.6%
Grade 10	95.5%	3.8%	0.5%	0.3%
Grade 11	96.1%	3.2%	0.5%	0.2%
Grade 12	96.5%	3.2%	0.1%	0.2%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	61.6%	16.9%	9.9%	8.9%	2.7%
Grade 7	86.7%	9.3%	2.1%	1.3%	0.6%
Grade 8	74.9%	14.2%	5.6%	3.9%	1.3%
Grade 9	62.6%	17.4%	9.1%	7.7%	3.2%
Grade 10	51.1%	20.5%	12.8%	11.6%	4.1%
Grade 11	47.2%	20.3%	15.1%	14.3%	3.2%
Grade 12	40.3%	21.1%	17.0%	17.1%	4.5%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	60.9%	5.7%	3.7%	5.1%	5.3%	2.6%	16.7%
Grade 7	83.3%	2.4%	0.8%	0.9%	0.5%	1.6%	10.6%
Grade 8	73.5%	4.4%	2.2%	2.1%	2.2%	2.1%	13.5%
Grade 9	60.3%	5.0%	3.7%	4.4%	3.7%	3.8%	19.1%
Grade 10	51.2%	8.3%	5.0%	6.7%	5.8%	3.2%	19.6%
Grade 11	48.4%	6.2%	5.0%	9.0%	8.8%	2.4%	20.1%
Grade 12	43.4%	8.5%	6.2%	9.0%	12.7%	2.1%	18.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	75.3%	7.1%	7.0%	1.9%	1.3%	7.5%
Grade 7	83.9%	2.9%	2.2%	0.7%	0.3%	9.9%
Grade 8	82.2%	4.2%	3.6%	1.5%	1.0%	7.5%
Grade 9	77.2%	7.3%	5.4%	1.8%	1.3%	7.1%
Grade 10	70.9%	9.4%	8.3%	1.7%	1.9%	7.8%
Grade 11	70.2%	8.7%	10.4%	2.3%	2.1%	6.4%
Grade 12	65.2%	10.9%	13.4%	3.4%	1.1%	5.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	56.9%	14.3%	12.9%	10.5%	5.3%
	Grade 7	78.3%	10.4%	3.5%	2.6%	5.2%
	Grade 8	68.2%	12.7%	8.2%	5.6%	5.3%
	Grade 9	59.8%	15.4%	11.6%	7.9%	5.3%
	Grade 10	47.4%	16.1%	16.5%	14.1%	5.8%
	Grade 11	43.5%	15.4%	19.2%	16.4%	5.5%
	Grade 12	38.7%	16.2%	21.4%	19.0%	4.7%
Cocaine?						
	All	86.4%	6.7%	0.9%	0.4%	5.6%
	Grade 7	88.1%	5.7%	0.6%	0.3%	5.2%
	Grade 8	86.2%	7.1%	0.7%	0.4%	5.5%
	Grade 9	86.1%	7.0%	0.8%	0.4%	5.7%
	Grade 10	85.0%	7.6%	1.1%	0.5%	5.9%
	Grade 11	85.8%	6.8%	1.2%	0.7%	5.4%
	Grade 12	86.9%	6.2%	0.8%	0.3%	5.8%
Crack?						
	All	87.1%	5.9%	0.7%	0.4%	5.9%
	Grade 7	87.2%	6.2%	0.6%	0.3%	5.7%
	Grade 8	86.3%	6.3%	1.0%	0.4%	5.9%
	Grade 9	87.0%	6.1%	0.8%	0.4%	5.8%
	Grade 10	86.2%	6.3%	0.9%	0.3%	6.2%
	Grade 11	87.1%	5.8%	0.4%	0.7%	6.0%
	Grade 12	89.0%	4.2%	0.6%	0.3%	5.9%
Ecstasy?						
	All	80.6%	7.8%	1.9%	0.7%	9.0%
	Grade 7	83.3%	5.0%	0.8%	0.4%	10.5%
	Grade 8	80.7%	6.8%	1.2%	0.6%	10.7%
	Grade 9	80.2%	8.5%	1.7%	0.5%	9.0%
	Grade 10	79.1%	9.1%	2.0%	1.2%	8.6%
	Grade 11	78.9%	9.8%	2.8%	0.8%	7.7%
	Grade 12	81.1%	8.0%	3.1%	0.8%	6.9%
Steroids?						
	All	76.5%	11.7%	3.3%	0.9%	7.5%
	Grade 7	81.2%	9.2%	1.9%	0.5%	7.2%
	Grade 8	78.2%	10.3%	2.6%	0.8%	8.0%
	Grade 9	76.0%	12.2%	3.8%	1.1%	6.9%
	Grade 10	74.8%	12.7%	3.5%	1.1%	7.9%
	Grade 11	73.0%	14.0%	4.2%	1.2%	7.5%
	Grade 12	75.3%	12.1%	4.3%	0.7%	7.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 26 of 127

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	87.9%	4.5%	0.6%	0.4%	6.6%
	Grade 7	86.9%	4.7%	0.5%	0.4%	7.5%
	Grade 8	86.5%	5.2%	0.8%	0.5%	6.9%
	Grade 9	87.8%	4.9%	0.6%	0.3%	6.3%
	Grade 10	88.2%	4.4%	0.8%	0.3%	6.3%
	Grade 11	88.5%	4.2%	0.3%	0.7%	6.2%
	Grade 12	89.7%	3.3%	0.2%	0.4%	6.5%
Methamphetamine?						
	All	87.5%	4.6%	0.7%	0.5%	6.9%
	Grade 7	87.2%	4.2%	0.6%	0.4%	7.6%
	Grade 8	85.9%	5.1%	0.9%	0.4%	7.6%
	Grade 9	87.2%	5.0%	0.6%	0.4%	6.8%
	Grade 10	87.0%	5.1%	1.1%	0.4%	6.4%
	Grade 11	88.9%	4.0%	0.4%	0.9%	5.9%
	Grade 12	89.2%	3.6%	0.2%	0.4%	6.6%
Synthetic Marijuana?						
	All	80.0%	7.9%	2.6%	1.1%	8.4%
	Grade 7	83.8%	5.5%	1.2%	0.8%	8.7%
	Grade 8	80.8%	7.0%	2.4%	1.0%	8.9%
	Grade 9	79.3%	8.6%	2.9%	1.0%	8.3%
	Grade 10	78.5%	8.9%	3.5%	1.3%	7.9%
	Grade 11	78.4%	8.6%	3.1%	1.4%	8.5%
	Grade 12	78.9%	8.8%	2.8%	1.2%	8.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	6.1%	8.9%	17.2%	82.8%
Grade 7	5.3%	7.7%	13.7%	86.3%
Grade 8	6.9%	10.0%	18.3%	81.7%
Grade 9	7.0%	9.2%	17.3%	82.7%
Grade 10	5.5%	8.9%	16.9%	83.1%
Grade 11	6.0%	8.8%	17.2%	82.8%
Grade 12	5.7%	8.6%	20.3%	79.7%
Codeine Cough Syrup?				
All	2.8%	4.7%	10.9%	89.1%
Grade 7	3.0%	4.9%	9.5%	90.5%
Grade 8	3.5%	5.8%	12.1%	87.9%
Grade 9	3.5%	5.2%	12.0%	88.0%
Grade 10	2.1%	4.3%	10.0%	90.0%
Grade 11	2.3%	3.9%	9.8%	90.2%
Grade 12	2.3%	4.0%	11.7%	88.3%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	0.7%	1.2%	2.9%	97.1%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 8	0.6%	0.8%	1.5%	98.5%
Grade 9	1.0%	1.2%	2.5%	97.5%
Grade 10	0.7%	1.2%	2.6%	97.4%
Grade 11	1.1%	1.8%	4.6%	95.4%
Grade 12	1.0%	2.0%	6.6%	93.4%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.2%	2.0%	4.6%	95.4%
Grade 7	0.4%	0.9%	1.9%	98.1%
Grade 8	0.9%	1.7%	3.6%	96.4%
Grade 9	1.7%	2.7%	4.6%	95.4%
Grade 10	1.1%	2.1%	4.9%	95.1%
Grade 11	1.8%	2.7%	6.4%	93.6%
Grade 12	1.2%	2.3%	7.1%	92.9%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.8%	2.7%	5.1%	94.9%
Grade 7	0.8%	1.2%	2.6%	97.4%
Grade 8	1.3%	1.9%	3.4%	96.6%
Grade 9	2.1%	2.8%	5.0%	95.0%
Grade 10	1.9%	3.1%	5.2%	94.8%
Grade 11	2.6%	3.6%	6.3%	93.7%
Grade 12	2.3%	3.9%	9.0%	91.0%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 28 of 127

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.9%	4.3%	8.3%	91.7%
Grade 7	2.6%	4.4%	8.6%	91.4%
Grade 8	3.6%	5.0%	9.5%	90.5%
Grade 9	3.3%	4.6%	8.5%	91.5%
Grade 10	3.2%	4.2%	8.2%	91.8%
Grade 11	2.6%	4.0%	7.1%	92.9%
Grade 12	2.0%	3.2%	7.4%	92.6%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.3%	1.6%	3.1%	96.9%
Grade 7	1.3%	1.8%	3.2%	96.8%
Grade 8	1.8%	2.1%	3.7%	96.3%
Grade 9	1.2%	1.6%	3.3%	96.7%
Grade 10	1.0%	1.3%	3.2%	96.8%
Grade 11	1.1%	1.6%	2.6%	97.4%
Grade 12	1.0%	1.1%	2.7%	97.3%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	73.6%	13.8%	4.0%	1.3%	7.2%
Grade 7	79.5%	8.9%	2.8%	0.8%	7.9%
Grade 8	74.7%	12.6%	4.1%	1.7%	6.8%
Grade 9	72.6%	15.0%	4.4%	1.5%	6.6%
Grade 10	71.8%	15.4%	4.6%	1.6%	6.7%
Grade 11	70.5%	15.7%	5.1%	1.3%	7.4%
Grade 12	71.8%	16.1%	3.4%	0.9%	7.8%

Percentages have been weighted to reflect proportions within the population.

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.4%	6.0%	12.5%	87.5%
Grade 7	5.5%	6.8%	14.6%	85.4%
Grade 8	6.2%	8.0%	15.4%	84.6%
Grade 9	4.1%	6.0%	12.4%	87.6%
Grade 10	3.8%	6.0%	12.2%	87.8%
Grade 11	2.9%	3.9%	10.1%	89.9%
Grade 12	3.3%	4.4%	9.6%	90.4%
Spray Paint?				
All	0.4%	0.7%	2.2%	97.8%
Grade 7	0.6%	0.7%	2.2%	97.8%
Grade 8	0.7%	1.0%	2.8%	97.2%
Grade 9	0.2%	0.4%	1.6%	98.4%
Grade 10	0.4%	0.7%	2.7%	97.3%
Grade 11	0.4%	0.6%	1.5%	98.5%
Grade 12	0.4%	0.6%	2.2%	97.8%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.1%	1.8%	5.4%	94.6%
Grade 7	1.4%	2.3%	6.9%	93.1%
Grade 8	1.8%	2.9%	7.1%	92.9%
Grade 9	1.1%	2.1%	5.6%	94.4%
Grade 10	1.0%	1.8%	5.5%	94.5%
Grade 11	0.4%	0.5%	3.3%	96.7%
Grade 12	0.7%	1.1%	3.4%	96.6%
Computer Dusting Sprays?				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.1%	0.4%	0.8%	99.2%
Grade 9	0.2%	0.4%	0.7%	99.3%
Grade 10	0.6%	0.8%	1.7%	98.3%
Grade 11	0.2%	0.4%	1.1%	98.9%
Grade 12	0.4%	0.5%	1.1%	98.9%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.2%	1.8%	5.9%	94.1%
Grade 7	1.5%	2.3%	6.6%	93.4%
Grade 8	1.9%	2.6%	7.5%	92.5%
Grade 9	0.8%	1.4%	5.4%	94.6%
Grade 10	0.9%	1.9%	6.5%	93.5%
Grade 11	0.9%	1.3%	4.4%	95.6%
Grade 12	0.8%	1.2%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 30 of 127

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.4%	0.6%	1.6%	98.4%
Grade 8	0.3%	0.7%	1.6%	98.4%
Grade 9	0.5%	0.5%	1.0%	99.0%
Grade 10	0.2%	0.3%	1.1%	98.9%
Grade 11	0.2%	0.2%	0.9%	99.1%
Grade 12	0.3%	0.5%	1.2%	98.8%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.4%	1.1%	98.9%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	0.2%	0.4%	0.9%	99.1%
Grade 9	0.2%	0.4%	0.8%	99.2%
Grade 10	0.1%	0.3%	1.4%	98.6%
Grade 11	0.3%	0.4%	1.0%	99.0%
Grade 12	0.5%	0.7%	1.2%	98.8%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.7%	0.9%	2.3%	97.7%
Grade 7	0.7%	0.9%	2.5%	97.5%
Grade 8	0.9%	1.3%	2.9%	97.1%
Grade 9	0.5%	0.7%	1.9%	98.1%
Grade 10	0.5%	0.9%	2.2%	97.8%
Grade 11	0.6%	1.1%	2.0%	98.0%
Grade 12	0.8%	0.8%	2.0%	98.0%
Other Aerosols/Sprays?				
All	0.4%	0.7%	1.7%	98.3%
Grade 7	0.5%	0.8%	2.3%	97.7%
Grade 8	0.5%	0.8%	2.1%	97.9%
Grade 9	0.7%	0.7%	1.3%	98.7%
Grade 10	0.3%	0.6%	1.6%	98.4%
Grade 11	0.2%	0.5%	1.3%	98.7%
Grade 12	0.4%	0.5%	1.2%	98.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 31 of 127

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.9%	0.1%	0.3%	0.2%	0.6%	0.5%	1.5%
Grade 7	96.1%	0.1%	0.6%	0.2%	0.8%	0.6%	1.5%
Grade 8	96.4%	0.1%	0.2%	0.4%	0.9%	0.7%	1.3%
Grade 9	97.0%	0.1%	0.3%	0.2%	0.4%	0.5%	1.4%
Grade 10	96.5%	0.0%	0.2%	0.3%	0.4%	0.5%	2.1%
Grade 11	97.5%	0.0%	0.1%	0.2%	0.4%	0.4%	1.4%
Grade 12	97.8%	0.0%	0.2%	0.0%	0.5%	0.3%	1.2%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	89.4%	6.1%	3.3%	1.3%
Grade 7	87.8%	6.7%	4.0%	1.5%
Grade 8	86.5%	7.9%	4.0%	1.6%
Grade 9	89.4%	6.7%	3.1%	0.8%
Grade 10	89.3%	5.6%	3.3%	1.8%
Grade 11	91.8%	4.8%	2.7%	0.8%
Grade 12	92.2%	4.2%	2.4%	1.3%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.8	10.5	11.1	11.7	12.6	12.6	13.9

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.7%	0.9%	0.2%	0.2%
Grade 7	98.8%	0.8%	0.1%	0.3%
Grade 8	98.4%	1.3%	0.1%	0.1%
Grade 9	98.4%	1.0%	0.4%	0.2%
Grade 10	98.4%	1.1%	0.0%	0.4%
Grade 11	99.1%	0.6%	0.1%	0.2%
Grade 12	99.3%	0.3%	0.3%	0.1%

Percentages have been weighted to reflect proportions within the population.

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.3
Inhalant Non-Users	3.3
Average Days Conduct Problems Reported	
Inhalant Users	3.8
Inhalant Non-Users	1.1

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	93.1%	4.5%	1.5%	0.5%	0.4%
Grade 7	92.7%	4.8%	1.4%	0.7%	0.5%
Grade 8	92.1%	5.3%	1.9%	0.5%	0.2%
Grade 9	92.0%	5.3%	1.9%	0.4%	0.4%
Grade 10	93.5%	4.1%	1.4%	0.6%	0.5%
Grade 11	94.0%	4.0%	1.4%	0.3%	0.3%
Grade 12	95.0%	3.3%	1.0%	0.6%	0.2%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	70.3%	15.1%	5.0%	1.5%	8.1%
Grade 7	73.8%	13.4%	4.2%	1.3%	7.3%
Grade 8	70.1%	14.2%	5.9%	1.7%	8.2%
Grade 9	69.4%	17.5%	5.1%	1.2%	6.9%
Grade 10	67.5%	15.4%	5.8%	1.9%	9.5%
Grade 11	69.4%	16.0%	5.3%	1.1%	8.2%
Grade 12	72.0%	14.0%	3.7%	1.6%	8.7%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	43.3%	16.5%	4.4%	5.2%	8.5%	22.1%
Grade 7	48.8%	24.1%	4.4%	4.4%	6.6%	11.6%
Grade 8	43.5%	22.0%	4.7%	5.8%	7.4%	16.7%
Grade 9	40.3%	17.3%	5.6%	5.8%	9.3%	21.8%
Grade 10	38.9%	11.9%	4.3%	6.2%	10.1%	28.6%
Grade 11	41.7%	11.5%	3.7%	5.0%	9.0%	29.1%
Grade 12	46.7%	9.8%	3.4%	3.7%	9.1%	27.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	39.7%
	Grade 7	35.7%
	Grade 8	46.3%
	Grade 9	40.0%
	Grade 10	41.3%
	Grade 11	36.9%
	Grade 12	37.7%
An Assembly Program		
	All	41.4%
	Grade 7	42.5%
	Grade 8	48.3%
	Grade 9	41.2%
	Grade 10	40.6%
	Grade 11	34.8%
	Grade 12	39.9%
Guidance Counselor		
	All	24.3%
	Grade 7	28.0%
	Grade 8	31.4%
	Grade 9	22.1%
	Grade 10	20.8%
	Grade 11	20.6%
	Grade 12	22.2%
School Nurse		
	All	15.2%
	Grade 7	18.3%
	Grade 8	19.3%
	Grade 9	13.0%
	Grade 10	13.8%
	Grade 11	12.3%
	Grade 12	14.0%
Science or Social Studies Class		
	All	28.3%
	Grade 7	29.4%
	Grade 8	28.6%
	Grade 9	32.4%
	Grade 10	27.0%
	Grade 11	22.9%
	Grade 12	29.0%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 34 of 127

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

	Yes
Student Group or Club Meeting at School	
All	13.5%
Grade 7	11.5%
Grade 8	14.5%
Grade 9	13.5%
Grade 10	12.5%
Grade 11	14.0%
Grade 12	15.0%
An Invited School Guest	
All	29.4%
Grade 7	27.2%
Grade 8	31.2%
Grade 9	29.2%
Grade 10	30.3%
Grade 11	27.5%
Grade 12	31.6%
Another Source at School	
All	28.4%
Grade 7	26.6%
Grade 8	32.2%
Grade 9	28.7%
Grade 10	27.7%
Grade 11	27.3%
Grade 12	27.7%
Any School Source	
All	66.9%
Grade 7	66.1%
Grade 8	70.8%
Grade 9	68.7%
Grade 10	68.2%
Grade 11	61.7%
Grade 12	64.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 35 of 127

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
<hr/>		
Counselor/Program In-School		
	All	37.1%
	Grade 7	50.1%
	Grade 8	43.1%
	Grade 9	37.1%
	Grade 10	30.2%
	Grade 11	30.2%
	Grade 12	29.4%
School Nurse		
	All	22.3%
	Grade 7	33.0%
	Grade 8	26.2%
	Grade 9	21.6%
	Grade 10	16.9%
	Grade 11	17.9%
	Grade 12	16.3%
Another Adult In School		
	All	42.6%
	Grade 7	51.0%
	Grade 8	46.3%
	Grade 9	40.1%
	Grade 10	37.4%
	Grade 11	39.3%
	Grade 12	40.6%
Counselor/Program Outside-School		
	All	40.1%
	Grade 7	47.4%
	Grade 8	43.3%
	Grade 9	38.6%
	Grade 10	35.5%
	Grade 11	36.7%
	Grade 12	38.5%
Your Parents		
	All	69.0%
	Grade 7	76.7%
	Grade 8	72.5%
	Grade 9	67.9%
	Grade 10	62.7%
	Grade 11	66.0%
	Grade 12	67.2%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 36 of 127

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	56.7%
	Grade 7	69.0%
	Grade 8	64.1%
	Grade 9	54.6%
	Grade 10	47.6%
	Grade 11	51.3%
	Grade 12	52.1%
Your Friends		
	All	63.7%
	Grade 7	52.5%
	Grade 8	60.1%
	Grade 9	63.2%
	Grade 10	68.5%
	Grade 11	68.9%
	Grade 12	71.1%
Another Adult		
	All	58.7%
	Grade 7	63.6%
	Grade 8	61.9%
	Grade 9	56.9%
	Grade 10	54.9%
	Grade 11	56.3%
	Grade 12	58.1%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	6.2%
	Grade 7	5.5%
	Grade 8	6.0%
	Grade 9	8.6%
	Grade 10	6.4%
	Grade 11	5.0%
	Grade 12	5.6%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 37 of 127

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	5.3%	20.6%	23.2%	36.3%	14.6%
Grade 7	6.7%	18.3%	18.5%	35.3%	21.2%
Grade 8	5.9%	19.9%	21.4%	36.6%	16.2%
Grade 9	4.0%	20.2%	26.6%	35.7%	13.5%
Grade 10	4.9%	22.6%	24.3%	37.3%	10.9%
Grade 11	4.9%	20.7%	24.1%	36.7%	13.6%
Grade 12	5.2%	22.7%	24.7%	36.1%	11.3%
Sometimes Carry Weapons?					
All	79.8%	12.8%	4.4%	2.0%	0.9%
Grade 7	87.6%	8.5%	2.2%	1.2%	0.6%
Grade 8	83.7%	11.3%	3.1%	1.2%	0.7%
Grade 9	80.6%	13.7%	3.5%	1.2%	1.0%
Grade 10	76.4%	14.7%	5.1%	2.5%	1.3%
Grade 11	75.5%	14.5%	6.3%	2.8%	0.9%
Grade 12	72.7%	15.2%	7.3%	3.8%	1.1%
Care About Making Good Grades?					
All	1.9%	11.2%	23.6%	43.1%	20.2%
Grade 7	2.5%	11.3%	23.8%	38.1%	24.2%
Grade 8	2.0%	11.4%	24.8%	40.6%	21.2%
Grade 9	1.7%	10.9%	22.8%	45.4%	19.2%
Grade 10	1.8%	11.4%	24.8%	45.5%	16.6%
Grade 11	1.4%	9.9%	23.5%	45.1%	20.2%
Grade 12	2.1%	12.6%	21.5%	44.4%	19.4%
Belong/Want to Belong to a Gang?					
All	85.2%	9.8%	3.0%	1.1%	0.8%
Grade 7	86.2%	9.0%	2.8%	1.2%	0.8%
Grade 8	83.6%	11.0%	3.4%	1.0%	1.0%
Grade 9	84.1%	10.7%	3.3%	1.3%	0.6%
Grade 10	84.1%	10.4%	3.0%	1.5%	0.9%
Grade 11	85.7%	9.9%	2.7%	0.9%	0.8%
Grade 12	88.3%	7.1%	2.9%	1.0%	0.7%
Wish They Could Drop Out of School?					
All	46.6%	30.1%	13.3%	6.2%	3.8%
Grade 7	55.2%	25.4%	10.5%	5.9%	3.0%
Grade 8	49.4%	31.6%	11.7%	4.6%	2.7%
Grade 9	44.6%	30.8%	14.0%	6.6%	4.1%
Grade 10	40.5%	33.0%	15.2%	7.3%	4.0%
Grade 11	43.7%	30.4%	15.0%	6.2%	4.6%
Grade 12	45.0%	29.8%	13.7%	7.0%	4.6%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 38 of 127

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	86.0%	11.9%	0.9%	0.3%	1.0%
Grade 7	85.5%	12.7%	1.0%	0.1%	0.7%
Grade 8	84.3%	13.0%	0.8%	0.3%	1.6%
Grade 9	85.6%	12.3%	0.8%	0.5%	0.8%
Grade 10	84.8%	12.8%	1.0%	0.5%	0.8%
Grade 11	87.9%	10.1%	0.6%	0.4%	1.0%
Grade 12	88.4%	9.6%	1.0%	0.1%	0.8%
Out In Your Neighborhood?					
All	47.4%	43.0%	5.5%	1.4%	2.7%
Grade 7	43.0%	44.6%	6.6%	1.8%	3.9%
Grade 8	42.2%	47.7%	5.9%	1.3%	2.8%
Grade 9	46.4%	44.2%	5.6%	1.2%	2.5%
Grade 10	49.0%	41.9%	5.2%	1.4%	2.5%
Grade 11	52.3%	39.7%	4.4%	0.8%	2.7%
Grade 12	53.0%	38.7%	5.0%	1.6%	1.7%
At School?					
All	37.2%	46.8%	8.6%	3.7%	3.8%
Grade 7	41.7%	44.7%	7.5%	3.1%	2.9%
Grade 8	38.8%	44.2%	9.2%	4.0%	3.8%
Grade 9	34.2%	50.1%	8.2%	3.5%	4.0%
Grade 10	33.1%	50.4%	8.9%	3.5%	4.1%
Grade 11	36.9%	44.5%	9.7%	4.7%	4.3%
Grade 12	38.2%	46.8%	7.9%	3.6%	3.5%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 39 of 127

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.2%	17.9%	30.2%	69.8%
Grade 7	4.4%	5.8%	13.2%	86.8%
Grade 8	9.6%	12.1%	23.1%	76.9%
Grade 9	13.7%	16.5%	27.7%	72.3%
Grade 10	16.8%	22.0%	37.3%	62.7%
Grade 11	19.1%	24.1%	38.9%	61.1%
Grade 12	24.7%	30.9%	45.7%	54.3%
Any Alcohol Product				
All	27.4%	32.4%	50.5%	49.5%
Grade 7	16.5%	18.8%	35.9%	64.1%
Grade 8	21.5%	24.8%	43.5%	56.5%
Grade 9	26.0%	31.0%	50.8%	49.2%
Grade 10	30.8%	36.5%	55.8%	44.2%
Grade 11	31.9%	39.0%	57.1%	42.9%
Grade 12	41.6%	48.7%	63.9%	36.1%
Any Illicit Drug				
All	13.0%	17.1%	22.7%	77.3%
Grade 7	4.4%	6.0%	7.7%	92.3%
Grade 8	7.8%	10.9%	14.7%	85.3%
Grade 9	12.1%	15.7%	18.9%	81.1%
Grade 10	15.1%	20.2%	27.7%	72.3%
Grade 11	18.8%	24.2%	31.5%	68.5%
Grade 12	22.4%	29.4%	41.0%	59.0%
Any Prescription Drug				
All	6.1%	8.9%	17.2%	82.8%
Grade 7	5.3%	7.7%	13.7%	86.3%
Grade 8	6.9%	10.0%	18.3%	81.7%
Grade 9	7.0%	9.2%	17.3%	82.7%
Grade 10	5.5%	8.9%	16.9%	83.1%
Grade 11	6.0%	8.8%	17.2%	82.8%
Grade 12	5.7%	8.6%	20.3%	79.7%
Any Inhalant				
All	4.4%	6.0%	12.5%	87.5%
Grade 7	5.5%	6.8%	14.6%	85.4%
Grade 8	6.2%	8.0%	15.4%	84.6%
Grade 9	4.1%	6.0%	12.4%	87.6%
Grade 10	3.8%	6.0%	12.2%	87.8%
Grade 11	2.9%	3.9%	10.1%	89.9%
Grade 12	3.3%	4.4%	9.6%	90.4%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 41 of 127

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.9%	15.1%	27.0%	73.0%
Grade 7	2.6%	4.1%	10.5%	89.5%
Grade 8	6.9%	9.7%	20.2%	79.8%
Grade 9	10.2%	13.8%	25.1%	74.9%
Grade 10	12.7%	18.7%	33.3%	66.7%
Grade 11	15.3%	20.7%	35.5%	64.5%
Grade 12	20.4%	27.2%	41.8%	58.2%
Marijuana				
All	12.4%	15.1%	20.8%	79.2%
Grade 7	3.4%	3.9%	5.3%	94.7%
Grade 8	7.1%	8.3%	11.7%	88.3%
Grade 9	11.6%	13.8%	17.4%	82.6%
Grade 10	14.9%	18.5%	25.9%	74.1%
Grade 11	18.3%	22.6%	30.6%	69.4%
Grade 12	22.0%	27.4%	39.9%	60.1%
Marijuana Only				
All	7.0%	9.0%	13.8%	86.2%
Grade 7	1.7%	2.1%	3.1%	96.9%
Grade 8	3.9%	4.8%	7.5%	92.5%
Grade 9	6.2%	7.9%	10.9%	89.1%
Grade 10	8.5%	11.4%	17.4%	82.6%
Grade 11	10.3%	13.4%	20.0%	80.0%
Grade 12	12.9%	17.0%	27.6%	72.4%
Cocaine or Crack				
All	1.4%	1.6%	2.6%	97.4%
Grade 7	1.0%	1.0%	1.5%	98.5%
Grade 8	1.0%	1.1%	1.5%	98.5%
Grade 9	1.1%	1.2%	1.8%	98.2%
Grade 10	1.6%	2.1%	3.2%	96.8%
Grade 11	2.0%	2.2%	3.5%	96.5%
Grade 12	2.1%	2.5%	4.8%	95.2%
Cocaine				
All	1.2%	1.4%	2.3%	97.7%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.7%	0.8%	1.3%	98.7%
Grade 9	1.1%	1.1%	1.7%	98.3%
Grade 10	1.4%	1.8%	2.9%	97.1%
Grade 11	1.9%	2.1%	3.2%	96.8%
Grade 12	2.0%	2.4%	4.7%	95.3%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 42 of 127

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.5%	0.6%	0.9%	99.1%
	Grade 7	0.7%	0.7%	1.0%	99.0%
	Grade 8	0.5%	0.5%	0.9%	99.1%
	Grade 9	0.4%	0.4%	0.7%	99.3%
	Grade 10	0.6%	0.9%	1.1%	98.9%
	Grade 11	0.4%	0.5%	0.9%	99.1%
	Grade 12	0.5%	0.6%	1.1%	98.9%
	Hallucinogens	All	1.2%	1.7%	3.4%
Grade 7		0.2%	0.2%	0.8%	99.2%
Grade 8		0.5%	0.6%	1.5%	98.5%
Grade 9		1.1%	1.6%	2.7%	97.3%
Grade 10		1.5%	1.9%	3.8%	96.2%
Grade 11		1.8%	2.6%	5.1%	94.9%
Grade 12		2.2%	3.8%	7.3%	92.7%
Synthetic Cathinones		All	0.2%	0.2%	0.5%
	Grade 7	0.1%	0.1%	0.7%	99.3%
	Grade 8	0.1%	0.2%	0.4%	99.6%
	Grade 9	0.2%	0.2%	0.4%	99.6%
	Grade 10	0.3%	0.3%	0.5%	99.5%
	Grade 11	0.2%	0.3%	0.4%	99.6%
	Grade 12	0.1%	0.2%	0.4%	99.6%
	Steroids	All	0.3%	0.5%	1.3%
Grade 7		0.2%	0.4%	1.3%	98.7%
Grade 8		0.4%	0.6%	1.3%	98.7%
Grade 9		0.3%	0.4%	1.3%	98.7%
Grade 10		0.3%	0.7%	1.9%	98.1%
Grade 11		0.2%	0.3%	1.0%	99.0%
Grade 12		0.2%	0.5%	1.3%	98.7%
Ecstasy		All	0.6%	0.9%	2.1%
	Grade 7	0.1%	0.2%	0.4%	99.6%
	Grade 8	0.3%	0.3%	1.1%	98.9%
	Grade 9	0.4%	0.6%	1.2%	98.8%
	Grade 10	0.7%	1.0%	2.6%	97.4%
	Grade 11	0.9%	1.5%	3.2%	96.8%
	Grade 12	1.6%	2.2%	4.6%	95.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.2%	0.3%	0.6%	99.4%
	Grade 7	0.2%	0.2%	0.6%	99.4%
	Grade 8	0.2%	0.3%	0.7%	99.3%
	Grade 9	0.2%	0.2%	0.6%	99.4%
	Grade 10	0.5%	0.5%	0.9%	99.1%
	Grade 11	0.2%	0.2%	0.4%	99.6%
	Grade 12	0.1%	0.1%	0.4%	99.6%
Synthetic Marijuana					
	All	1.2%	1.8%	3.5%	96.5%
	Grade 7	0.5%	0.7%	1.3%	98.7%
	Grade 8	1.1%	1.5%	2.9%	97.1%
	Grade 9	1.3%	2.1%	3.6%	96.4%
	Grade 10	1.8%	2.6%	5.2%	94.8%
	Grade 11	1.7%	2.3%	4.8%	95.2%
	Grade 12	0.9%	1.4%	3.8%	96.2%
Methamphetamine					
	All	0.4%	0.5%	0.9%	99.1%
	Grade 7	0.2%	0.3%	0.5%	99.5%
	Grade 8	0.3%	0.5%	1.0%	99.0%
	Grade 9	0.3%	0.4%	0.9%	99.1%
	Grade 10	0.8%	0.8%	1.3%	98.7%
	Grade 11	0.2%	0.5%	0.7%	99.3%
	Grade 12	0.3%	0.5%	1.2%	98.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 44 of 127

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.4%	17.2%	29.1%	70.9%
Grade 7	5.0%	6.3%	14.2%	85.8%
Grade 8	9.2%	11.2%	22.4%	77.6%
Grade 9	13.4%	15.5%	25.2%	74.8%
Grade 10	15.9%	19.6%	34.2%	65.8%
Grade 11	20.5%	23.9%	38.2%	61.8%
Grade 12	27.0%	32.1%	46.9%	53.1%
Any Alcohol Product				
All	25.2%	29.7%	48.0%	52.0%
Grade 7	16.8%	19.7%	37.8%	62.2%
Grade 8	19.9%	22.8%	41.2%	58.8%
Grade 9	22.3%	27.1%	47.3%	52.7%
Grade 10	27.7%	32.3%	51.1%	48.9%
Grade 11	28.8%	35.5%	53.9%	46.1%
Grade 12	40.3%	46.4%	61.9%	38.1%
Any Illicit Drug				
All	13.1%	16.8%	22.4%	77.6%
Grade 7	5.0%	6.6%	8.5%	91.5%
Grade 8	8.0%	10.8%	14.2%	85.8%
Grade 9	11.3%	14.6%	17.9%	82.1%
Grade 10	13.9%	18.1%	25.7%	74.3%
Grade 11	19.8%	25.2%	32.7%	67.3%
Grade 12	24.5%	30.8%	42.8%	57.2%
Any Prescription Drug				
All	6.2%	8.9%	17.4%	82.6%
Grade 7	5.9%	8.2%	14.5%	85.5%
Grade 8	6.8%	8.9%	17.0%	83.0%
Grade 9	6.8%	9.2%	17.6%	82.4%
Grade 10	5.3%	9.0%	15.2%	84.8%
Grade 11	6.0%	8.6%	18.2%	81.8%
Grade 12	6.7%	9.8%	23.6%	76.4%
Any Inhalant				
All	4.2%	5.7%	11.7%	88.3%
Grade 7	4.8%	5.9%	13.0%	87.0%
Grade 8	4.8%	6.6%	12.1%	87.9%
Grade 9	3.7%	5.5%	11.3%	88.7%
Grade 10	3.9%	5.8%	11.0%	89.0%
Grade 11	3.9%	5.0%	11.4%	88.6%
Grade 12	4.1%	5.5%	10.7%	89.3%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 45 of 127

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.5%	13.9%	25.4%	74.6%
Grade 7	2.7%	4.1%	10.9%	89.1%
Grade 8	5.8%	8.0%	18.9%	81.1%
Grade 9	9.8%	12.7%	22.0%	78.0%
Grade 10	11.3%	15.8%	30.1%	69.9%
Grade 11	16.0%	20.3%	34.8%	65.2%
Grade 12	21.2%	27.6%	42.1%	57.9%
Marijuana				
All	12.3%	14.8%	20.4%	79.6%
Grade 7	3.5%	4.0%	5.6%	94.4%
Grade 8	7.3%	8.5%	11.1%	88.9%
Grade 9	10.7%	13.1%	16.7%	83.3%
Grade 10	13.4%	16.7%	24.0%	76.0%
Grade 11	19.0%	23.3%	31.5%	68.5%
Grade 12	24.2%	28.7%	41.4%	58.6%
Marijuana Only				
All	6.6%	8.4%	12.9%	87.1%
Grade 7	1.9%	2.2%	3.3%	96.7%
Grade 8	4.2%	5.1%	7.2%	92.8%
Grade 9	5.3%	7.1%	9.8%	90.2%
Grade 10	7.5%	9.6%	15.5%	84.5%
Grade 11	10.4%	13.3%	20.1%	79.9%
Grade 12	12.9%	16.1%	26.0%	74.0%
Cocaine or Crack				
All	1.7%	1.9%	3.0%	97.0%
Grade 7	1.3%	1.4%	1.8%	98.2%
Grade 8	1.1%	1.2%	1.4%	98.6%
Grade 9	1.3%	1.4%	2.0%	98.0%
Grade 10	1.6%	2.1%	3.0%	97.0%
Grade 11	2.4%	2.6%	3.9%	96.1%
Grade 12	2.6%	3.1%	6.6%	93.4%
Cocaine				
All	1.3%	1.5%	2.6%	97.4%
Grade 7	0.5%	0.6%	1.0%	99.0%
Grade 8	0.8%	0.9%	1.3%	98.7%
Grade 9	1.2%	1.3%	1.9%	98.1%
Grade 10	1.3%	1.6%	2.4%	97.6%
Grade 11	2.3%	2.6%	3.8%	96.2%
Grade 12	2.4%	2.8%	6.3%	93.7%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 46 of 127

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.8%	1.1%	98.9%
Grade 7	1.0%	1.0%	1.4%	98.6%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	0.5%	0.5%	0.8%	99.2%
Grade 10	0.6%	1.1%	1.2%	98.8%
Grade 11	0.6%	0.6%	0.8%	99.2%
Grade 12	0.7%	1.0%	1.9%	98.1%
Hallucinogens				
All	1.4%	1.9%	4.0%	96.0%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.6%	0.7%	1.5%	98.5%
Grade 9	1.1%	1.6%	3.3%	96.7%
Grade 10	1.9%	2.2%	4.7%	95.3%
Grade 11	1.7%	2.7%	5.3%	94.7%
Grade 12	3.1%	4.9%	10.3%	89.7%
Synthetic Cathinones				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.1%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.3%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.5%	99.5%
Steroids				
All	0.3%	0.4%	1.5%	98.5%
Grade 7	0.2%	0.3%	1.5%	98.5%
Grade 8	0.5%	0.5%	1.6%	98.4%
Grade 9	0.2%	0.3%	1.4%	98.6%
Grade 10	0.6%	0.9%	2.4%	97.6%
Grade 11	0.1%	0.2%	0.9%	99.1%
Grade 12	0.2%	0.4%	1.3%	98.7%
Ecstasy				
All	0.8%	1.0%	2.3%	97.7%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.5%	1.4%	98.6%
Grade 9	0.4%	0.6%	1.2%	98.8%
Grade 10	0.8%	0.9%	3.2%	96.8%
Grade 11	1.3%	1.5%	2.9%	97.1%
Grade 12	2.3%	3.0%	5.7%	94.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 47 of 127

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.6%	0.6%	1.2%	98.8%
Grade 11	0.2%	0.4%	0.5%	99.5%
Grade 12	0.0%	0.1%	0.6%	99.4%
Synthetic Marijuana				
All	1.1%	1.6%	3.3%	96.7%
Grade 7	0.4%	0.6%	1.6%	98.4%
Grade 8	0.9%	1.5%	2.7%	97.3%
Grade 9	1.0%	1.5%	2.5%	97.5%
Grade 10	1.7%	2.4%	4.8%	95.2%
Grade 11	1.8%	2.3%	4.9%	95.1%
Grade 12	0.9%	1.5%	4.1%	95.9%
Methamphetamine				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.5%	0.6%	1.2%	98.8%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.8%	0.8%	1.2%	98.8%
Grade 11	0.4%	0.6%	0.7%	99.3%
Grade 12	0.4%	0.5%	1.9%	98.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 48 of 127

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.0%	18.6%	31.3%	68.7%
Grade 7	3.5%	5.1%	12.0%	88.0%
Grade 8	10.0%	13.1%	23.9%	76.1%
Grade 9	13.7%	17.3%	29.8%	70.2%
Grade 10	17.9%	24.6%	40.7%	59.3%
Grade 11	18.1%	24.7%	40.3%	59.7%
Grade 12	22.4%	29.7%	44.4%	55.6%
Any Alcohol Product				
All	29.7%	35.0%	53.0%	47.0%
Grade 7	16.0%	17.7%	33.7%	66.3%
Grade 8	23.1%	26.8%	45.9%	54.1%
Grade 9	29.3%	34.3%	53.5%	46.5%
Grade 10	34.1%	41.0%	61.1%	38.9%
Grade 11	35.4%	42.8%	61.0%	39.0%
Grade 12	42.8%	50.9%	65.8%	34.2%
Any Illicit Drug				
All	12.8%	17.4%	22.9%	77.1%
Grade 7	3.8%	5.3%	6.7%	93.3%
Grade 8	7.4%	10.9%	15.1%	84.9%
Grade 9	12.5%	16.4%	19.6%	80.4%
Grade 10	16.4%	22.4%	29.8%	70.2%
Grade 11	18.1%	23.7%	30.7%	69.3%
Grade 12	20.3%	28.0%	39.1%	60.9%
Any Prescription Drug				
All	5.9%	8.8%	16.9%	83.1%
Grade 7	4.7%	7.2%	12.7%	87.3%
Grade 8	6.9%	11.1%	19.5%	80.5%
Grade 9	6.9%	9.1%	16.8%	83.2%
Grade 10	5.7%	8.9%	18.7%	81.3%
Grade 11	6.1%	9.2%	16.4%	83.6%
Grade 12	4.7%	7.5%	17.1%	82.9%
Any Inhalant				
All	4.5%	6.1%	13.3%	86.7%
Grade 7	6.3%	7.9%	16.2%	83.8%
Grade 8	7.5%	9.3%	18.6%	81.4%
Grade 9	4.6%	6.6%	13.5%	86.5%
Grade 10	3.8%	6.2%	13.3%	86.7%
Grade 11	2.1%	2.9%	8.7%	91.3%
Grade 12	2.4%	3.2%	8.5%	91.5%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 49 of 127

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.3%	16.2%	28.5%	71.5%
Grade 7	2.3%	4.0%	10.1%	89.9%
Grade 8	7.9%	11.3%	21.5%	78.5%
Grade 9	10.4%	14.6%	27.6%	72.4%
Grade 10	14.2%	21.6%	36.7%	63.3%
Grade 11	14.9%	21.4%	36.8%	63.2%
Grade 12	19.5%	26.6%	41.4%	58.6%
Marijuana				
All	12.4%	15.3%	21.2%	78.8%
Grade 7	3.3%	3.6%	4.9%	95.1%
Grade 8	6.9%	8.1%	12.3%	87.7%
Grade 9	12.1%	14.1%	17.7%	82.3%
Grade 10	16.4%	20.4%	28.1%	71.9%
Grade 11	18.0%	22.3%	30.0%	70.0%
Grade 12	19.8%	25.9%	38.3%	61.7%
Marijuana Only				
All	7.3%	9.7%	14.7%	85.3%
Grade 7	1.6%	1.9%	2.9%	97.1%
Grade 8	3.6%	4.5%	7.8%	92.2%
Grade 9	7.1%	8.8%	11.9%	88.1%
Grade 10	9.7%	13.4%	19.6%	80.4%
Grade 11	10.5%	13.7%	20.1%	79.9%
Grade 12	12.9%	17.8%	29.1%	70.9%
Cocaine or Crack				
All	1.2%	1.3%	2.3%	97.7%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	0.8%	0.9%	1.4%	98.6%
Grade 9	1.0%	1.0%	1.6%	98.4%
Grade 10	1.6%	2.1%	3.5%	96.5%
Grade 11	1.6%	1.8%	3.2%	96.8%
Grade 12	1.4%	1.8%	3.0%	97.0%
Cocaine				
All	1.1%	1.3%	2.1%	97.9%
Grade 7	0.6%	0.7%	0.9%	99.1%
Grade 8	0.6%	0.6%	1.2%	98.8%
Grade 9	0.9%	1.0%	1.6%	98.4%
Grade 10	1.6%	1.9%	3.4%	96.6%
Grade 11	1.5%	1.7%	2.7%	97.3%
Grade 12	1.4%	1.8%	3.0%	97.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 50 of 127

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.3%	0.5%	0.7%	99.3%
	Grade 7	0.4%	0.5%	0.6%	99.4%
	Grade 8	0.5%	0.5%	0.8%	99.2%
	Grade 9	0.2%	0.3%	0.6%	99.4%
	Grade 10	0.5%	0.7%	1.0%	99.0%
	Grade 11	0.3%	0.5%	1.0%	99.0%
	Grade 12	0.1%	0.1%	0.2%	99.8%
Hallucinogens	All	1.0%	1.5%	2.7%	97.3%
	Grade 7	0.1%	0.1%	0.8%	99.2%
	Grade 8	0.5%	0.6%	1.5%	98.5%
	Grade 9	1.1%	1.6%	2.2%	97.8%
	Grade 10	1.1%	1.6%	3.0%	97.0%
	Grade 11	1.9%	2.6%	5.0%	95.0%
	Grade 12	1.3%	2.6%	4.3%	95.7%
Synthetic Cathinones	All	0.2%	0.2%	0.5%	99.5%
	Grade 7	0.2%	0.2%	0.7%	99.3%
	Grade 8	0.2%	0.2%	0.6%	99.4%
	Grade 9	0.2%	0.2%	0.4%	99.6%
	Grade 10	0.3%	0.3%	0.5%	99.5%
	Grade 11	0.1%	0.2%	0.5%	99.5%
	Grade 12	0.1%	0.2%	0.2%	99.8%
Steroids	All	0.2%	0.5%	1.1%	98.9%
	Grade 7	0.2%	0.4%	1.0%	99.0%
	Grade 8	0.3%	0.6%	1.0%	99.0%
	Grade 9	0.3%	0.6%	1.3%	98.7%
	Grade 10	0.0%	0.6%	1.2%	98.8%
	Grade 11	0.4%	0.4%	1.2%	98.8%
	Grade 12	0.1%	0.3%	1.0%	99.0%
Ecstasy	All	0.5%	0.8%	1.8%	98.2%
	Grade 7	0.3%	0.3%	0.5%	99.5%
	Grade 8	0.1%	0.2%	0.7%	99.3%
	Grade 9	0.5%	0.6%	1.1%	98.9%
	Grade 10	0.6%	1.1%	2.1%	97.9%
	Grade 11	0.5%	1.4%	3.6%	96.4%
	Grade 12	1.1%	1.4%	3.4%	96.6%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 51 of 127

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.1%	99.9%
Synthetic Marijuana				
All	1.3%	1.9%	3.7%	96.3%
Grade 7	0.5%	0.6%	0.9%	99.1%
Grade 8	1.3%	1.6%	3.2%	96.8%
Grade 9	1.5%	2.6%	4.2%	95.8%
Grade 10	1.9%	2.7%	5.5%	94.5%
Grade 11	1.6%	2.4%	4.8%	95.2%
Grade 12	0.8%	1.1%	3.5%	96.5%
Methamphetamine				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.4%	0.5%	0.8%	99.2%
Grade 10	0.7%	0.9%	1.5%	98.5%
Grade 11	0.0%	0.3%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.5%	99.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 52 of 127

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.9%	20.9%	32.0%	68.0%
Grade 7	2.9%	4.3%	11.0%	89.0%
Grade 8	7.9%	10.7%	19.2%	80.8%
Grade 9	14.4%	18.0%	28.0%	72.0%
Grade 10	19.2%	24.3%	37.3%	62.7%
Grade 11	23.9%	29.2%	44.8%	55.2%
Grade 12	36.5%	42.9%	56.7%	43.3%
Any Alcohol Product				
All	28.7%	34.3%	52.6%	47.4%
Grade 7	13.2%	15.1%	33.8%	66.2%
Grade 8	17.9%	22.2%	40.9%	59.1%
Grade 9	26.2%	32.6%	51.0%	49.0%
Grade 10	33.1%	39.0%	59.3%	40.7%
Grade 11	36.7%	45.3%	62.5%	37.5%
Grade 12	48.9%	55.8%	72.3%	27.7%
Any Illicit Drug				
All	11.1%	14.8%	20.5%	79.5%
Grade 7	2.3%	2.9%	3.6%	96.4%
Grade 8	5.4%	7.5%	10.0%	90.0%
Grade 9	8.4%	11.5%	16.5%	83.5%
Grade 10	12.8%	16.5%	22.8%	77.2%
Grade 11	16.7%	22.5%	30.7%	69.3%
Grade 12	23.7%	31.0%	43.6%	56.4%
Any Prescription Drug				
All	5.9%	9.2%	18.1%	81.9%
Grade 7	3.9%	6.9%	15.2%	84.8%
Grade 8	6.1%	8.8%	16.9%	83.1%
Grade 9	6.4%	8.9%	16.1%	83.9%
Grade 10	5.9%	10.1%	17.4%	82.6%
Grade 11	5.8%	9.1%	16.3%	83.7%
Grade 12	7.3%	11.9%	28.2%	71.8%
Any Inhalant				
All	3.6%	4.9%	11.6%	88.4%
Grade 7	4.0%	5.3%	11.1%	88.9%
Grade 8	5.2%	6.2%	14.4%	85.6%
Grade 9	3.8%	5.0%	12.3%	87.7%
Grade 10	1.7%	3.9%	10.5%	89.5%
Grade 11	3.0%	4.3%	9.9%	90.1%
Grade 12	3.8%	4.7%	11.3%	88.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.5%	18.3%	29.0%	71.0%
Grade 7	1.9%	3.4%	8.1%	91.9%
Grade 8	5.8%	9.0%	16.5%	83.5%
Grade 9	11.6%	15.9%	25.1%	74.9%
Grade 10	14.6%	21.1%	34.1%	65.9%
Grade 11	20.3%	25.9%	41.7%	58.3%
Grade 12	29.8%	38.0%	53.4%	46.6%
Marijuana				
All	10.6%	13.0%	18.9%	81.1%
Grade 7	1.5%	1.9%	2.5%	97.5%
Grade 8	4.4%	5.3%	7.4%	92.6%
Grade 9	7.7%	9.8%	15.0%	85.0%
Grade 10	12.3%	15.0%	20.8%	79.2%
Grade 11	16.5%	20.3%	29.0%	71.0%
Grade 12	23.5%	29.0%	43.1%	56.9%
Marijuana Only				
All	5.7%	7.7%	12.6%	87.4%
Grade 7	0.8%	1.2%	1.7%	98.3%
Grade 8	2.2%	3.1%	5.0%	95.0%
Grade 9	3.6%	5.1%	9.3%	90.7%
Grade 10	6.5%	9.0%	13.7%	86.3%
Grade 11	9.9%	13.0%	20.3%	79.7%
Grade 12	12.6%	16.6%	29.0%	71.0%
Cocaine or Crack				
All	0.9%	1.1%	2.0%	98.0%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.5%	0.6%	0.7%	99.3%
Grade 9	0.8%	0.8%	1.5%	98.5%
Grade 10	0.6%	0.7%	1.7%	98.3%
Grade 11	0.6%	0.7%	2.1%	97.9%
Grade 12	3.1%	3.6%	6.4%	93.6%
Cocaine				
All	0.9%	1.0%	2.0%	98.0%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.5%	0.6%	0.7%	99.3%
Grade 9	0.7%	0.8%	1.5%	98.5%
Grade 10	0.6%	0.7%	1.7%	98.3%
Grade 11	0.6%	0.7%	1.9%	98.1%
Grade 12	2.9%	3.4%	6.2%	93.8%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 54 of 127

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.3%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	1.0%	1.3%	1.5%	98.5%
Hallucinogens				
All	1.3%	1.8%	3.8%	96.2%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.3%	0.3%	1.3%	98.7%
Grade 9	1.4%	1.9%	3.0%	97.0%
Grade 10	2.1%	2.8%	5.5%	94.5%
Grade 11	1.2%	2.1%	5.5%	94.5%
Grade 12	2.7%	4.0%	7.8%	92.2%
Synthetic Cathinones				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.5%	0.5%	0.7%	99.3%
Grade 10	0.6%	0.7%	0.9%	99.1%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.0%	0.4%	0.6%	99.4%
Steroids				
All	0.2%	0.5%	1.6%	98.4%
Grade 7	0.1%	0.5%	1.8%	98.2%
Grade 8	0.4%	0.5%	1.2%	98.8%
Grade 9	0.2%	0.3%	1.6%	98.4%
Grade 10	0.3%	0.6%	1.8%	98.2%
Grade 11	0.2%	0.2%	1.3%	98.7%
Grade 12	0.0%	0.8%	2.1%	97.9%
Ecstasy				
All	0.7%	1.0%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.3%	0.7%	99.3%
Grade 9	0.8%	1.3%	1.8%	98.2%
Grade 10	1.1%	1.4%	2.5%	97.5%
Grade 11	0.5%	1.0%	3.1%	96.9%
Grade 12	1.8%	2.2%	4.9%	95.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.3%	0.4%	0.4%	99.6%
Synthetic Marijuana				
All	0.9%	1.4%	2.6%	97.4%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.8%	1.1%	2.0%	98.0%
Grade 9	1.6%	1.9%	3.1%	96.9%
Grade 10	1.4%	2.3%	3.4%	96.6%
Grade 11	0.8%	1.3%	2.8%	97.2%
Grade 12	1.0%	1.8%	4.0%	96.0%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.5%	0.6%	1.2%	98.8%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	0.1%	0.4%	0.8%	99.2%
Grade 12	0.1%	0.4%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 56 of 127

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.6%	13.4%	25.2%	74.8%
Grade 7	2.6%	3.6%	9.4%	90.6%
Grade 8	11.9%	14.7%	25.6%	74.4%
Grade 9	9.6%	11.8%	23.2%	76.8%
Grade 10	12.9%	19.9%	35.0%	65.0%
Grade 11	5.9%	11.2%	24.4%	75.6%
Grade 12	15.1%	20.2%	35.6%	64.4%
Any Alcohol Product				
All	19.5%	24.5%	41.4%	58.6%
Grade 7	9.3%	10.4%	26.5%	73.5%
Grade 8	22.8%	25.0%	43.2%	56.8%
Grade 9	18.4%	21.4%	36.7%	63.3%
Grade 10	22.2%	29.9%	48.0%	52.0%
Grade 11	14.8%	24.8%	46.6%	53.4%
Grade 12	31.6%	38.8%	49.8%	50.2%
Any Illicit Drug				
All	12.4%	16.4%	21.8%	78.2%
Grade 7	3.9%	5.3%	6.5%	93.5%
Grade 8	8.1%	12.5%	18.3%	81.7%
Grade 9	12.0%	14.8%	15.7%	84.3%
Grade 10	14.6%	18.0%	27.7%	72.3%
Grade 11	15.1%	18.3%	25.2%	74.8%
Grade 12	24.2%	34.8%	43.6%	56.4%
Any Prescription Drug				
All	6.8%	9.4%	15.3%	84.7%
Grade 7	5.9%	7.8%	12.2%	87.8%
Grade 8	12.5%	15.3%	23.0%	77.0%
Grade 9	5.9%	7.6%	12.7%	87.3%
Grade 10	5.1%	10.8%	15.6%	84.4%
Grade 11	4.9%	5.9%	13.5%	86.5%
Grade 12	6.0%	8.2%	13.9%	86.1%
Any Inhalant				
All	3.9%	5.3%	11.2%	88.8%
Grade 7	5.3%	6.3%	13.5%	86.5%
Grade 8	6.1%	9.0%	16.4%	83.6%
Grade 9	2.0%	3.1%	7.2%	92.8%
Grade 10	5.0%	7.2%	10.4%	89.6%
Grade 11	0.0%	0.0%	9.4%	90.6%
Grade 12	4.9%	5.3%	9.8%	90.2%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 57 of 127

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.6%	11.1%	22.5%	77.5%
Grade 7	0.8%	1.8%	6.9%	93.1%
Grade 8	6.9%	9.9%	22.9%	77.1%
Grade 9	7.8%	9.0%	22.3%	77.7%
Grade 10	11.6%	18.4%	29.1%	70.9%
Grade 11	5.7%	11.1%	24.1%	75.9%
Grade 12	13.8%	18.2%	31.8%	68.2%
Marijuana				
All	11.6%	14.2%	19.8%	80.2%
Grade 7	2.2%	2.5%	3.5%	96.5%
Grade 8	7.7%	9.0%	13.8%	86.2%
Grade 9	11.9%	13.0%	13.9%	86.1%
Grade 10	14.3%	17.1%	26.8%	73.2%
Grade 11	13.7%	18.1%	25.0%	75.0%
Grade 12	23.4%	29.9%	42.1%	57.9%
Marijuana Only				
All	7.2%	8.9%	14.0%	86.0%
Grade 7	0.8%	1.2%	2.2%	97.8%
Grade 8	3.4%	3.6%	8.1%	91.9%
Grade 9	6.0%	7.1%	7.9%	92.1%
Grade 10	10.2%	12.4%	20.8%	79.2%
Grade 11	8.2%	11.2%	18.0%	82.0%
Grade 12	17.2%	21.5%	32.4%	67.6%
Cocaine or Crack				
All	1.2%	1.2%	1.3%	98.7%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	2.0%	2.3%	2.5%	97.5%
Grade 9	2.0%	2.0%	2.0%	98.0%
Grade 10	1.1%	1.1%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	1.1%	1.1%	1.1%	98.9%
Cocaine				
All	0.7%	0.7%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	0.0%
Grade 8	1.0%	1.4%	2.3%	97.7%
Grade 9	1.9%	1.9%	1.9%	98.1%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	1.1%	1.1%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 58 of 127

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.7%	1.0%	99.0%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	1.0%	1.0%	1.6%	98.4%
Grade 9	1.1%	1.1%	1.9%	98.1%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	0.0%	0.0%	0.0%	0.0%
Hallucinogens				
All	0.7%	0.8%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	1.4%	1.4%	2.5%	97.5%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	1.1%	1.1%	2.4%	97.6%
Grade 11	0.0%	0.9%	1.0%	99.0%
Grade 12	1.6%	1.7%	4.6%	95.4%
Synthetic Cathinones				
All	0.0%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	1.5%	98.5%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	0.0%
Grade 10	0.0%	0.0%	0.0%	0.0%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	0.0%	0.0%	0.0%	0.0%
Steroids				
All	0.4%	0.7%	1.3%	98.7%
Grade 7	0.1%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	0.1%	1.2%	1.7%	98.3%
Grade 10	1.4%	1.4%	2.4%	97.6%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	0.0%	0.8%	1.8%	98.2%
Ecstasy				
All	0.3%	0.3%	1.6%	98.4%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	1.0%	1.1%	2.5%	97.5%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	0.0%	0.0%	2.3%	97.7%
Grade 11	0.4%	0.4%	1.6%	98.4%
Grade 12	0.0%	0.0%	1.9%	98.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	1.5%	1.5%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	0.0%	0.0%	0.0%	0.0%
Synthetic Marijuana				
All	1.7%	1.9%	3.2%	96.8%
Grade 7	1.7%	1.7%	1.9%	98.1%
Grade 8	1.5%	1.6%	3.2%	96.8%
Grade 9	1.1%	1.2%	2.7%	97.3%
Grade 10	2.0%	2.1%	3.8%	96.2%
Grade 11	3.3%	3.3%	4.2%	95.8%
Grade 12	0.8%	1.6%	3.5%	96.5%
Methamphetamine				
All	0.4%	0.5%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.8%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	0.8%	1.3%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 60 of 127

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.9%	17.6%	30.5%	69.5%
Grade 7	5.2%	6.7%	14.5%	85.5%
Grade 8	10.0%	12.2%	23.7%	76.3%
Grade 9	14.6%	17.2%	29.1%	70.9%
Grade 10	17.1%	21.9%	39.0%	61.0%
Grade 11	19.4%	24.1%	38.8%	61.2%
Grade 12	20.0%	27.0%	42.9%	57.1%
Any Alcohol Product				
All	28.8%	33.5%	52.1%	47.9%
Grade 7	19.4%	22.2%	39.2%	60.8%
Grade 8	22.7%	25.8%	44.6%	55.4%
Grade 9	28.1%	32.6%	54.2%	45.8%
Grade 10	32.2%	37.5%	57.3%	42.7%
Grade 11	33.8%	39.3%	56.9%	43.1%
Grade 12	40.5%	48.0%	64.1%	35.9%
Any Illicit Drug				
All	14.1%	18.6%	24.3%	75.7%
Grade 7	5.1%	7.2%	9.4%	90.6%
Grade 8	8.5%	12.0%	15.7%	84.3%
Grade 9	14.4%	18.5%	21.3%	78.7%
Grade 10	17.4%	23.3%	31.2%	68.8%
Grade 11	20.9%	27.0%	34.0%	66.0%
Grade 12	21.4%	27.6%	40.0%	60.0%
Any Prescription Drug				
All	6.0%	8.5%	16.9%	83.1%
Grade 7	5.6%	7.7%	12.9%	87.1%
Grade 8	6.2%	9.6%	16.9%	83.1%
Grade 9	7.5%	9.6%	19.1%	80.9%
Grade 10	5.5%	8.0%	17.5%	82.5%
Grade 11	6.2%	9.1%	18.4%	81.6%
Grade 12	4.7%	7.0%	17.4%	82.6%
Any Inhalant				
All	4.9%	6.7%	13.4%	86.6%
Grade 7	5.9%	7.2%	16.0%	84.0%
Grade 8	7.0%	9.0%	15.8%	84.2%
Grade 9	4.8%	7.4%	13.4%	86.6%
Grade 10	4.9%	7.0%	14.1%	85.9%
Grade 11	3.2%	4.3%	10.3%	89.7%
Grade 12	2.9%	4.3%	9.2%	90.8%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 61 of 127

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.3%	14.4%	27.0%	73.0%
Grade 7	3.1%	4.8%	11.9%	88.1%
Grade 8	7.3%	9.6%	20.5%	79.5%
Grade 9	10.2%	14.2%	26.3%	73.7%
Grade 10	12.2%	18.0%	34.7%	65.3%
Grade 11	14.8%	19.7%	34.1%	65.9%
Grade 12	16.3%	23.4%	38.9%	61.1%
Marijuana				
All	13.6%	16.5%	22.3%	77.7%
Grade 7	4.1%	4.5%	6.6%	93.4%
Grade 8	8.0%	9.5%	12.8%	87.2%
Grade 9	13.9%	16.3%	19.7%	80.3%
Grade 10	17.2%	21.5%	29.6%	70.4%
Grade 11	20.5%	25.2%	33.2%	66.8%
Grade 12	20.9%	25.9%	38.6%	61.4%
Marijuana Only				
All	7.6%	9.8%	14.4%	85.6%
Grade 7	2.0%	2.2%	3.6%	96.4%
Grade 8	4.8%	5.9%	8.4%	91.6%
Grade 9	7.7%	9.7%	12.7%	87.3%
Grade 10	9.7%	13.1%	19.4%	80.6%
Grade 11	11.0%	14.1%	20.5%	79.5%
Grade 12	12.3%	16.1%	26.4%	73.6%
Cocaine or Crack				
All	1.7%	2.0%	3.2%	96.8%
Grade 7	1.4%	1.5%	2.0%	98.0%
Grade 8	0.8%	0.8%	1.2%	98.8%
Grade 9	1.1%	1.1%	1.9%	98.1%
Grade 10	2.4%	3.3%	4.7%	95.3%
Grade 11	3.2%	3.5%	5.1%	94.9%
Grade 12	1.9%	2.4%	4.9%	95.1%
Cocaine				
All	1.5%	1.8%	2.8%	97.2%
Grade 7	0.9%	1.0%	1.3%	98.7%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	1.0%	1.1%	1.9%	98.1%
Grade 10	2.4%	3.0%	4.4%	95.6%
Grade 11	3.1%	3.4%	4.7%	95.3%
Grade 12	1.8%	2.3%	4.7%	95.3%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 62 of 127

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.8%	1.2%	98.8%
Grade 7	0.9%	1.0%	1.5%	98.5%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.7%	1.3%	1.6%	98.4%
Grade 11	0.6%	0.9%	1.3%	98.7%
Grade 12	0.4%	0.4%	1.2%	98.8%
Hallucinogens				
All	1.2%	1.8%	3.4%	96.6%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	0.4%	0.6%	1.2%	98.8%
Grade 9	1.3%	1.7%	2.9%	97.1%
Grade 10	1.4%	1.8%	3.3%	96.7%
Grade 11	2.6%	3.2%	5.8%	94.2%
Grade 12	1.9%	4.0%	7.9%	92.1%
Synthetic Cathinones				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.2%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.2%	0.4%	1.3%	98.7%
Grade 8	0.3%	0.6%	1.3%	98.7%
Grade 9	0.4%	0.4%	1.2%	98.8%
Grade 10	0.1%	0.7%	2.0%	98.0%
Grade 11	0.4%	0.4%	1.3%	98.7%
Grade 12	0.3%	0.3%	0.6%	99.4%
Ecstasy				
All	0.7%	1.0%	2.1%	97.9%
Grade 7	0.2%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.3%	0.4%	0.8%	99.2%
Grade 10	0.8%	1.0%	3.0%	97.0%
Grade 11	1.2%	1.9%	3.6%	96.4%
Grade 12	1.9%	2.8%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 63 of 127

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.5%	0.6%	1.1%	98.9%
Grade 11	0.1%	0.3%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.5%	99.5%
Synthetic Marijuana				
All	1.3%	2.0%	4.2%	95.8%
Grade 7	0.5%	0.8%	1.8%	98.2%
Grade 8	1.3%	1.7%	3.0%	97.0%
Grade 9	1.3%	2.5%	4.2%	95.8%
Grade 10	2.3%	2.9%	6.7%	93.3%
Grade 11	1.9%	2.8%	6.1%	93.9%
Grade 12	0.8%	1.2%	4.2%	95.8%
Methamphetamine				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.7%	99.3%
Grade 10	1.0%	1.1%	1.8%	98.2%
Grade 11	0.3%	0.6%	0.8%	99.2%
Grade 12	0.4%	0.4%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 64 of 127

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.8%	13.1%	23.5%	76.5%
Grade 7	1.7%	2.7%	7.7%	92.3%
Grade 8	5.1%	7.0%	15.6%	84.4%
Grade 9	7.3%	9.6%	19.1%	80.9%
Grade 10	10.9%	16.7%	30.6%	69.4%
Grade 11	13.7%	17.7%	34.1%	65.9%
Grade 12	23.6%	29.9%	40.2%	59.8%
Any Alcohol Product				
All	22.5%	27.6%	45.8%	54.2%
Grade 7	12.3%	14.3%	30.2%	69.8%
Grade 8	16.2%	19.5%	38.9%	61.1%
Grade 9	19.7%	25.1%	44.9%	55.1%
Grade 10	24.7%	31.7%	51.7%	48.3%
Grade 11	28.8%	35.5%	54.9%	45.1%
Grade 12	38.2%	45.0%	59.7%	40.3%
Any Illicit Drug				
All	7.2%	10.8%	15.1%	84.9%
Grade 7	1.9%	3.0%	4.3%	95.7%
Grade 8	3.6%	6.1%	8.3%	91.7%
Grade 9	5.5%	7.6%	10.1%	89.9%
Grade 10	7.5%	13.5%	19.2%	80.8%
Grade 11	11.8%	15.5%	22.1%	77.9%
Grade 12	15.7%	22.9%	32.2%	67.8%
Any Prescription Drug				
All	4.8%	7.0%	14.2%	85.8%
Grade 7	4.8%	7.5%	13.0%	87.0%
Grade 8	5.4%	8.3%	15.7%	84.3%
Grade 9	6.0%	7.5%	14.0%	86.0%
Grade 10	2.7%	4.6%	12.0%	88.0%
Grade 11	5.0%	7.0%	13.0%	87.0%
Grade 12	4.9%	7.1%	17.7%	82.3%
Any Inhalant				
All	2.6%	3.9%	10.4%	89.6%
Grade 7	4.0%	5.4%	12.4%	87.6%
Grade 8	4.1%	5.2%	11.7%	88.3%
Grade 9	2.8%	4.0%	12.1%	87.9%
Grade 10	1.8%	3.5%	8.7%	91.3%
Grade 11	1.2%	2.5%	8.0%	92.0%
Grade 12	1.2%	2.2%	8.1%	91.9%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 65 of 127

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.1%	11.6%	21.3%	78.7%
Grade 7	1.3%	2.3%	6.1%	93.9%
Grade 8	4.0%	5.9%	14.0%	86.0%
Grade 9	5.8%	8.2%	16.9%	83.1%
Grade 10	9.0%	15.3%	28.3%	71.7%
Grade 11	12.1%	16.1%	31.3%	68.7%
Grade 12	19.9%	26.4%	37.3%	62.7%
Marijuana				
All	6.8%	9.0%	13.7%	86.3%
Grade 7	1.4%	1.6%	2.8%	97.2%
Grade 8	3.0%	3.8%	5.9%	94.1%
Grade 9	5.0%	5.7%	8.6%	91.4%
Grade 10	7.3%	11.5%	17.3%	82.7%
Grade 11	11.5%	14.2%	21.3%	78.7%
Grade 12	15.6%	21.1%	32.1%	67.9%
Marijuana Only				
All	4.1%	5.9%	9.6%	90.4%
Grade 7	0.5%	0.7%	1.4%	98.6%
Grade 8	1.8%	2.5%	4.2%	95.8%
Grade 9	2.7%	3.3%	5.6%	94.4%
Grade 10	4.5%	8.1%	12.9%	87.1%
Grade 11	6.8%	8.8%	15.0%	85.0%
Grade 12	10.2%	14.4%	22.9%	77.1%
Cocaine or Crack				
All	0.6%	0.7%	1.4%	98.6%
Grade 7	0.5%	0.6%	1.3%	98.7%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.7%	0.8%	1.3%	98.7%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	0.3%	1.0%	1.6%	98.4%
Grade 12	1.2%	1.3%	2.7%	97.3%
Cocaine				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	0.5%	0.6%	0.9%	99.1%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.7%	0.7%	1.1%	98.9%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	0.2%	0.9%	1.6%	98.4%
Grade 12	1.1%	1.3%	2.6%	97.4%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 66 of 127

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.2%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.4%	99.6%
Hallucinogens				
All	0.7%	1.1%	1.9%	98.1%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.3%	0.9%	99.1%
Grade 9	0.7%	1.0%	1.3%	98.7%
Grade 10	0.5%	0.5%	1.2%	98.8%
Grade 11	1.1%	2.2%	3.5%	96.5%
Grade 12	1.8%	2.5%	4.9%	95.1%
Synthetic Cathinones				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.1%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	0.0%
Steroids				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.2%	0.6%	0.8%	99.2%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.3%	0.4%	1.3%	98.7%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.0%	0.4%	1.6%	98.4%
Ecstasy				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.1%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.5%	0.8%	1.2%	98.8%
Grade 10	0.2%	0.2%	0.8%	99.2%
Grade 11	0.4%	0.6%	1.4%	98.6%
Grade 12	0.6%	0.8%	3.2%	96.8%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 67 of 127

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.1%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.3%	99.7%
Synthetic Marijuana				
All	0.5%	0.8%	2.1%	97.9%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.5%	0.7%	1.3%	98.7%
Grade 9	0.9%	0.9%	2.2%	97.8%
Grade 10	0.8%	1.5%	3.2%	96.8%
Grade 11	0.3%	0.8%	2.8%	97.2%
Grade 12	0.3%	0.4%	2.9%	97.1%
Methamphetamine				
All	0.2%	0.4%	0.7%	99.3%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.2%	0.3%	0.9%	99.1%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.5%	0.6%	99.4%
Grade 12	0.3%	0.4%	1.2%	98.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.2%	18.8%	32.1%	67.9%
Grade 7	6.1%	7.9%	16.7%	83.3%
Grade 8	12.3%	14.7%	27.3%	72.7%
Grade 9	16.3%	19.3%	31.9%	68.1%
Grade 10	17.8%	22.4%	39.1%	60.9%
Grade 11	19.3%	24.3%	38.6%	61.4%
Grade 12	22.7%	28.6%	44.9%	55.1%
Any Alcohol Product				
All	29.0%	33.5%	51.6%	48.4%
Grade 7	19.2%	21.7%	39.7%	60.3%
Grade 8	24.5%	27.8%	46.7%	53.3%
Grade 9	29.6%	34.1%	53.8%	46.2%
Grade 10	32.9%	37.3%	56.4%	43.6%
Grade 11	31.1%	37.7%	54.8%	45.2%
Grade 12	41.4%	48.1%	62.9%	37.1%
Any Illicit Drug				
All	15.0%	19.4%	25.5%	74.5%
Grade 7	5.9%	8.0%	9.9%	90.1%
Grade 8	9.9%	13.3%	18.3%	81.7%
Grade 9	15.8%	20.8%	24.2%	75.8%
Grade 10	17.1%	21.6%	29.7%	70.3%
Grade 11	21.0%	26.9%	34.6%	65.4%
Grade 12	24.3%	31.0%	43.2%	56.8%
Any Prescription Drug				
All	6.5%	9.3%	18.1%	81.9%
Grade 7	5.5%	8.0%	14.3%	85.7%
Grade 8	7.5%	10.5%	19.2%	80.8%
Grade 9	7.4%	10.0%	19.1%	80.9%
Grade 10	6.9%	10.1%	18.3%	81.7%
Grade 11	6.3%	9.0%	19.0%	81.0%
Grade 12	4.9%	8.2%	19.4%	80.6%
Any Inhalant				
All	5.1%	6.9%	13.8%	86.2%
Grade 7	6.6%	8.0%	16.2%	83.8%
Grade 8	7.5%	9.7%	17.5%	82.5%
Grade 9	5.2%	7.7%	13.8%	86.2%
Grade 10	3.9%	6.3%	12.6%	87.4%
Grade 11	3.0%	4.0%	11.0%	89.0%
Grade 12	3.8%	4.8%	9.8%	90.2%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 69 of 127

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.2%	15.3%	28.4%	71.6%
Grade 7	3.4%	5.3%	13.4%	86.6%
Grade 8	8.6%	11.4%	23.7%	76.3%
Grade 9	11.3%	15.7%	28.5%	71.5%
Grade 10	12.8%	18.1%	34.3%	65.7%
Grade 11	15.5%	20.6%	35.2%	64.8%
Grade 12	18.5%	24.8%	40.8%	59.2%
Marijuana				
All	14.4%	17.2%	23.3%	76.7%
Grade 7	4.8%	5.5%	7.1%	92.9%
Grade 8	9.1%	10.8%	15.0%	85.0%
Grade 9	15.2%	18.4%	22.1%	77.9%
Grade 10	16.8%	19.9%	27.9%	72.1%
Grade 11	20.7%	25.2%	33.7%	66.3%
Grade 12	23.7%	28.6%	41.6%	58.4%
Marijuana Only				
All	8.1%	10.1%	15.1%	84.9%
Grade 7	2.5%	3.0%	4.3%	95.7%
Grade 8	4.9%	6.0%	9.4%	90.6%
Grade 9	8.1%	10.5%	13.6%	86.4%
Grade 10	9.4%	11.7%	18.0%	82.0%
Grade 11	11.9%	14.9%	21.8%	78.2%
Grade 12	14.1%	17.6%	29.2%	70.8%
Cocaine or Crack				
All	1.8%	2.1%	3.0%	97.0%
Grade 7	1.1%	1.1%	1.5%	98.5%
Grade 8	1.4%	1.6%	2.0%	98.0%
Grade 9	1.5%	1.6%	2.4%	97.6%
Grade 10	2.0%	2.6%	3.6%	96.4%
Grade 11	3.0%	3.0%	4.7%	95.3%
Grade 12	2.3%	2.9%	5.0%	95.0%
Cocaine				
All	1.6%	1.8%	2.8%	97.2%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	1.0%	1.1%	1.6%	98.4%
Grade 9	1.5%	1.5%	2.3%	97.7%
Grade 10	1.9%	2.3%	3.3%	96.7%
Grade 11	2.9%	3.0%	4.4%	95.6%
Grade 12	2.1%	2.7%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.9%	1.2%	98.8%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.8%	0.8%	1.2%	98.8%
Grade 9	0.6%	0.8%	1.1%	98.9%
Grade 10	0.7%	1.3%	1.6%	98.4%
Grade 11	0.6%	0.7%	1.1%	98.9%
Grade 12	0.7%	1.0%	1.6%	98.4%
Hallucinogens				
All	1.3%	1.8%	3.7%	96.3%
Grade 7	0.2%	0.2%	1.1%	98.9%
Grade 8	0.8%	0.9%	1.9%	98.1%
Grade 9	1.5%	1.9%	3.9%	96.1%
Grade 10	1.5%	2.2%	4.2%	95.8%
Grade 11	1.9%	2.5%	5.5%	94.5%
Grade 12	2.2%	4.2%	7.3%	92.7%
Synthetic Cathinones				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.1%	0.2%	0.6%	99.4%
Steroids				
All	0.3%	0.5%	1.5%	98.5%
Grade 7	0.2%	0.2%	1.5%	98.5%
Grade 8	0.3%	0.6%	1.4%	98.6%
Grade 9	0.4%	0.7%	1.9%	98.1%
Grade 10	0.1%	0.8%	2.1%	97.9%
Grade 11	0.3%	0.3%	0.9%	99.1%
Grade 12	0.3%	0.5%	0.9%	99.1%
Ecstasy				
All	0.7%	1.1%	2.1%	97.9%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.5%	1.5%	98.5%
Grade 9	0.4%	0.6%	1.2%	98.8%
Grade 10	0.8%	1.3%	2.5%	97.5%
Grade 11	1.1%	1.9%	3.9%	96.1%
Grade 12	2.0%	2.6%	4.0%	96.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.7%	99.3%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.2%	0.4%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.3%	99.7%
Synthetic Marijuana				
All	1.5%	2.2%	4.1%	95.9%
Grade 7	0.7%	1.0%	1.8%	98.2%
Grade 8	1.3%	2.0%	3.8%	96.2%
Grade 9	1.5%	2.7%	4.2%	95.8%
Grade 10	2.4%	3.0%	6.0%	94.0%
Grade 11	2.0%	2.9%	5.4%	94.6%
Grade 12	1.2%	1.7%	3.8%	96.2%
Methamphetamine				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.3%	0.5%	1.2%	98.8%
Grade 9	0.5%	0.5%	1.1%	98.9%
Grade 10	0.9%	1.0%	1.6%	98.4%
Grade 11	0.3%	0.5%	0.8%	99.2%
Grade 12	0.4%	0.5%	0.9%	99.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 72 of 127

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.6%	14.8%	25.9%	74.1%
Grade 7	2.8%	4.0%	9.9%	90.1%
Grade 8	7.3%	9.1%	18.2%	81.8%
Grade 9	10.3%	12.6%	22.3%	77.7%
Grade 10	14.3%	18.7%	34.2%	65.8%
Grade 11	16.8%	21.0%	35.1%	64.9%
Grade 12	22.1%	28.6%	43.0%	57.0%
Any Alcohol Product				
All	24.8%	29.4%	46.8%	53.2%
Grade 7	16.1%	17.7%	31.9%	68.1%
Grade 8	18.9%	21.8%	39.6%	60.4%
Grade 9	22.1%	26.7%	45.4%	54.6%
Grade 10	28.1%	34.2%	53.3%	46.7%
Grade 11	29.7%	36.4%	55.2%	44.8%
Grade 12	39.3%	45.9%	61.6%	38.4%
Any Illicit Drug				
All	10.1%	13.7%	18.4%	81.6%
Grade 7	3.3%	4.6%	6.2%	93.8%
Grade 8	5.3%	7.4%	10.1%	89.9%
Grade 9	9.1%	12.2%	14.9%	85.1%
Grade 10	12.4%	17.3%	23.3%	76.7%
Grade 11	13.8%	19.5%	26.1%	73.9%
Grade 12	20.3%	26.3%	37.1%	62.9%
Any Prescription Drug				
All	5.3%	7.9%	15.0%	85.0%
Grade 7	4.5%	7.3%	12.5%	87.5%
Grade 8	6.0%	8.5%	15.2%	84.8%
Grade 9	6.3%	8.5%	15.9%	84.1%
Grade 10	4.7%	7.7%	14.7%	85.3%
Grade 11	4.9%	7.3%	14.1%	85.9%
Grade 12	5.4%	7.8%	18.4%	81.6%
Any Inhalant				
All	4.2%	5.4%	11.5%	88.5%
Grade 7	5.3%	6.2%	13.6%	86.4%
Grade 8	5.3%	6.6%	12.9%	87.1%
Grade 9	4.2%	5.7%	11.6%	88.4%
Grade 10	4.1%	5.4%	11.6%	88.4%
Grade 11	2.5%	3.5%	9.1%	90.9%
Grade 12	3.2%	4.4%	8.9%	91.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.9%	12.6%	23.0%	77.0%
Grade 7	1.5%	2.9%	7.8%	92.2%
Grade 8	5.0%	7.1%	15.2%	84.8%
Grade 9	7.5%	10.7%	20.1%	79.9%
Grade 10	11.5%	16.5%	30.8%	69.2%
Grade 11	13.7%	18.4%	32.3%	67.7%
Grade 12	17.8%	24.6%	39.0%	61.0%
Marijuana				
All	9.6%	11.8%	16.5%	83.5%
Grade 7	2.4%	2.7%	4.0%	96.0%
Grade 8	4.6%	5.4%	7.4%	92.6%
Grade 9	8.7%	10.2%	13.1%	86.9%
Grade 10	12.0%	15.8%	21.5%	78.5%
Grade 11	13.5%	17.6%	24.9%	75.1%
Grade 12	20.0%	24.2%	35.7%	64.3%
Marijuana Only				
All	5.4%	7.2%	11.2%	88.8%
Grade 7	1.0%	1.2%	2.1%	97.9%
Grade 8	2.6%	3.2%	4.8%	95.2%
Grade 9	4.6%	5.7%	8.2%	91.8%
Grade 10	6.8%	9.9%	14.8%	85.2%
Grade 11	8.0%	10.8%	17.1%	82.9%
Grade 12	12.2%	15.7%	25.5%	74.5%
Cocaine or Crack				
All	1.0%	1.2%	2.0%	98.0%
Grade 7	0.6%	0.7%	1.1%	98.9%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	1.0%	1.0%	1.4%	98.6%
Grade 10	1.2%	1.9%	2.5%	97.5%
Grade 11	1.5%	1.6%	2.8%	97.2%
Grade 12	1.5%	1.9%	3.9%	96.1%
Cocaine				
All	0.9%	1.1%	1.8%	98.2%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	1.0%	1.0%	1.4%	98.6%
Grade 10	1.2%	1.7%	2.4%	97.6%
Grade 11	1.4%	1.5%	2.7%	97.3%
Grade 12	1.3%	1.6%	3.7%	96.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 74 of 127

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.3%	0.7%	0.7%	99.3%
Grade 11	0.3%	0.4%	0.7%	99.3%
Grade 12	0.5%	0.5%	0.9%	99.1%
Hallucinogens				
All	0.9%	1.3%	2.6%	97.4%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.7%	1.0%	2.2%	97.8%
Grade 10	1.1%	1.5%	3.1%	96.9%
Grade 11	1.5%	1.8%	3.9%	96.1%
Grade 12	2.1%	3.5%	6.2%	93.8%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.0%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.2%	0.5%	99.5%
Steroids				
All	0.2%	0.4%	1.2%	98.8%
Grade 7	0.1%	0.3%	1.2%	98.8%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.2%	0.8%	1.8%	98.2%
Grade 11	0.1%	0.1%	0.9%	99.1%
Grade 12	0.2%	0.4%	0.9%	99.1%
Ecstasy				
All	0.5%	0.6%	1.4%	98.6%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.1%	0.3%	0.6%	99.4%
Grade 10	0.5%	0.7%	1.8%	98.2%
Grade 11	0.6%	0.9%	1.9%	98.1%
Grade 12	1.8%	2.2%	4.4%	95.6%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 75 of 127

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.5%	99.5%
Synthetic Marijuana				
All	0.9%	1.3%	2.7%	97.3%
Grade 7	0.5%	0.6%	1.2%	98.8%
Grade 8	0.8%	1.1%	2.1%	97.9%
Grade 9	0.9%	1.6%	2.7%	97.3%
Grade 10	1.2%	2.1%	3.9%	96.1%
Grade 11	1.5%	1.6%	3.7%	96.3%
Grade 12	0.4%	1.0%	2.8%	97.2%
Methamphetamine				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.3%	0.4%	0.7%	99.3%
Grade 11	0.2%	0.5%	0.6%	99.4%
Grade 12	0.3%	0.4%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 76 of 127

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.7%	23.3%	37.5%	62.5%
Grade 7	7.0%	8.7%	18.9%	81.1%
Grade 8	13.8%	17.2%	31.9%	68.1%
Grade 9	20.4%	24.5%	39.1%	60.9%
Grade 10	21.0%	27.3%	42.3%	57.7%
Grade 11	22.8%	29.1%	45.0%	55.0%
Grade 12	28.5%	34.2%	49.3%	50.7%
Any Alcohol Product				
All	32.0%	37.6%	57.0%	43.0%
Grade 7	17.2%	20.9%	42.8%	57.2%
Grade 8	26.0%	30.2%	50.4%	49.6%
Grade 9	34.4%	40.0%	62.4%	37.6%
Grade 10	34.8%	40.0%	60.0%	40.0%
Grade 11	35.6%	43.3%	60.8%	39.2%
Grade 12	45.3%	53.2%	67.1%	32.9%
Any Illicit Drug				
All	17.8%	22.9%	30.1%	69.9%
Grade 7	6.3%	8.4%	10.3%	89.7%
Grade 8	12.2%	16.9%	22.8%	77.2%
Grade 9	18.2%	22.7%	27.4%	72.6%
Grade 10	19.7%	25.0%	35.1%	64.9%
Grade 11	26.5%	31.6%	40.0%	60.0%
Grade 12	25.5%	34.0%	46.9%	53.1%
Any Prescription Drug				
All	7.3%	10.6%	20.7%	79.3%
Grade 7	6.2%	8.2%	15.1%	84.9%
Grade 8	8.6%	12.5%	23.3%	76.7%
Grade 9	8.7%	11.1%	20.8%	79.2%
Grade 10	6.6%	10.7%	20.2%	79.8%
Grade 11	7.6%	11.1%	22.2%	77.8%
Grade 12	6.2%	9.8%	23.2%	76.8%
Any Inhalant				
All	4.7%	6.8%	14.3%	85.7%
Grade 7	5.9%	7.8%	16.1%	83.9%
Grade 8	7.7%	10.4%	19.7%	80.3%
Grade 9	3.9%	6.4%	13.9%	86.1%
Grade 10	3.5%	6.9%	13.3%	86.7%
Grade 11	3.6%	4.5%	11.7%	88.3%
Grade 12	3.6%	4.6%	10.9%	89.1%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 77 of 127

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.3%	19.4%	33.8%	66.2%
Grade 7	4.2%	6.0%	15.3%	84.7%
Grade 8	10.2%	13.9%	29.2%	70.8%
Grade 9	15.7%	20.2%	35.7%	64.3%
Grade 10	14.7%	22.1%	37.5%	62.5%
Grade 11	17.8%	24.4%	40.8%	59.2%
Grade 12	24.2%	30.9%	45.5%	54.5%
Marijuana				
All	17.1%	20.6%	28.3%	71.7%
Grade 7	5.1%	5.8%	7.5%	92.5%
Grade 8	11.4%	13.3%	19.1%	80.9%
Grade 9	17.4%	21.0%	26.1%	73.9%
Grade 10	19.6%	23.1%	33.4%	66.6%
Grade 11	25.7%	30.2%	39.5%	60.5%
Grade 12	24.8%	31.9%	46.2%	53.8%
Marijuana Only				
All	9.5%	12.1%	18.3%	81.7%
Grade 7	3.1%	3.6%	5.0%	95.0%
Grade 8	6.1%	7.4%	12.1%	87.9%
Grade 9	9.1%	12.1%	16.1%	83.9%
Grade 10	11.6%	14.1%	22.0%	78.0%
Grade 11	14.1%	17.4%	24.9%	75.1%
Grade 12	14.0%	18.9%	31.0%	69.0%
Cocaine or Crack				
All	2.1%	2.3%	3.7%	96.3%
Grade 7	1.4%	1.4%	2.0%	98.0%
Grade 8	1.9%	1.9%	2.7%	97.3%
Grade 9	1.5%	1.6%	2.6%	97.4%
Grade 10	2.1%	2.5%	4.2%	95.8%
Grade 11	2.7%	3.2%	4.6%	95.4%
Grade 12	2.9%	3.5%	6.1%	93.9%
Cocaine				
All	1.8%	2.0%	3.3%	96.7%
Grade 7	0.8%	0.8%	1.4%	98.6%
Grade 8	1.5%	1.5%	2.5%	97.5%
Grade 9	1.3%	1.4%	2.5%	97.5%
Grade 10	1.8%	1.9%	3.6%	96.4%
Grade 11	2.6%	3.1%	4.2%	95.8%
Grade 12	2.9%	3.5%	6.1%	93.9%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 78 of 127

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.8%	1.3%	98.7%
Grade 7	0.7%	0.8%	1.2%	98.8%
Grade 8	0.8%	0.8%	1.4%	98.6%
Grade 9	0.6%	0.7%	0.9%	99.1%
Grade 10	1.0%	1.3%	1.7%	98.3%
Grade 11	0.5%	0.7%	1.1%	98.9%
Grade 12	0.5%	0.7%	1.4%	98.6%
Hallucinogens				
All	1.6%	2.4%	4.7%	95.3%
Grade 7	0.0%	0.1%	1.0%	99.0%
Grade 8	0.7%	0.9%	2.8%	97.2%
Grade 9	2.0%	2.8%	4.1%	95.9%
Grade 10	2.2%	2.6%	4.9%	95.1%
Grade 11	2.4%	3.8%	6.9%	93.1%
Grade 12	2.5%	4.3%	8.8%	91.2%
Synthetic Cathinones				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.4%	0.4%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.3%	99.7%
Steroids				
All	0.3%	0.6%	1.6%	98.4%
Grade 7	0.3%	0.4%	1.3%	98.7%
Grade 8	0.3%	0.7%	1.5%	98.5%
Grade 9	0.1%	0.5%	1.8%	98.2%
Grade 10	0.5%	0.7%	2.0%	98.0%
Grade 11	0.5%	0.5%	1.1%	98.9%
Grade 12	0.1%	0.7%	1.8%	98.2%
Ecstasy				
All	1.0%	1.4%	3.2%	96.8%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.5%	0.6%	2.4%	97.6%
Grade 9	1.1%	1.4%	2.4%	97.6%
Grade 10	1.1%	1.5%	3.8%	96.2%
Grade 11	1.5%	2.5%	5.2%	94.8%
Grade 12	1.5%	2.3%	5.0%	95.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.6%	0.6%	0.9%	99.1%
Grade 10	0.8%	0.9%	1.2%	98.8%
Grade 11	0.2%	0.4%	0.5%	99.5%
Grade 12	0.0%	0.1%	0.3%	99.7%
Synthetic Marijuana				
All	1.7%	2.5%	5.0%	95.0%
Grade 7	0.4%	0.7%	1.6%	98.4%
Grade 8	1.5%	2.3%	4.3%	95.7%
Grade 9	2.2%	3.2%	5.5%	94.5%
Grade 10	2.8%	3.5%	7.1%	92.9%
Grade 11	1.8%	3.2%	6.3%	93.7%
Grade 12	1.5%	1.9%	5.3%	94.7%
Methamphetamine				
All	0.5%	0.6%	1.3%	98.7%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.5%	1.2%	98.8%
Grade 9	0.6%	0.7%	1.3%	98.7%
Grade 10	1.4%	1.5%	2.2%	97.8%
Grade 11	0.3%	0.5%	0.8%	99.2%
Grade 12	0.4%	0.5%	1.7%	98.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 80 of 127

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.6%	16.1%	28.1%	71.9%
Grade 7	3.1%	4.2%	10.9%	89.1%
Grade 8	8.1%	9.9%	20.4%	79.6%
Grade 9	11.5%	14.4%	25.9%	74.1%
Grade 10	14.7%	20.1%	34.9%	65.1%
Grade 11	17.4%	22.1%	37.6%	62.4%
Grade 12	24.1%	30.3%	44.8%	55.2%
Any Alcohol Product				
All	25.4%	30.1%	49.2%	50.8%
Grade 7	13.9%	16.1%	32.9%	67.1%
Grade 8	18.5%	21.6%	41.0%	59.0%
Grade 9	23.9%	28.6%	50.1%	49.9%
Grade 10	28.5%	34.1%	54.9%	45.1%
Grade 11	30.2%	36.4%	56.3%	43.7%
Grade 12	41.8%	48.9%	64.9%	35.1%
Any Illicit Drug				
All	11.4%	15.3%	20.7%	79.3%
Grade 7	3.1%	4.4%	5.7%	94.3%
Grade 8	6.3%	9.1%	12.3%	87.7%
Grade 9	9.5%	12.8%	16.0%	84.0%
Grade 10	13.2%	18.1%	25.8%	74.2%
Grade 11	17.2%	22.2%	29.8%	70.2%
Grade 12	22.4%	29.5%	40.9%	59.1%
Any Prescription Drug				
All	5.5%	8.1%	15.8%	84.2%
Grade 7	4.9%	6.9%	12.4%	87.6%
Grade 8	6.6%	9.4%	17.1%	82.9%
Grade 9	5.8%	8.1%	15.4%	84.6%
Grade 10	4.9%	8.0%	15.2%	84.8%
Grade 11	4.9%	7.6%	15.8%	84.2%
Grade 12	5.7%	8.7%	20.0%	80.0%
Any Inhalant				
All	3.5%	4.9%	11.1%	88.9%
Grade 7	4.0%	5.0%	12.0%	88.0%
Grade 8	5.5%	7.2%	14.4%	85.6%
Grade 9	3.0%	5.0%	11.3%	88.7%
Grade 10	3.0%	4.8%	10.1%	89.9%
Grade 11	3.0%	3.6%	9.7%	90.3%
Grade 12	2.3%	3.4%	8.4%	91.6%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 81 of 127

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.8%	13.8%	25.1%	74.9%
Grade 7	2.0%	3.2%	8.5%	91.5%
Grade 8	5.8%	7.9%	17.6%	82.4%
Grade 9	8.8%	12.5%	23.4%	76.6%
Grade 10	10.8%	16.9%	31.3%	68.7%
Grade 11	13.8%	18.9%	34.1%	65.9%
Grade 12	20.2%	27.0%	40.9%	59.1%
Marijuana				
All	10.8%	13.5%	19.1%	80.9%
Grade 7	2.1%	2.4%	3.7%	96.3%
Grade 8	5.5%	6.7%	9.6%	90.4%
Grade 9	9.2%	11.1%	14.7%	85.3%
Grade 10	12.9%	16.9%	24.5%	75.5%
Grade 11	16.7%	20.5%	28.7%	71.3%
Grade 12	22.0%	27.5%	39.9%	60.1%
Marijuana Only				
All	6.6%	8.6%	13.6%	86.4%
Grade 7	1.4%	1.8%	2.7%	97.3%
Grade 8	3.2%	4.0%	6.4%	93.6%
Grade 9	5.5%	7.2%	10.2%	89.8%
Grade 10	8.1%	11.3%	17.8%	82.2%
Grade 11	9.8%	12.8%	20.2%	79.8%
Grade 12	13.6%	17.6%	28.7%	71.3%
Cocaine or Crack				
All	1.1%	1.2%	2.0%	98.0%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.8%	0.9%	1.3%	98.7%
Grade 9	0.8%	0.9%	1.4%	98.6%
Grade 10	1.2%	1.4%	2.3%	97.7%
Grade 11	1.5%	1.7%	2.6%	97.4%
Grade 12	1.8%	2.3%	4.0%	96.0%
Cocaine				
All	0.9%	1.1%	1.8%	98.2%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.8%	0.8%	1.3%	98.7%
Grade 10	1.2%	1.3%	2.2%	97.8%
Grade 11	1.5%	1.7%	2.4%	97.6%
Grade 12	1.7%	2.2%	3.9%	96.1%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 82 of 127

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.1%	0.1%	0.6%	99.4%
Hallucinogens				
All	1.0%	1.4%	2.7%	97.3%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.5%	0.6%	1.4%	98.6%
Grade 9	0.9%	1.3%	1.8%	98.2%
Grade 10	1.0%	1.4%	2.7%	97.3%
Grade 11	1.7%	2.4%	4.0%	96.0%
Grade 12	2.0%	3.3%	6.4%	93.6%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.3%	99.7%
Steroids				
All	0.2%	0.3%	1.1%	98.9%
Grade 7	0.1%	0.2%	1.1%	98.9%
Grade 8	0.3%	0.4%	1.1%	98.9%
Grade 9	0.2%	0.3%	1.0%	99.0%
Grade 10	0.2%	0.4%	1.2%	98.8%
Grade 11	0.2%	0.3%	1.1%	98.9%
Grade 12	0.2%	0.2%	1.0%	99.0%
Ecstasy				
All	0.6%	0.8%	1.7%	98.3%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.4%	0.5%	1.0%	99.0%
Grade 10	0.5%	0.6%	1.8%	98.2%
Grade 11	0.9%	1.5%	3.0%	97.0%
Grade 12	1.5%	2.1%	4.4%	95.6%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 83 of 127

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.3%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.2%	99.8%
Synthetic Marijuana				
All	0.9%	1.3%	2.8%	97.2%
Grade 7	0.3%	0.5%	0.7%	99.3%
Grade 8	1.1%	1.4%	2.4%	97.6%
Grade 9	0.8%	1.3%	2.5%	97.5%
Grade 10	1.3%	1.9%	4.2%	95.8%
Grade 11	1.3%	1.8%	3.8%	96.2%
Grade 12	0.8%	1.2%	3.9%	96.1%
Methamphetamine				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.4%	0.8%	99.2%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.4%	0.4%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 84 of 127

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	23.4%	27.9%	41.2%	58.8%
Grade 7	10.1%	13.2%	24.1%	75.9%
Grade 8	17.0%	23.1%	35.8%	64.2%
Grade 9	24.2%	26.8%	36.8%	63.2%
Grade 10	25.8%	30.7%	47.6%	52.4%
Grade 11	29.9%	35.5%	48.8%	51.2%
Grade 12	30.7%	35.8%	52.1%	47.9%
Any Alcohol Product				
All	39.0%	45.4%	59.4%	40.6%
Grade 7	31.2%	34.3%	52.0%	48.0%
Grade 8	36.5%	40.5%	57.2%	42.8%
Grade 9	38.4%	44.2%	58.2%	41.8%
Grade 10	40.1%	48.2%	61.7%	38.3%
Grade 11	42.4%	52.2%	63.4%	36.6%
Grade 12	44.3%	51.5%	63.1%	36.9%
Any Illicit Drug				
All	21.3%	28.1%	33.6%	66.4%
Grade 7	11.5%	15.3%	17.0%	83.0%
Grade 8	15.1%	21.9%	27.5%	72.5%
Grade 9	23.0%	29.5%	32.0%	68.0%
Grade 10	24.4%	30.7%	36.2%	63.8%
Grade 11	27.6%	36.6%	42.0%	58.0%
Grade 12	23.8%	31.8%	45.0%	55.0%
Any Prescription Drug				
All	9.3%	13.1%	24.4%	75.6%
Grade 7	7.4%	12.4%	20.2%	79.8%
Grade 8	9.5%	14.4%	25.8%	74.2%
Grade 9	11.8%	13.1%	26.0%	74.0%
Grade 10	8.9%	14.1%	25.2%	74.8%
Grade 11	11.7%	15.2%	25.1%	74.9%
Grade 12	6.0%	8.9%	23.5%	76.5%
Any Inhalant				
All	7.0%	9.8%	18.0%	82.0%
Grade 7	11.4%	14.3%	24.3%	75.7%
Grade 8	8.1%	12.0%	21.1%	78.9%
Grade 9	7.9%	10.0%	17.3%	82.7%
Grade 10	6.6%	10.3%	19.9%	80.1%
Grade 11	2.8%	5.6%	13.3%	86.7%
Grade 12	5.9%	7.1%	12.4%	87.6%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 85 of 127

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	17.8%	23.1%	37.5%	62.5%
Grade 7	5.8%	9.0%	20.1%	79.9%
Grade 8	13.0%	19.2%	33.3%	66.7%
Grade 9	16.2%	20.1%	33.4%	66.6%
Grade 10	21.1%	27.2%	43.5%	56.5%
Grade 11	24.7%	30.8%	45.3%	54.7%
Grade 12	24.0%	30.6%	47.5%	52.5%
Marijuana				
All	20.5%	24.6%	30.1%	69.9%
Grade 7	9.9%	11.1%	11.8%	88.2%
Grade 8	14.1%	16.6%	20.7%	79.3%
Grade 9	21.9%	26.3%	28.9%	71.1%
Grade 10	24.1%	27.3%	32.6%	67.4%
Grade 11	27.4%	34.7%	41.1%	58.9%
Grade 12	22.9%	28.5%	42.7%	57.3%
Marijuana Only				
All	10.1%	12.9%	17.1%	82.9%
Grade 7	3.7%	3.9%	4.5%	95.5%
Grade 8	7.9%	9.5%	13.3%	86.7%
Grade 9	11.3%	14.4%	16.6%	83.4%
Grade 10	11.6%	14.0%	18.6%	81.4%
Grade 11	14.2%	18.4%	22.7%	77.3%
Grade 12	10.3%	15.3%	25.2%	74.8%
Cocaine or Crack				
All	3.3%	3.6%	5.9%	94.1%
Grade 7	3.6%	3.7%	5.1%	94.9%
Grade 8	1.3%	1.4%	1.7%	98.3%
Grade 9	2.4%	2.4%	3.8%	96.2%
Grade 10	3.4%	4.5%	6.9%	93.1%
Grade 11	4.7%	5.2%	8.4%	91.6%
Grade 12	4.3%	4.4%	9.6%	90.4%
Cocaine				
All	2.8%	3.1%	5.4%	94.6%
Grade 7	2.6%	2.6%	4.1%	95.9%
Grade 8	1.3%	1.4%	1.7%	98.3%
Grade 9	2.3%	2.3%	3.6%	96.4%
Grade 10	2.6%	3.1%	5.5%	94.5%
Grade 11	4.3%	4.7%	7.9%	92.1%
Grade 12	3.9%	4.1%	9.3%	90.7%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 86 of 127

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	1.2%	1.8%	2.3%	97.7%
Grade 7	2.3%	2.3%	3.2%	96.8%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.3%	0.4%	1.4%	98.6%
Grade 10	1.1%	2.7%	3.1%	96.9%
Grade 11	1.0%	1.9%	2.1%	97.9%
Grade 12	2.6%	3.2%	4.0%	96.0%
Hallucinogens				
All	2.5%	3.6%	7.3%	92.7%
Grade 7	0.7%	0.8%	2.3%	97.7%
Grade 8	0.7%	0.9%	2.7%	97.3%
Grade 9	2.4%	3.2%	6.8%	93.2%
Grade 10	4.0%	4.6%	8.4%	91.6%
Grade 11	2.7%	4.2%	9.8%	90.2%
Grade 12	3.7%	7.2%	13.1%	86.9%
Synthetic Cathinones				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.2%	0.2%	1.5%	98.5%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.9%	0.9%	1.9%	98.1%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.0%	0.5%	1.1%	98.9%
Steroids				
All	0.6%	1.3%	2.6%	97.4%
Grade 7	0.6%	1.0%	2.6%	97.4%
Grade 8	0.9%	1.3%	2.3%	97.7%
Grade 9	0.7%	0.7%	2.2%	97.8%
Grade 10	1.1%	2.2%	4.3%	95.7%
Grade 11	0.3%	0.4%	1.0%	99.0%
Grade 12	0.2%	1.9%	3.0%	97.0%
Ecstasy				
All	1.3%	1.8%	4.0%	96.0%
Grade 7	0.7%	1.1%	1.4%	98.6%
Grade 8	0.2%	0.4%	3.4%	96.6%
Grade 9	0.4%	1.1%	1.9%	98.1%
Grade 10	2.1%	2.9%	6.5%	93.5%
Grade 11	1.4%	1.7%	4.1%	95.9%
Grade 12	2.8%	3.7%	6.5%	93.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	0.6%	1.5%	98.5%
Grade 7	0.3%	0.4%	1.4%	98.6%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	1.8%	1.9%	3.1%	96.9%
Grade 11	0.3%	0.3%	0.8%	99.2%
Grade 12	0.6%	0.6%	1.3%	98.7%
Synthetic Marijuana				
All	2.7%	4.2%	6.7%	93.3%
Grade 7	2.0%	2.5%	4.1%	95.9%
Grade 8	1.3%	3.2%	5.0%	95.0%
Grade 9	3.5%	5.5%	8.3%	91.7%
Grade 10	4.1%	5.8%	7.8%	92.2%
Grade 11	3.1%	4.7%	9.7%	90.3%
Grade 12	1.2%	2.3%	4.5%	95.5%
Methamphetamine				
All	0.7%	1.2%	2.1%	97.9%
Grade 7	0.0%	0.7%	1.1%	98.9%
Grade 8	0.1%	0.6%	1.6%	98.4%
Grade 9	0.4%	0.5%	1.8%	98.2%
Grade 10	2.6%	3.0%	3.0%	97.0%
Grade 11	0.3%	1.4%	1.6%	98.4%
Grade 12	0.1%	0.7%	3.0%	97.0%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 88 of 127

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	1,137,708	49.9%
Female	1,144,401	50.1%
Frequency Missing	14,508	

Hispanic or Latino

Q5a	Frequency	Percent
No	1,045,058	46.4%
Yes	1,207,380	53.6%
Frequency Missing	44,179	

Grade

Q2	Frequency	Percent
Grade 7	408,856	17.9%
Grade 8	400,311	17.6%
Grade 9	421,265	18.5%
Grade 10	379,667	16.7%
Grade 11	344,903	15.1%
Grade 12	324,097	14.2%
Frequency Missing	17,519	

Ethnicity

Q5b	Frequency	Percent
American Indian	51,547	2.5%
Asian American	61,106	2.9%
African American	284,793	13.7%
Pacific Islander	9,364	0.4%
White	989,463	47.5%
Other	375,050	18.0%
More Than One Race	312,128	15.0%
Frequency Missing	213,167	

Live with Both Parents

Q3	Frequency	Percent
No	848,919	37.5%
Yes	1,414,032	62.5%
Frequency Missing	33,666	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	8,399	0.4%
Mostly D's	20,778	1.1%
Mostly C's	255,124	12.9%
Mostly B's	972,676	49.3%
Mostly A's	715,099	36.3%
Frequency Missing	324,541	

Age

Q4	Frequency	Percent
11 or younger	4,033	0.2%
12	201,065	8.8%
13	380,903	16.7%
14	401,068	17.6%
15	396,422	17.4%
16	369,860	16.2%
17	338,827	14.9%
18	172,130	7.6%
19 or older	12,824	0.6%
Frequency Missing	19,485	

Do You Have a Job

Q7	Frequency	Percent
No	1,631,733	81.8%
Yes	363,796	18.2%
Frequency Missing	301,089	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	670,949	33.9%
Yes	765,988	38.7%
Don't Know	543,290	27.4%
Frequency Missing	316,390	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	1,552,425	91.9%
Yes	136,758	8.1%
Frequency Missing	607,435	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	865,253	46.0%
Yes	1,014,437	54.0%
Frequency Missing	416,927	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	1,301,299	75.3%
Yes	426,461	24.7%
Frequency Missing	568,858	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	1,344,182	76.7%
Yes	408,295	23.3%
Frequency Missing	544,140	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	1,283,536	74.9%
Yes	431,093	25.1%
Frequency Missing	581,988	

Participate in School Choir

Q9c	Frequency	Percent
No	1,546,246	91.3%
Yes	146,751	8.7%
Frequency Missing	603,621	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	1,192,847	68.2%
Yes	557,099	31.8%
Frequency Missing	546,671	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	1,570,596	92.6%
Yes	124,659	7.4%
Frequency Missing	601,362	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	1,349,981	78.6%
Yes	367,602	21.4%
Frequency Missing	579,034	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	1,942,803	86.0%
Somewhat Safe	268,106	11.9%
Not Very Safe	19,558	0.9%
Not Safe At All	7,449	0.3%
Don't Know	21,870	1.0%
Frequency Missing	36,831	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	1,062,238	47.4%
Somewhat Safe	965,195	43.0%
Not Very Safe	123,424	5.5%
Not Safe At All	30,726	1.4%
Don't Know	61,474	2.7%
Frequency Missing	53,560	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	832,486	37.2%
Somewhat Safe	1,048,991	46.8%
Not Very Safe	191,835	8.6%
Not Safe At All	82,778	3.7%
Don't Know	84,557	3.8%
Frequency Missing	55,970	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	172,633	8.1%
Some High School	239,628	11.2%
Finished High School	437,589	20.5%
Some College	231,958	10.9%
Finished College	364,499	17.1%
Post-Secondary	295,695	13.8%
Don't Know or N/A	394,144	18.5%
Frequency Missing	160,471	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	175,441	8.2%
Some High School	204,719	9.6%
Finished High School	374,325	17.5%
Some College	299,427	14.0%
Finished College	497,679	23.2%
Post-Secondary	330,047	15.4%
Don't Know or N/A	259,359	12.1%
Frequency Missing	155,622	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	1,264,891	63.4%
Yes	730,238	36.6%
Frequency Missing	301,488	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	119,074	5.3%
A Few	465,275	20.6%
Some	523,091	23.2%
Most	817,597	36.3%
All	329,440	14.6%
Frequency Missing	42,141	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	43,269	1.9%
A Few	253,528	11.2%
Some	532,129	23.6%
Most	971,311	43.1%
All	455,733	20.2%
Frequency Missing	40,648	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	1,029,799	46.6%
A Few	665,913	30.1%
Some	293,736	13.3%
Most	138,045	6.2%
All	83,459	3.8%
Frequency Missing	85,665	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	2,129,971	94.6%
In Your Lifetime	80,609	3.6%
Since School Began	16,558	0.7%
In the Past Month	24,500	1.1%
Frequency Missing	44,980	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	1,784,019	79.8%
A Few	287,051	12.8%
Some	98,597	4.4%
Most	45,541	2.0%
All	20,737	0.9%
Frequency Missing	60,673	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	2,211,708	99.0%
In Your Lifetime	12,009	0.5%
Since School Began	4,728	0.2%
In the Past Month	6,448	0.3%
Frequency Missing	61,724	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	1,912,892	85.2%
A Few	218,877	9.8%
Some	68,280	3.0%
Most	25,729	1.1%
All	18,377	0.8%
Frequency Missing	52,462	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	2,117,988	94.1%
In Your Lifetime	92,145	4.1%
Since School Began	14,841	0.7%
In the Past Month	25,915	1.2%
Frequency Missing	45,728	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	2,212,649	97.8%
In Your Lifetime	33,928	1.5%
Since School Began	5,300	0.2%
In the Past Month	10,065	0.4%
Frequency Missing	34,675	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	2,218,847	98.7%
In Your Lifetime	17,702	0.8%
Since School Began	3,607	0.2%
In the Past Month	7,107	0.3%
Frequency Missing	49,355	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	2,225,047	98.9%
In Your Lifetime	14,424	0.6%
Since School Began	4,380	0.2%
In the Past Month	5,101	0.2%
Frequency Missing	47,666	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	2,087,994	93.4%
In Your Lifetime	76,259	3.4%
Since School Began	20,560	0.9%
In the Past Month	50,872	2.3%
Frequency Missing	60,933	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	2,193,303	97.7%
In Your Lifetime	29,548	1.3%
Since School Began	6,131	0.3%
In the Past Month	15,137	0.7%
Frequency Missing	52,499	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	1,470,051	66.6%
In Your Lifetime	384,848	17.4%
Since School Began	127,723	5.8%
In the Past Month	224,051	10.2%
Frequency Missing	89,945	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	1,668,655	74.9%
In Your Lifetime	248,541	11.2%
Since School Began	116,914	5.3%
In the Past Month	192,272	8.6%
Frequency Missing	70,236	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	2,210,657	98.3%
In Your Lifetime	22,614	1.0%
Since School Began	4,764	0.2%
In the Past Month	10,104	0.4%
Frequency Missing	48,478	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	1,589,807	72.0%
In Your Lifetime	351,132	15.9%
Since School Began	111,051	5.0%
In the Past Month	155,201	7.0%
Frequency Missing	89,426	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	1,987,230	88.3%
In Your Lifetime	167,117	7.4%
Since School Began	32,447	1.4%
In the Past Month	64,804	2.9%
Frequency Missing	45,019	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	1,540,128	69.0%
In Your Lifetime	309,104	13.8%
Since School Began	141,264	6.3%
In the Past Month	242,438	10.9%
Frequency Missing	63,683	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	2,194,150	97.9%
In Your Lifetime	28,194	1.3%
Since School Began	6,285	0.3%
In the Past Month	13,258	0.6%
Frequency Missing	54,729	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	2,154,805	96.1%
In Your Lifetime	53,928	2.4%
Since School Began	11,780	0.5%
In the Past Month	20,948	0.9%
Frequency Missing	55,157	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	2,217,010	99.3%
In Your Lifetime	7,428	0.3%
Since School Began	3,801	0.2%
In the Past Month	4,552	0.2%
Frequency Missing	63,826	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	1,639,234	73.0%
In Your Lifetime	266,209	11.9%
Since School Began	94,627	4.2%
In the Past Month	244,488	10.9%
Frequency Missing	52,059	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	2,156,018	96.6%
In Your Lifetime	37,156	1.7%
Since School Began	11,628	0.5%
In the Past Month	26,130	1.2%
Frequency Missing	65,686	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	1,806,779	80.4%
In Your Lifetime	196,742	8.8%
Since School Began	74,394	3.3%
In the Past Month	168,718	7.5%
Frequency Missing	49,984	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	2,224,911	99.5%
In Your Lifetime	6,419	0.3%
Since School Began	1,107	0.0%
In the Past Month	3,494	0.2%
Frequency Missing	60,686	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 95 of 127

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	2,209,340	98.9%
In Your Lifetime	16,612	0.7%
Since School Began	3,569	0.2%
In the Past Month	4,608	0.2%
Frequency Missing	62,489	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	2,163,193	96.9%
In Your Lifetime	39,274	1.8%
Since School Began	8,496	0.4%
In the Past Month	22,152	1.0%
Frequency Missing	63,502	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	2,192,519	98.2%
In Your Lifetime	22,377	1.0%
Since School Began	5,609	0.3%
In the Past Month	12,337	0.6%
Frequency Missing	63,776	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	1,962,743	89.1%
In Your Lifetime	135,509	6.2%
Since School Began	41,718	1.9%
In the Past Month	62,084	2.8%
Frequency Missing	94,564	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	2,227,860	99.6%
In Your Lifetime	5,179	0.2%
Since School Began	1,013	0.0%
In the Past Month	3,434	0.2%
Frequency Missing	59,132	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	2,128,077	97.1%
In Your Lifetime	38,845	1.8%
Since School Began	9,770	0.4%
In the Past Month	15,870	0.7%
Frequency Missing	104,055	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	2,221,544	99.3%
In Your Lifetime	7,838	0.4%
Since School Began	3,257	0.1%
In the Past Month	5,500	0.2%
Frequency Missing	58,479	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	2,083,442	95.4%
In Your Lifetime	55,813	2.6%
Since School Began	19,077	0.9%
In the Past Month	25,682	1.2%
Frequency Missing	112,604	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	2,066,439	94.9%
In Your Lifetime	53,086	2.4%
Since School Began	19,305	0.9%
In the Past Month	38,726	1.8%
Frequency Missing	119,062	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	1,679,961	76.3%
1-2 times	333,460	15.2%
3-10 times	140,352	6.4%
11+ times	46,659	2.1%
Frequency Missing	96,185	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	1,990,732	91.7%
In Your Lifetime	86,758	4.0%
Since School Began	29,176	1.3%
In the Past Month	63,541	2.9%
Frequency Missing	126,412	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	2,166,791	98.1%
1-2 times	28,321	1.3%
3-10 times	9,081	0.4%
11+ times	4,686	0.2%
Frequency Missing	87,739	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	2,123,325	96.9%
In Your Lifetime	33,161	1.5%
Since School Began	8,006	0.4%
In the Past Month	27,697	1.3%
Frequency Missing	104,429	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	1,951,145	88.3%
1-2 times	119,957	5.4%
3-10 times	59,256	2.7%
11+ times	79,180	3.6%
Frequency Missing	87,079	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	2,045,915	92.5%
1-2 times	78,235	3.5%
3-10 times	34,276	1.6%
11+ times	52,432	2.4%
Frequency Missing	85,760	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	2,187,267	99.0%
1-2 times	16,761	0.8%
3-10 times	3,916	0.2%
11+ times	2,447	0.1%
Frequency Missing	86,226	

Percentages and frequencies have been weighted to reflect proportions within the population.

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	2,196,885	99.6%
1-2 times	5,741	0.3%
3-10 times	2,055	0.1%
11+ times	1,232	0.1%
Frequency Missing	90,705	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	1,349,796	61.6%
A few	369,831	16.9%
Some	216,947	9.9%
Most	194,163	8.9%
All	59,863	2.7%
Frequency Missing	106,017	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	1,633,863	74.2%
A few	333,698	15.2%
Some	131,652	6.0%
Most	78,322	3.6%
All	24,141	1.1%
Frequency Missing	94,941	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	1,838,570	86.6%
8 or younger	17,835	0.8%
9 years old	9,766	0.5%
10 years old	18,162	0.9%
11 years old	18,860	0.9%
12 years old	33,274	1.6%
13 years old	39,580	1.9%
14 years old	46,286	2.2%
15 years old	48,485	2.3%
16 years old	34,067	1.6%
17 years old	13,917	0.7%
18 or older	3,662	0.2%
Frequency Missing	174,154	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	1,154,300	52.8%
A few	486,029	22.2%
Some	277,362	12.7%
Most	205,467	9.4%
All	65,060	3.0%
Frequency Missing	108,400	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	1,247,302	59.2%
8 or younger	102,353	4.9%
9 years old	33,497	1.6%
10 years old	58,064	2.8%
11 years old	48,326	2.3%
12 years old	97,300	4.6%
13 years old	122,761	5.8%
14 years old	125,331	5.9%
15 years old	131,894	6.3%
16 years old	88,152	4.2%
17 years old	37,493	1.8%
18 or older	14,294	0.7%
Frequency Missing	189,851	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	2,036,997	93.1%
A few	98,710	4.5%
Some	33,136	1.5%
Most	11,118	0.5%
All	7,673	0.4%
Frequency Missing	108,983	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	2,027,870	96.4%
8 or younger	10,013	0.5%
9 years old	4,943	0.2%
10 years old	8,046	0.4%
11 years old	10,694	0.5%
12 years old	12,163	0.6%
13 years old	12,103	0.6%
14 years old	8,092	0.4%
15 years old	4,993	0.2%
16 years old	2,303	0.1%
17 years old	2,105	0.1%
18 or older	348	0.0%
Frequency Missing	192,943	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	2,071,224	98.2%
8 or younger	924	0.0%
9 years old	1,022	0.0%
10 years old	1,045	0.0%
11 years old	1,484	0.1%
12 years old	2,104	0.1%
13 years old	4,930	0.2%
14 years old	6,507	0.3%
15 years old	7,928	0.4%
16 years old	7,402	0.4%
17 years old	4,481	0.2%
18 or older	681	0.0%
Frequency Missing	186,885	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	1,696,443	80.6%
8 or younger	11,014	0.5%
9 years old	4,413	0.2%
10 years old	10,493	0.5%
11 years old	17,370	0.8%
12 years old	40,580	1.9%
13 years old	66,810	3.2%
14 years old	85,783	4.1%
15 years old	79,085	3.8%
16 years old	59,655	2.8%
17 years old	28,438	1.4%
18 or older	4,973	0.2%
Frequency Missing	191,561	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	2,093,125	99.4%
8 or younger	458	0.0%
9 years old	209	0.0%
10 years old	449	0.0%
11 years old	1,218	0.1%
12 years old	1,530	0.1%
13 years old	2,163	0.1%
14 years old	2,615	0.1%
15 years old	2,095	0.1%
16 years old	1,646	0.1%
17 years old	468	0.0%
Frequency Missing	190,640	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	2,081,374	99.0%
8 or younger	3,510	0.2%
9 years old	756	0.0%
10 years old	964	0.0%
11 years old	1,785	0.1%
12 years old	3,634	0.2%
13 years old	2,756	0.1%
14 years old	3,263	0.2%
15 years old	2,576	0.1%
16 years old	1,421	0.1%
17 years old	893	0.0%
18 or older	107	0.0%
Frequency Missing	193,578	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	2,062,216	98.3%
8 or younger	724	0.0%
9 years old	395	0.0%
10 years old	233	0.0%
11 years old	1,502	0.1%
12 years old	2,712	0.1%
13 years old	3,713	0.2%
14 years old	5,851	0.3%
15 years old	6,145	0.3%
16 years old	9,821	0.5%
17 years old	4,289	0.2%
18 or older	701	0.0%
Frequency Missing	198,316	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	2,095,486	99.4%
8 or younger	693	0.0%
9 years old	958	0.0%
10 years old	154	0.0%
11 years old	188	0.0%
12 years old	1,561	0.1%
13 years old	2,205	0.1%
14 years old	2,296	0.1%
15 years old	1,792	0.1%
16 years old	1,742	0.1%
17 years old	1,349	0.1%
18 or older	277	0.0%
Frequency Missing	187,917	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	2,101,564	99.6%
8 or younger	1,387	0.1%
9 years old	613	0.0%
10 years old	156	0.0%
11 years old	353	0.0%
12 years old	755	0.0%
13 years old	1,520	0.1%
14 years old	1,319	0.1%
15 years old	1,111	0.1%
16 years old	850	0.0%
17 years old	575	0.0%
Frequency Missing	186,414	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	2,047,225	97.2%
8 or younger	1,287	0.1%
9 years old	1,160	0.1%
10 years old	1,889	0.1%
11 years old	1,742	0.1%
12 years old	6,826	0.3%
13 years old	8,360	0.4%
14 years old	14,329	0.7%
15 years old	12,874	0.6%
16 years old	5,612	0.3%
17 years old	3,986	0.2%
18 or older	658	0.0%
Frequency Missing	190,671	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	698,575	31.9%
Impossible	469,132	21.4%
Very Difficult	174,985	8.0%
Somewhat diff	227,092	10.4%
Somewhat easy	290,692	13.3%
Very easy	328,717	15.0%
Frequency Missing	107,425	

Percentages and frequencies have been weighted to reflect proportions within the population.

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	548,609	25.1%
Impossible	298,630	13.7%
Very Difficult	134,795	6.2%
Somewhat diff	236,558	10.8%
Somewhat easy	394,729	18.1%
Very easy	572,444	26.2%
Frequency Missing	110,853	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	922,989	42.4%
Impossible	762,117	35.0%
Very Difficult	256,503	11.8%
Somewhat diff	121,023	5.6%
Somewhat easy	48,945	2.2%
Very easy	64,727	3.0%
Frequency Missing	120,312	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	941,282	43.3%
Impossible	358,595	16.5%
Very Difficult	95,418	4.4%
Somewhat diff	112,674	5.2%
Somewhat easy	185,532	8.5%
Very easy	480,799	22.1%
Frequency Missing	122,318	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	967,061	44.5%
Impossible	703,577	32.4%
Very Difficult	244,931	11.3%
Somewhat diff	131,440	6.1%
Somewhat easy	59,225	2.7%
Very easy	64,994	3.0%
Frequency Missing	125,391	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	669,326	30.7%
Impossible	507,082	23.3%
Very Difficult	166,144	7.6%
Somewhat diff	192,922	8.9%
Somewhat easy	260,455	12.0%
Very easy	382,227	17.5%
Frequency Missing	118,461	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	1,106,554	51.1%
Impossible	600,155	27.7%
Very Difficult	196,063	9.1%
Somewhat diff	110,624	5.1%
Somewhat easy	70,433	3.3%
Very easy	81,282	3.8%
Frequency Missing	131,507	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	876,080	40.2%
Impossible	742,276	34.1%
Very Difficult	255,368	11.7%
Somewhat diff	149,900	6.9%
Somewhat easy	70,472	3.2%
Very easy	83,541	3.8%
Frequency Missing	118,982	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	1,018,732	46.7%
Impossible	776,951	35.6%
Very Difficult	220,122	10.1%
Somewhat diff	83,322	3.8%
Somewhat easy	30,198	1.4%
Very easy	50,519	2.3%
Frequency Missing	116,774	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	1,057,292	48.6%
Impossible	726,355	33.4%
Very Difficult	208,779	9.6%
Somewhat diff	84,821	3.9%
Somewhat easy	40,790	1.9%
Very easy	58,126	2.7%
Frequency Missing	120,454	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	6,866	0.3%
Several times/wk	29,814	1.4%
Several times/mo	125,080	5.8%
About once/month	225,997	10.5%
About once/year	216,044	10.0%
Less than once/year	196,254	9.1%
Never used	1,359,851	63.0%
Frequency Missing	136,711	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	1,075,330	49.5%
Impossible	588,763	27.1%
Very Difficult	168,112	7.7%
Somewhat diff	121,752	5.6%
Somewhat easy	99,223	4.6%
Very easy	117,844	5.4%
Frequency Missing	125,593	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	1,365	0.1%
Several times/wk	5,487	0.3%
Several times/mo	5,298	0.2%
About once/month	12,550	0.6%
About once/year	11,348	0.5%
Less than once/year	31,980	1.5%
Never used	2,093,659	96.9%
Frequency Missing	134,930	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	38,435	1.8%
Several times/wk	26,512	1.2%
Several times/mo	32,129	1.5%
About once/month	43,543	2.0%
About once/year	42,262	1.9%
Less than once/year	83,635	3.9%
Never used	1,904,314	87.7%
Frequency Missing	125,788	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	38,475	1.8%
Several times/wk	41,987	1.9%
Several times/mo	60,005	2.8%
About once/month	76,279	3.5%
About once/year	81,092	3.7%
Less than once/year	87,000	4.0%
Never used	1,779,945	82.2%
Frequency Missing	131,835	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 102 of 127

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	402	0.0%
Several times/wk	2,201	0.1%
Several times/mo	4,947	0.2%
About once/month	4,676	0.2%
About once/year	9,704	0.4%
Less than once/year	14,923	0.7%
Never used	2,124,444	98.3%
Frequency Missing	135,320	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	805	0.0%
Several times/wk	1,522	0.1%
Several times/mo	2,454	0.1%
About once/month	5,883	0.3%
About once/year	11,112	0.5%
Less than once/year	14,352	0.7%
Never used	2,118,838	98.3%
Frequency Missing	141,652	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	93	0.0%
Several times/wk	1,850	0.1%
Several times/mo	1,348	0.1%
About once/month	901	0.0%
About once/year	3,258	0.2%
Less than once/year	4,967	0.2%
Never used	2,153,915	99.4%
Frequency Missing	130,286	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	798	0.0%
Several times/wk	902	0.0%
Several times/mo	639	0.0%
About once/month	408	0.0%
About once/year	1,705	0.1%
Less than once/year	2,100	0.1%
Never used	2,157,848	99.7%
Frequency Missing	132,218	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	1,739	0.1%
Several times/wk	428	0.0%
Several times/mo	748	0.0%
About once/month	2,453	0.1%
About once/year	2,278	0.1%
Less than once/year	7,371	0.3%
Never used	2,148,905	99.3%
Frequency Missing	132,695	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	1,361	0.1%
Several times/wk	1,118	0.1%
Several times/mo	969	0.0%
About once/month	1,406	0.1%
About once/year	3,344	0.2%
Less than once/year	3,527	0.2%
Never used	2,150,277	99.5%
Frequency Missing	134,616	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	2,210	0.1%
Several times/wk	4,825	0.2%
Several times/mo	6,372	0.3%
About once/month	10,724	0.5%
About once/year	13,026	0.6%
Less than once/year	18,818	0.9%
Never used	2,095,565	97.4%
Frequency Missing	145,077	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	1,560,143	72.2%
12+ drinks	14,472	0.7%
9-11 drinks	8,282	0.4%
5-8 drinks	18,997	0.9%
3-4 drinks	58,875	2.7%
2 drinks	79,852	3.7%
1 drink	152,546	7.1%
Less than 1 drink	268,298	12.4%
Frequency Missing	135,153	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	1,437,468	66.0%
12+ drinks	43,791	2.0%
9-11 drinks	25,138	1.2%
5-8 drinks	58,439	2.7%
3-4 drinks	97,382	4.5%
2 drinks	107,962	5.0%
1 drink	145,373	6.7%
Less than 1 drink	261,349	12.0%
Frequency Missing	119,715	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	1,467,705	67.7%
12+ drinks	44,804	2.1%
9-11 drinks	34,138	1.6%
5-8 drinks	84,105	3.9%
3-4 drinks	119,368	5.5%
2 drinks	94,037	4.3%
1 drink	121,997	5.6%
Less than 1 drink	201,745	9.3%
Frequency Missing	128,717	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	1,595,484	73.5%
12+ drinks	28,020	1.3%
9-11 drinks	22,322	1.0%
5-8 drinks	59,342	2.7%
3-4 drinks	108,896	5.0%
2 drinks	106,213	4.9%
1 drink	110,243	5.1%
Less than 1 drink	140,481	6.5%
Frequency Missing	125,618	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	1,278,923	59.5%
0 days	642,169	29.9%
1 day	85,256	4.0%
2 days	50,076	2.3%
3 to 5 days	48,433	2.3%
6 to 9 days	14,471	0.7%
10 or more days	28,969	1.3%
Frequency Missing	148,321	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 104 of 127

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	1,315,282	60.8%
Never	349,927	16.2%
Seldom	324,619	15.0%
Most of the Time	113,193	5.2%
Always	60,542	2.8%
Frequency Missing	133,055	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	1,390,374	65.0%
Never	455,249	21.3%
Seldom	146,970	6.9%
Most of the Time	82,965	3.9%
Always	64,997	3.0%
Frequency Missing	156,061	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	1,330,000	61.7%
Never	369,083	17.1%
Seldom	223,648	10.4%
Most of the Time	175,227	8.1%
Always	58,878	2.7%
Frequency Missing	139,782	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	1,295,724	61.5%
Somewhat	520,455	24.7%
Not very	141,539	6.7%
Not at all	33,077	1.6%
Don't know	116,456	5.5%
Frequency Missing	189,366	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	1,391,441	64.7%
Never	620,975	28.9%
Seldom	66,823	3.1%
Most of the Time	44,781	2.1%
Always	26,309	1.2%
Frequency Missing	146,288	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	1,004,667	47.8%
Somewhat	640,902	30.5%
Not very	305,222	14.5%
Not at all	56,546	2.7%
Don't know	94,531	4.5%
Frequency Missing	194,749	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	1,295,478	60.1%
Never	325,876	15.1%
Seldom	204,266	9.5%
Most of the Time	195,699	9.1%
Always	132,869	6.2%
Frequency Missing	142,429	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	1,461,279	70.3%
Somewhat	313,841	15.1%
Not very	104,319	5.0%
Not at all	30,317	1.5%
Don't know	167,628	8.1%
Frequency Missing	219,235	

Percentages and frequencies have been weighted to reflect proportions within the population.

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	1,183,551	56.9%
Somewhat	296,797	14.3%
Not very	268,980	12.9%
Not at all	218,519	10.5%
Don't know	110,514	5.3%
Frequency Missing	218,256	

Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	1,584,389	76.5%
Somewhat	242,063	11.7%
Not very	69,147	3.3%
Not at all	19,214	0.9%
Don't know	155,347	7.5%
Frequency Missing	226,457	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	1,790,324	86.4%
Somewhat	139,689	6.7%
Not very	17,935	0.9%
Not at all	9,134	0.4%
Don't know	115,845	5.6%
Frequency Missing	223,690	

Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	1,823,190	87.9%
Somewhat	93,051	4.5%
Not very	12,024	0.6%
Not at all	8,934	0.4%
Don't know	137,664	6.6%
Frequency Missing	221,755	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	1,805,811	87.1%
Somewhat	121,686	5.9%
Not very	15,153	0.7%
Not at all	8,105	0.4%
Don't know	122,661	5.9%
Frequency Missing	223,201	

Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	1,813,479	87.5%
Somewhat	94,343	4.6%
Not very	13,682	0.7%
Not at all	9,504	0.5%
Don't know	142,190	6.9%
Frequency Missing	223,419	

Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	1,670,413	80.6%
Somewhat	162,421	7.8%
Not very	38,869	1.9%
Not at all	14,578	0.7%
Don't know	186,704	9.0%
Frequency Missing	223,632	

Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	1,655,505	80.0%
Somewhat	162,756	7.9%
Not very	54,058	2.6%
Not at all	22,711	1.1%
Don't know	174,025	8.4%
Frequency Missing	227,562	

Percentages and frequencies have been weighted to reflect proportions within the population.

Dangerous for Kids to Use Any Prescription

Q27l	Frequency	Percent
Very	1,520,639	73.6%
Somewhat	285,690	13.8%
Not very	83,557	4.0%
Not at all	26,941	1.3%
Don't know	148,843	7.2%
Frequency Missing	230,948	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	901,449	43.8%
1-3 days	961,906	46.7%
4-9 days	145,097	7.1%
10+ days	49,320	2.4%
Frequency Missing	238,846	

Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	1,286,893	62.0%
Somewhat	392,135	18.9%
Not very	205,938	9.9%
Not at all	71,289	3.4%
Don't know	119,156	5.7%
Frequency Missing	221,207	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	1,850,815	88.1%
1-3 days	198,092	9.4%
4-9 days	28,292	1.3%
10+ days	23,484	1.1%
Frequency Missing	195,935	

Days Skipped Since September

Q28a	Frequency	Percent
None	1,764,702	83.8%
1-3 days	266,036	12.6%
4-9 days	47,994	2.3%
10+ days	26,958	1.3%
Frequency Missing	190,927	

Someone Called Home Since September

Q28e	Frequency	Percent
None	1,903,964	90.9%
1-3 days	148,271	7.1%
4-9 days	23,773	1.1%
10+ days	19,375	0.9%
Frequency Missing	201,235	

Days Ill Since September

Q28b	Frequency	Percent
None	789,973	37.9%
1-3 days	1,005,312	48.2%
4-9 days	233,774	11.2%
10+ days	54,903	2.6%
Frequency Missing	212,656	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	2,022,476	96.4%
1-3 times	66,585	3.2%
4-9 times	6,554	0.3%
10+ times	3,357	0.2%
Frequency Missing	197,645	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 107 of 127

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	2,034,315	97.4%
1-3 times	40,302	1.9%
4-9 times	8,071	0.4%
10+ times	6,083	0.3%
Frequency Missing	207,846	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	1,903,003	92.4%
1-3 days	85,123	4.1%
4-9 days	25,800	1.3%
10+ days	45,811	2.2%
Frequency Missing	236,881	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	2,015,345	96.7%
1-3 times	56,803	2.7%
4-9 times	6,982	0.3%
10+ times	5,419	0.3%
Frequency Missing	212,069	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	2,026,337	98.7%
1-3 days	18,451	0.9%
4-9 days	3,226	0.2%
10+ days	4,660	0.2%
Frequency Missing	243,944	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	1,990,531	95.9%
1-3 times	50,479	2.4%
4-9 times	13,926	0.7%
10+ times	21,558	1.0%
Frequency Missing	220,124	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	1,982,166	96.9%
1-3 days	41,147	2.0%
4-9 days	9,974	0.5%
10+ days	13,023	0.6%
Frequency Missing	250,307	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	1,991,928	96.1%
1-3 days	64,417	3.1%
4-9 days	11,109	0.5%
10+ days	6,009	0.3%
Frequency Missing	223,155	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	1,070,848	52.0%
Seldom	145,307	7.1%
Half the time	104,935	5.1%
Most of the Time	169,319	8.2%
Always	180,016	8.7%
Don't Know	44,588	2.2%
Didn't attend	345,880	16.8%
Frequency Missing	235,725	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	1,252,385	60.9%
Seldom	117,273	5.7%
Half the time	76,470	3.7%
Most of the Time	105,877	5.1%
Always	109,563	5.3%
Don't Know	52,511	2.6%
Didn't attend	343,923	16.7%
Frequency Missing	238,616	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	1,796,636	93.8%
Yes	119,398	6.2%
Frequency Missing	380,584	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	1,296,966	62.9%
Yes	764,633	37.1%
Frequency Missing	235,019	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	1,592,000	77.7%
Yes	456,211	22.3%
Frequency Missing	248,407	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	1,177,081	57.4%
Yes	873,253	42.6%
Frequency Missing	246,284	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	639,648	31.0%
Yes	1,422,749	69.0%
Frequency Missing	234,220	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	885,378	43.3%
Yes	1,160,770	56.7%
Frequency Missing	250,469	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	743,961	36.3%
Yes	1,304,955	63.7%
Frequency Missing	247,702	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	848,222	41.3%
Yes	1,205,388	58.7%
Frequency Missing	243,008	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	1,225,870	59.9%
Yes	822,096	40.1%
Frequency Missing	248,651	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Would Not Seek Help

Q33i	Frequency	Percent
No	1,639,378	81.8%
Yes	365,689	18.2%
Frequency Missing	291,551	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	1,422,478	71.7%
Yes	562,190	28.3%
Frequency Missing	311,950	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	1,212,914	60.3%
Yes	799,515	39.7%
Frequency Missing	284,188	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	1,718,452	86.5%
Yes	267,081	13.5%
Frequency Missing	311,085	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	1,176,501	58.6%
Yes	829,649	41.4%
Frequency Missing	290,468	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	1,407,847	70.6%
Yes	587,531	29.4%
Frequency Missing	301,239	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	1,513,130	75.7%
Yes	485,315	24.3%
Frequency Missing	298,173	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	1,425,107	71.6%
Yes	565,431	28.4%
Frequency Missing	306,079	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	1,686,340	84.8%
Yes	302,395	15.2%
Frequency Missing	307,882	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	1,644,473	78.4%
Mild disapprove	151,679	7.2%
Neither	99,638	4.8%
Mildly approve	21,634	1.0%
Strongly approve	13,066	0.6%
Don't know	166,159	7.9%
Frequency Missing	199,969	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	1,275,772	60.9%
Mild disapprove	301,555	14.4%
Neither	246,727	11.8%
Mildly approve	91,513	4.4%
Strongly approve	19,771	0.9%
Don't know	158,191	7.6%
Frequency Missing	203,088	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	1,577,280	75.3%
Mild disapprove	148,299	7.1%
Neither	145,809	7.0%
Mildly approve	38,748	1.9%
Strongly approve	26,575	1.3%
Don't know	156,943	7.5%
Frequency Missing	202,964	

Percentages and frequencies have been weighted to reflect proportions within the population.

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used "Marijuana Only". Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey ("Codeine", "Percocets etc", "Benzodiazepines etc", "Adderall etc", and "Other Prescriptions"). However, the category of "DXM, Triple Cs etc" is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

