

♀

96State456. OUT
STATE SAMPLE: GRADES 4-6
SPRING 1996

TABLE B1: PREVALENCE AND REGENCY OF USE OF SELECTED SUBSTANCES BY GRADE
--> ALL STUDENTS

	Ever Used	School Year	Not Past Year	Never Used
TOBACCO	17.5%	11.1%	6.4%	82.5%
Grade 4	9.3%	5.5%	3.7%	90.7%
Grade 5	16.3%	9.9%	6.4%	83.7%
Grade 6	25.8%	17.0%	8.8%	74.2%
ALCOHOL	30.6%	20.8%	9.8%	69.4%
Grade 4	21.7%	14.5%	7.3%	78.3%
Grade 5	28.6%	19.0%	9.6%	71.4%
Grade 6	40.3%	28.1%	12.2%	59.7%
ADJ-INHALANTS	9.9%	7.2%	2.7%	90.1%
Grade 4	8.7%	6.3%	2.4%	91.3%
Grade 5	8.3%	6.2%	2.1%	91.7%
Grade 6	12.4%	8.8%	3.6%	87.6%
MARIJUANA	4.1%	2.8%	1.3%	95.9%
Grade 4	1.7%	0.9%	0.7%	98.3%
Grade 5	2.9%	1.8%	1.2%	97.1%
Grade 6	7.3%	5.4%	1.9%	92.7%

TABLE B2: PREVALENCE AND REGENCY OF USE OF SELECTED SUBSTANCES BY GRADE
--> MALE STUDENTS

	Ever Used	School Year	Not Past Year	Never Used
TOBACCO	21.2%	13.3%	7.9%	78.8%
Grade 4	12.4%	7.2%	5.1%	87.6%
Grade 5	20.3%	12.5%	7.9%	79.7%
Grade 6	30.0%	19.5%	10.4%	70.0%
ALCOHOL	35.1%	23.3%	11.8%	64.9%
Grade 4	27.1%	17.9%	9.2%	72.9%
Grade 5	32.8%	21.5%	11.3%	67.2%
Grade 6	44.3%	29.8%	14.5%	55.7%

96State456. OUT

ADJ-INHALANTS	11.3%	8.0%	3.3%	88.7%
Grade 4	10.7%	7.5%	3.2%	89.3%
Grade 5	9.7%	7.2%	2.5%	90.3%
Grade 6	13.3%	9.1%	4.2%	86.7%
MARI JUANA	5.3%	3.7%	1.6%	94.7%
Grade 4	2.4%	1.4%	1.0%	97.6%
Grade 5	3.7%	2.3%	1.3%	96.3%
Grade 6	9.4%	7.0%	2.4%	90.6%

STATE SAMPLE: GRADES 4-6
SPRING 1996

TABLE B3: PREVALENCE AND REGENCY OF USE OF SELECTED SUBSTANCES BY GRADE
--> FEMALE STUDENTS

	Ever Used	School Year	Not Past Year	Never Used
TOBACCO	13.8%	8.9%	5.0%	86.2%
Grade 4	6.2%	3.8%	2.4%	93.8%
Grade 5	12.3%	7.4%	4.9%	87.7%
Grade 6	21.8%	14.6%	7.3%	78.2%
ALCOHOL	26.2%	18.4%	7.8%	73.8%
Grade 4	16.5%	11.1%	5.4%	83.5%
Grade 5	24.2%	16.4%	7.7%	75.8%
Grade 6	36.4%	26.4%	10.0%	63.6%
ADJ-INHALANTS	8.5%	6.3%	2.2%	91.5%
Grade 4	6.7%	5.0%	1.7%	93.3%
Grade 5	6.8%	5.2%	1.6%	93.2%
Grade 6	11.5%	8.5%	3.0%	88.5%
MARI JUANA	2.9%	2.0%	0.9%	97.1%
Grade 4	1.0%	0.5%	* %	99.0%
Grade 5	2.1%	1.2%	1.0%	97.9%
Grade 6	5.3%	4.0%	1.3%	94.7%

96State456. OUT
 TABLE B4: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE
 --> WHITE STUDENTS

	Ever Used	School Year	Not Past Year	Never Used
TOBACCO	16.5%	10.5%	6.0%	83.5%
Grade 4	8.5%	4.7%	3.8%	91.5%
Grade 5	15.8%	9.5%	6.3%	84.2%
Grade 6	24.0%	16.3%	7.6%	76.0%
ALCOHOL	24.5%	16.1%	8.4%	75.5%
Grade 4	17.2%	10.6%	6.6%	82.8%
Grade 5	22.6%	14.4%	8.2%	77.4%
Grade 6	32.4%	22.2%	10.2%	67.6%
ADJ-INHALANTS	8.2%	5.9%	2.3%	91.8%
Grade 4	8.1%	5.8%	2.3%	91.9%
Grade 5	6.7%	5.0%	1.7%	93.3%
Grade 6	9.5%	6.8%	2.7%	90.5%
MARIJUANA	2.6%	1.6%	1.0%	97.4%
Grade 4	1.2%	* %	0.7%	98.8%
Grade 5	1.8%	0.8%	0.9%	98.2%
Grade 6	4.5%	3.1%	1.5%	95.5%

STATE SAMPLE: GRADES 4-6
 SPRING 1996

TABLE B5: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE
 --> AFRICAN/AMERICAN STUDENTS

	Ever Used	School Year	Not Past Year	Never Used
TOBACCO	16.8%	9.6%	7.2%	83.2%
Grade 4	9.5%	5.3%	4.2%	90.5%
Grade 5	15.8%	8.6%	7.1%	84.2%
Grade 6	24.1%	14.3%	9.8%	75.9%
ALCOHOL	37.9%	25.0%	12.9%	62.1%
Grade 4	27.8%	18.9%	8.9%	72.2%
Grade 5	35.0%	22.4%	12.6%	65.0%
Grade 6	49.0%	32.3%	16.7%	51.0%

96State456. OUT

ADJ-INHALANTS	8.1%	5.8%	2.3%	91.9%
Grade 4	7.0%	5.3%	1.7%	93.0%
Grade 5	6.8%	4.7%	2.1%	93.2%
Grade 6	10.1%	7.1%	2.9%	89.9%
MARI JUANA	4.3%	3.0%	1.3%	95.7%
Grade 4	1.7%	0.9%	0.8%	98.3%
Grade 5	2.8%	1.7%	1.1%	97.2%
Grade 6	7.9%	6.0%	1.9%	92.1%

TABLE B6: PREVALENCE AND REGENCY OF USE OF SELECTED SUBSTANCES BY GRADE
--> MEXICAN/AMERICAN STUDENTS

	Ever Used	School Year	Not Past Year	Never Used
TOBACCO	19.4%	12.8%	6.6%	80.6%
Grade 4	9.8%	6.4%	3.4%	90.2%
Grade 5	17.3%	11.2%	6.1%	82.7%
Grade 6	30.2%	20.3%	9.9%	69.8%
ALCOHOL	34.8%	24.8%	9.9%	65.2%
Grade 4	24.1%	16.7%	7.4%	75.9%
Grade 5	32.0%	22.4%	9.5%	68.0%
Grade 6	47.3%	34.6%	12.7%	52.7%
ADJ-INHALANTS	12.5%	9.1%	3.5%	87.5%
Grade 4	9.5%	6.9%	2.7%	90.5%
Grade 5	10.4%	8.0%	2.4%	89.6%
Grade 6	17.2%	12.1%	5.1%	82.8%
MARI JUANA	5.9%	4.3%	1.6%	94.1%
Grade 4	2.1%	1.4%	0.7%	97.9%
Grade 5	4.4%	2.9%	1.5%	95.6%
Grade 6	10.8%	8.4%	2.4%	89.2%

STATE SAMPLE: GRADES 4-6
SPRING 1996

96State456.OUT
 TABLE B7: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE
 --> STUDENTS REPORTING A AND B GRADES

	Ever Used	School Year	Not Past Year	Never Used
TOBACCO	15.6%	9.6%	6.0%	84.4%
Grade 4	8.2%	4.7%	3.5%	91.8%
Grade 5	15.0%	8.8%	6.2%	85.0%
Grade 6	22.9%	14.7%	8.2%	77.1%
ALCOHOL	28.2%	18.8%	9.4%	71.8%
Grade 4	20.0%	12.9%	7.1%	80.0%
Grade 5	26.9%	17.5%	9.4%	73.1%
Grade 6	37.0%	25.5%	11.6%	63.0%
ADJ-INHALANTS	8.7%	6.3%	2.4%	91.3%
Grade 4	7.7%	5.5%	2.2%	92.3%
Grade 5	7.5%	5.7%	1.9%	92.5%
Grade 6	10.7%	7.6%	3.1%	89.3%
MARIJUANA	3.2%	2.0%	1.1%	96.8%
Grade 4	1.3%	0.7%	0.6%	98.7%
Grade 5	2.5%	1.4%	1.1%	97.5%
Grade 6	5.4%	3.9%	1.6%	94.6%

TABLE B8: PREVALENCE AND RECENCY OF USE OF SELECTED SUBSTANCES BY GRADE
 --> STUDENTS REPORTING C, D, AND F GRADES

	Ever Used	School Year	Not Past Year	Never Used
TOBACCO	26.3%	18.0%	8.3%	73.7%
Grade 4	15.0%	9.7%	5.3%	85.0%
Grade 5	22.4%	15.2%	7.2%	77.6%
Grade 6	38.5%	26.8%	11.6%	61.5%
ALCOHOL	41.6%	30.2%	11.5%	58.4%
Grade 4	30.8%	22.6%	8.1%	69.2%
Grade 5	36.4%	25.9%	10.5%	63.6%
Grade 6	54.4%	39.5%	14.9%	45.6%
ADJ-INHALANTS	15.5%	11.1%	4.3%	84.5%
Grade 4	14.2%	10.3%	3.8%	85.8%
Grade 5	11.5%	8.6%	2.9%	88.5%

	96State	456. OUT		
Grade 6	19.8%	13.9%	5.9%	80.2%
MARIJUANA	8.6%	6.5%	2.1%	91.4%
Grade 4	3.4%	2.3%	1.1%	96.6%
Grade 5	4.9%	3.4%	1.5%	95.1%
Grade 6	15.4%	12.2%	3.2%	84.6%

STATE SAMPLE: GRADES 4-6
SPRING 1996

TABLE B9: PREVALENCE AND REGENCY OF USE OF SELECTED SUBSTANCES BY GRADE
--> STUDENTS LIVING WITH TWO PARENTS

	Ever Used	School Year	Not Past Year	Never Used
TOBACCO	14.3%	9.1%	5.2%	85.7%
Grade 4	7.4%	4.4%	3.0%	92.6%
Grade 5	13.3%	7.9%	5.4%	86.7%
Grade 6	21.6%	14.5%	7.1%	78.4%
ALCOHOL	26.8%	18.1%	8.7%	73.2%
Grade 4	19.3%	12.6%	6.7%	80.7%
Grade 5	24.8%	16.4%	8.4%	75.2%
Grade 6	35.4%	24.6%	10.9%	64.6%
ADJ-INHALANTS	9.3%	6.7%	2.6%	90.7%
Grade 4	8.5%	6.1%	2.4%	91.5%
Grade 5	7.7%	5.8%	1.9%	92.3%
Grade 6	11.4%	8.0%	3.4%	88.6%
MARIJUANA	3.1%	2.0%	1.0%	96.9%
Grade 4	1.3%	0.7%	0.6%	98.7%
Grade 5	2.1%	1.1%	1.0%	97.9%
Grade 6	5.5%	4.1%	1.4%	94.5%

TABLE B10: PREVALENCE AND REGENCY OF USE OF SELECTED SUBSTANCES BY GRADE
--> STUDENTS NOT LIVING WITH TWO PARENTS

	Ever Used	School Year	Not Past Year	Never Used
--	-----------	-------------	---------------	------------

96State456. OUT

TOBACCO	23.7%	15.0%	8.8%	76.3%
Grade 4	13.3%	7.9%	5.4%	86.7%
Grade 5	21.9%	13.7%	8.2%	78.1%
Grade 6	33.8%	21.8%	12.0%	66.2%
ALCOHOL	38.1%	26.2%	11.8%	61.9%
Grade 4	27.0%	18.5%	8.4%	73.0%
Grade 5	35.3%	23.6%	11.7%	64.7%
Grade 6	49.3%	34.7%	14.6%	50.7%
ADJ-INHALANTS	11.0%	8.1%	3.0%	89.0%
Grade 4	9.1%	6.7%	2.4%	90.9%
Grade 5	9.1%	6.7%	2.4%	90.9%
Grade 6	14.3%	10.3%	4.0%	85.7%
MARIJUANA	6.2%	4.4%	1.8%	93.8%
Grade 4	2.5%	1.6%	0.9%	97.5%
Grade 5	4.3%	2.9%	1.4%	95.7%
Grade 6	10.7%	8.0%	2.7%	89.3%

STATE SAMPLE: GRADES 4-6
SPRING 1996

TABLE B11: PREVALENCE AND REGENCY OF USE OF SELECTED SUBSTANCES BY GRADE
--> STUDENTS LIVING IN TOWN MORE THAN 3 YEARS.

	Ever Used	School Year	Not Past Year	Never Used
TOBACCO	17.5%	11.3%	6.2%	82.5%
Grade 4	9.1%	5.5%	3.6%	90.9%
Grade 5	15.6%	9.7%	5.9%	84.4%
Grade 6	26.1%	17.4%	8.7%	73.9%
ALCOHOL	31.0%	21.4%	9.6%	69.0%
Grade 4	21.6%	14.5%	7.1%	78.4%
Grade 5	28.8%	19.4%	9.4%	71.2%
Grade 6	40.8%	28.8%	12.0%	59.2%
ADJ-INHALANTS	10.0%	7.2%	2.8%	90.0%
Grade 4	8.6%	6.1%	2.4%	91.4%
Grade 5	8.3%	6.3%	2.0%	91.7%

	96State	456.0UT		
Grade 6	12.5%	8.9%	3.6%	87.5%
MARIJUANA	4.2%	2.9%	1.3%	95.8%
Grade 4	1.7%	0.9%	0.7%	98.3%
Grade 5	3.0%	1.8%	1.2%	97.0%
Grade 6	7.4%	5.6%	1.8%	92.6%

TABLE B12: PREVALENCE AND REGENCY OF USE OF SELECTED SUBSTANCES BY GRADE
--> STUDENTS LIVING IN TOWN 3 YEARS OR LESS

	Ever Used	School Year	Not Past Year	Never Used
TOBACCO	18.9%	11.3%	7.6%	81.1%
Grade 4	10.4%	5.8%	4.6%	89.6%
Grade 5	20.5%	12.1%	8.4%	79.5%
Grade 6	25.3%	15.7%	9.6%	74.7%
ALCOHOL	30.4%	19.7%	10.8%	69.6%
Grade 4	23.1%	15.3%	7.7%	76.9%
Grade 5	28.7%	18.1%	10.6%	71.3%
Grade 6	38.6%	25.0%	13.6%	61.4%
ADJ-INHALANTS	9.9%	7.1%	2.8%	90.1%
Grade 4	9.5%	7.0%	2.6%	90.5%
Grade 5	7.9%	5.7%	2.2%	92.1%
Grade 6	11.8%	8.2%	3.5%	88.2%
MARIJUANA	4.0%	2.6%	1.4%	96.0%
Grade 4	1.9%	1.2%	0.7%	98.1%
Grade 5	2.6%	1.4%	1.2%	97.4%
Grade 6	7.1%	4.8%	2.3%	92.9%

STATE SAMPLE: GRADES 4-6
SPRING 1996

TABLE B13: PREVALENCE AND REGENCY OF USE OF SELECTED SUBSTANCES BY GRADE
--> ASI AN AMERICAN STUDENTS

	Ever Used	School Year	Not Past Year	Never Used
--	-----------	-------------	---------------	------------

96State456. OUT

TOBACCO	8.5%	4.2%	4.3%	91.5%
Grade 4	4.8%	2.0%	2.9%	95.2%
Grade 5	8.2%	4.5%	3.6%	91.8%
Grade 6	11.5%	5.7%	5.8%	88.5%
ALCOHOL	15.2%	9.7%	5.5%	84.8%
Grade 4	8.3%	5.1%	3.2%	91.7%
Grade 5	15.8%	9.1%	6.7%	84.2%
Grade 6	20.1%	13.7%	6.4%	79.9%
ADJ-INHALANTS	7.3%	5.0%	2.3%	92.7%
Grade 4	7.3%	5.5%	1.8%	92.7%
Grade 5	7.5%	5.9%	1.6%	92.5%
Grade 6	7.2%	4.1%	3.1%	92.8%
MARIJUANA	1.6%	1.2%	* %	98.4%
Grade 4	1.3%	0.6%	0.6%	98.7%
Grade 5	1.0%	0.8%	* %	99.0%
Grade 6	2.1%	1.8%	* %	97.9%

TABLE B14: PREVALENCE AND REGENCY OF USE OF SELECTED SUBSTANCES BY GRADE
--> NATIVE AMERICAN STUDENTS

	Ever Used	School Year	Not Past Year	Never Used
TOBACCO	20.8%	13.1%	7.7%	79.2%
Grade 4	16.7%	11.0%	5.7%	83.3%
Grade 5	19.0%	11.2%	7.8%	81.0%
Grade 6	28.3%	18.3%	10.0%	71.7%
ALCOHOL	34.0%	22.1%	11.9%	66.0%
Grade 4	30.6%	20.5%	10.1%	69.4%
Grade 5	32.7%	21.0%	11.6%	67.3%
Grade 6	40.1%	25.6%	14.4%	59.9%
ADJ-INHALANTS	12.2%	9.5%	2.7%	87.8%
Grade 4	11.7%	8.1%	3.7%	88.3%
Grade 5	10.7%	8.9%	1.7%	89.3%
Grade 6	14.8%	12.0%	2.8%	85.2%
MARIJUANA	4.3%	3.0%	1.3%	95.7%
Grade 4	3.2%	2.7%	0.5%	96.8%

	96State456.0UT			
Grade 5	2.9%	2.4%	0.5%	97.1%
Grade 6	7.3%	4.3%	3.1%	92.7%

♀

STATE SAMPLE: GRADES 4-6
SPRING 1996

TABLE 1: HAVE YOU EVER SNIFFED ANY OF THE FOLLOWING INHALANTS TO GET HIGH?

1A. WHITEOUT OR LIQUID PAPER		NOT USED	USED
	ALL	96.4%	3.6%
	GRADE 4	97.8%	2.2%
	GRADE 5	97.3%	2.7%
	GRADE 6	94.6%	5.4%
1B. GASOLINE		NOT USED	USED
	ALL	97.7%	2.3%
	GRADE 4	97.8%	2.2%
	GRADE 5	97.7%	2.3%
	GRADE 6	97.6%	2.4%
1C. GLUE		NOT USED	USED
	ALL	96.6%	3.4%
	GRADE 4	96.2%	3.8%
	GRADE 5	96.9%	3.1%
	GRADE 6	96.6%	3.4%
1D. PAINT THINNER		NOT USED	USED
	ALL	98.2%	1.8%
	GRADE 4	98.2%	1.8%
	GRADE 5	98.5%	1.5%
	GRADE 6	98.0%	2.0%
1E. SPRAY PAINT		NOT USED	USED
	ALL	97.2%	2.8%
	GRADE 4	97.5%	2.5%
	GRADE 5	97.7%	2.3%
	GRADE 6	96.7%	3.3%

1F. OTHER INHALANTS

	NOT USED	USED
ALL	95.4%	4.6%
GRADE 4	96.5%	3.5%
GRADE 5	96.4%	3.6%
GRADE 6	93.5%	6.5%

TABLE 2: NUMBER OF DIFFERENT KINDS OF INHALANTS USED:

	0	1	2-3	4-5
ALL	92.6%	4.0%	2.8%	0.6%
GRADE 4	93.3%	3.6%	2.6%	* %
GRADE 5	93.8%	3.3%	2.2%	0.6%
GRADE 6	90.8%	5.0%	3.5%	0.6%

STATE SAMPLE: GRADES 4-6
SPRING 1996

TABLE 3: AVERAGE NUMBER OF TIMES SELECTED SUBSTANCES WERE USED:

3A. SCHOOL YEAR

	TOBACCO	ALCOHOL	INHALANTS	MARIJUANA
ALL	0.4	1.0	0.1	0.1
GRADE 4	0.2	0.5	0.1	0.0
GRADE 5	0.3	0.9	0.1	0.1
GRADE 6	0.8	1.6	0.2	0.2

3B. LIFETIME

	TOBACCO	ALCOHOL	INHALANTS	MARIJUANA
ALL	0.7	1.7	0.2	0.2
GRADE 4	0.3	0.8	0.1	0.1
GRADE 5	0.5	1.4	0.2	0.1
GRADE 6	1.1	2.7	0.3	0.3

TABLE 4: DURING THE PAST SCHOOL YEAR, HAVE YOU SMOKED CIGARETTES?

	NO	YES
--	----	-----

96State456.0UT

ALL	89.9%	10.1%
GRADE 4	95.2%	4.8%
GRADE 5	91.3%	8.7%
GRADE 6	84.0%	16.0%

TABLE 5: ABOUT HOW MANY OF YOUR CLOSE FRIENDS USE...

5A. ALCOHOL (BEER, WINE COOLERS, WINE, LIQUOR)?

	NEVER HEARD OF	NONE	SOME	MOST
ALL	1.5%	63.2%	27.5%	7.8%
GRADE 4	2.1%	72.5%	20.9%	4.5%
GRADE 5	1.3%	65.2%	26.9%	6.5%
GRADE 6	1.0%	53.1%	33.9%	12.0%

5B. INHALANTS?

	NEVER HEARD OF	NONE	SOME	MOST
ALL	5.8%	81.5%	10.2%	2.4%
GRADE 4	9.9%	83.0%	6.0%	1.1%
GRADE 5	5.1%	84.1%	9.0%	1.7%
GRADE 6	2.8%	78.0%	15.0%	4.2%

STATE SAMPLE: GRADES 4-6
SPRING 1996

5C. MARIJUANA?

	NEVER HEARD OF	NONE	SOME	MOST
ALL	5.7%	82.1%	8.9%	3.3%
GRADE 4	10.6%	84.2%	3.9%	1.4%
GRADE 5	4.4%	85.7%	7.6%	2.2%
GRADE 6	2.7%	77.1%	14.5%	5.8%

TABLE 6: AVERAGE AGE OF FIRST USE OF SELECTED SUBSTANCES:

	GRADE 4	GRADE 5	GRADE 6
TOBACCO	8.4	9.2	9.9
ALCOHOL	8.2	8.9	9.5

	96State	456.0	OUT
BEER	8.1	8.8	9.4
WINE/COOL	8.6	9.3	10.0
WINE	8.6	9.4	10.1
LIQUOR	8.7	9.5	10.3
INHALANT	8.4	9.2	10.2
MARIJUAN	8.7	9.8	10.6

TABLE 7: LIFETIME PREVALENCE OF USE OF SELECTED SUBSTANCES BY REPORTED CONDUCT PROBLEMS THIS SCHOOL YEAR:

	NO ABSENCES OR CONDUCT PROBLEMS	CUT SCHOOL	SENT TO PRINCIPAL	BOTH
ALCOHOL	21.3%	69.5%	47.7%	76.3%
INHALANTS	3.7%	23.4%	10.8%	26.8%
MARIJUANA	1.5%	25.7%	8.9%	31.4%

TABLE 8: AGE OF FIRST USE OF ALCOHOL BY FAMILY SITUATION:

8A. TWO-PARENT FAMILY

	NEVER	7 OR UNDER	8	9	10	11	12 OR OVER
ALL	73.7%	6.6%	3.9%	4.9%	5.2%	3.8%	1.8%
GRADE 4	81.2%	6.9%	4.1%	5.1%	2.3%	* %	* %
GRADE 5	75.4%	6.3%	3.7%	5.0%	6.1%	3.0%	0.5%
GRADE 6	65.2%	6.6%	4.0%	4.7%	7.2%	7.8%	4.5%

8B. OTHER FAMILY SITUATION

	NEVER	7 OR UNDER	8	9	10	11	12 OR OVER
ALL	62.6%	10.2%	5.1%	6.6%	7.1%	5.5%	2.8%
GRADE 4	73.5%	9.7%	5.5%	7.1%	3.6%	0.5%	* %
GRADE 5	65.2%	9.7%	5.2%	6.4%	8.4%	4.2%	0.8%
GRADE 6	51.7%	11.1%	4.7%	6.5%	8.8%	10.4%	6.8%

STATE SAMPLE: GRADES 4-6
SPRING 1996

TABLE 9: HOW DANGEROUS DO YOU THINK IT IS FOR KIDS YOUR AGE TO USE ...

9A. TOBACCO (CIGARETTES, SNUFF, CHEWING TOBACCO)?

	NEVER HEARD OF	VERY DANGEROUS	DANGEROUS	NOT AT ALL DANGEROUS	DO NOT KNOW
ALL	1.3%	65.3%	26.1%	1.8%	5.5%
GRADE 4	2.0%	72.6%	18.5%	1.2%	5.7%

			96State456. OUT		
GRADE 5	1.2%	66.8%	25.5%	1.4%	5.0%
GRADE 6	0.8%	57.6%	33.3%	2.6%	5.8%

9B. ALCOHOL (BEER, WINE COOLERS, WINE, LIQUOR)?

	NEVER HEARD OF	VERY DANGEROUS	DANGEROUS	NOT AT ALL DANGEROUS	DO NOT KNOW
ALL	4.1%	67.7%	23.4%	0.0%	4.8%
GRADE 4	3.9%	74.1%	17.3%	-0.0%	4.7%
GRADE 5	3.5%	69.0%	23.0%	0.0%	4.4%
GRADE 6	4.8%	60.8%	29.1%	-0.0%	5.3%

9C. INHALANTS?

	NEVER HEARD OF	VERY DANGEROUS	DANGEROUS	NOT AT ALL DANGEROUS	DO NOT KNOW
ALL	3.9%	67.2%	18.7%	2.4%	7.8%
GRADE 4	7.0%	66.3%	15.9%	1.9%	8.9%
GRADE 5	3.2%	68.7%	18.8%	2.2%	7.2%
GRADE 6	1.7%	66.7%	21.1%	3.1%	7.4%

9D. MARIJUANA?

	NEVER HEARD OF	VERY DANGEROUS	DANGEROUS	NOT AT ALL DANGEROUS	DO NOT KNOW
ALL	3.9%	80.0%	9.3%	1.6%	5.2%
GRADE 4	7.5%	77.9%	7.9%	0.8%	5.8%
GRADE 5	2.9%	82.4%	8.9%	1.2%	4.5%
GRADE 6	1.6%	79.7%	10.8%	2.6%	5.4%

TABLE 10: SINCE SCHOOL BEGAN IN SEPTEMBER, HAVE YOU LEARNED ABOUT DRUGS OR ALCOHOL FROM...

10A. AN ASSEMBLY PROGRAM?

	NO	YES
ALL	37.0%	63.0%
GRADE 4	36.3%	63.7%
GRADE 5	32.1%	67.9%
GRADE 6	41.8%	58.2%

10B. A GUIDANCE COUNSELOR?

	NO	YES
ALL	45.5%	54.5%

	96State456.0UT	
GRADE 4	36.6%	63.4%
GRADE 5	40.7%	59.3%
GRADE 6	57.4%	42.6%

STATE SAMPLE: GRADES 4-6
SPRING 1996

10C. VISITOR TO CLASS?

	NO	YES
ALL	37.0%	63.0%
GRADE 4	39.8%	60.2%
GRADE 5	27.9%	72.1%
GRADE 6	42.7%	57.3%

10D. SOMEONE ELSE AT SCHOOL?

	NO	YES
ALL	52.5%	47.5%
GRADE 4	52.1%	47.9%
GRADE 5	50.6%	49.4%
GRADE 6	54.4%	45.6%

10E. YOUR TEACHER?

	NO	YES
ALL	24.9%	75.1%
GRADE 4	23.8%	76.2%
GRADE 5	24.9%	75.1%
GRADE 6	25.8%	74.2%

10F. ANY SCHOOL SOURCE?

	NO	YES
ALL	8.1%	91.9%
GRADE 4	8.6%	91.4%
GRADE 5	5.7%	94.3%
GRADE 6	9.8%	90.2%

TABLE 11: HOW DO YOUR PARENTS FEEL ABOUT KIDS YOUR AGE...

11A. DRINKING BEER?

DON' T DON' T THIN K DON' T

	LIKE IT	96State456. OUT CARE	IT'S OK	KNOW
ALL	80.4%	2.3%	1.0%	16.3%
GRADE 4	81.4%	1.8%	1.0%	15.8%
GRADE 5	81.0%	2.2%	1.0%	15.8%
GRADE 6	79.0%	2.8%	1.0%	17.1%

11B. SMOKING MARIJUANA?

	DON'T LIKE IT	DON'T CARE	THINK IT'S OK	DON'T KNOW
ALL	85.2%	1.5%	* %	12.8%
GRADE 4	84.1%	1.2%	* %	14.3%
GRADE 5	85.7%	1.3%	* %	12.6%
GRADE 6	85.9%	1.8%	0.5%	11.8%

STATE SAMPLE: GRADES 4-6
SPRING 1996

TABLE 12: HAVE YOU EVER BEEN OFFERED...

12A. ALCOHOL (BEER, WINE COOLERS, WINE, LIQUOR)?

	NEVER HEARD OF	YES	NO
ALL	1.6%	32.6%	65.9%
GRADE 4	2.0%	24.3%	73.7%
GRADE 5	1.5%	31.2%	67.3%
GRADE 6	1.2%	41.1%	57.7%

12B. INHALANTS?

	NEVER HEARD OF	YES	NO
ALL	5.5%	8.7%	85.8%
GRADE 4	9.1%	5.2%	85.7%
GRADE 5	4.8%	7.3%	87.9%
GRADE 6	3.1%	13.0%	83.9%

12C. MARIJUANA?

	NEVER HEARD OF	YES	NO
ALL	5.5%	10.3%	84.2%
GRADE 4	9.7%	5.8%	84.5%
GRADE 5	4.3%	8.7%	87.0%

GRADE 6 96State456.OUT
3.0% 15.7% 81.4%

STATE SAMPLE: GRADES 4-6
SPRING 1996

TABLE A3: DURING THE PAST YEAR (12 MONTHS), HOW MANY TIMES HAVE YOU HAD TWO OR MORE DRINKS IN A ROW?

A3A. BEER

	NEVER	1 TIME	2 TIMES	3+ TIMES	EVER
ALL	84.1%	8.9%	3.5%	3.6%	15.9%
GRADE 4	87.6%	7.5%	2.6%	2.3%	12.4%
GRADE 5	85.4%	8.5%	3.1%	3.0%	14.6%
GRADE 6	79.7%	10.4%	4.6%	5.3%	20.3%

A3B. WINE COOLERS

	NEVER	1 TIME	2 TIMES	3+ TIMES	EVER
ALL	83.6%	8.3%	4.1%	4.0%	16.4%
GRADE 4	89.4%	6.2%	2.3%	2.2%	10.6%
GRADE 5	84.9%	8.1%	3.6%	3.3%	15.1%
GRADE 6	77.5%	10.3%	6.0%	6.3%	22.5%

A3C. WINE

	NEVER	1 TIME	2 TIMES	3+ TIMES	EVER
ALL	88.9%	6.6%	2.4%	2.1%	11.1%
GRADE 4	93.0%	4.4%	1.5%	1.1%	7.0%
GRADE 5	90.1%	6.1%	2.0%	1.8%	9.9%
GRADE 6	84.3%	8.9%	3.5%	3.2%	15.7%

A3D. LIQUOR

	NEVER	1 TIME	2 TIMES	3+ TIMES	EVER
ALL	93.2%	3.5%	1.4%	1.9%	6.8%
GRADE 4	97.0%	1.7%	0.6%	0.7%	3.0%
GRADE 5	94.3%	3.2%	1.1%	1.4%	5.7%
GRADE 6	89.0%	5.3%	2.4%	3.3%	11.0%

STATE SAMPLE: GRADES 4-6
SPRING 1996

GENDER

Q1 Frequency Percent

96State456. OUT

	Frequency	Percent
Male	35174.13	49.6
Female	35701.39	50.4

Frequency Missing = 89.67427445

GRADE LEVEL

Q2	Frequency	Percent
4th	22861.13	32.2
5th	22590.56	31.8
6th	25513.51	36.0

DO YOU LIVE WITH BOTH PARENTS?

Q3	Frequency	Percent
Yes	46326.84	65.9
No	24007.07	34.1

Frequency Missing = 631.28706584

AGE

Q4	Frequency	Percent
8 or younger	58.68883	0.1
9	7859.146	11.1
10	20630.96	29.2
11	22393.12	31.7
12	16922.75	23.9
13 or older	2871.689	4.1

Frequency Missing = 228.83445846

ETHNICITY

Q5	Frequency	Percent
White	27424.16	39.3
African/American	11810.02	16.9
Mexican/American	24477.15	35.1

	96State456.0UT	
Asian/American	1509.161	2.2
Native/American	1145.391	1.6
Other	3342.156	4.8

Frequency Missing = 1257.1587283

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
STATE SAMPLE: GRADES 4-6
SPRING 1996

WHAT GRADES DO YOU USUALLY GET

	Q6	Frequency	Percent
Mostly A's		26012.1	37.3
Mostly B's		31310.34	45.0
Mostly C's		9736.249	14.0
Mostly D's		1635.115	2.3
Mostly F's		952.2416	1.4

Frequency Missing = 1319.1534415

LIVED IN THIS TOWN FOR
MORE THAN 3 YEARS

	Q7	Frequency	Percent
Yes		56336.75	79.9
No		9956.691	14.1
Don't know		4211.546	6.0

Frequency Missing = 460.212025

EITHER PARENT GRADUATE
FROM COLLEGE

	Q8	Frequency	Percent
Yes		31922.89	45.4
No		14227.7	20.2
Don't know		24182.1	34.4

96State456.0UT

Frequency Missing = 632.50824095

QUALIFY FOR A FREE/REDUCED
PRICE LUNCH?

Q9	Frequency	Percent
Yes	29452.53	42.3
No	25302.79	36.3
Don't know	14951.15	21.4

Frequency Missing = 1258.7286523

EVER INHALED GASOLINE
TO GET HIGH?

Q10A	Frequency	Percent
Not Used	66897.9	97.7
Used	1565.567	2.3

Frequency Missing = 2501.7255747

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
STATE SAMPLE: GRADES 4-6
SPRING 1996

EVER INHALED PAINT THINNER
TO GET HIGH?

Q10B	Frequency	Percent
Not Used	66076.85	98.2
Used	1195.675	1.8

Frequency Missing = 3692.6670697

EVER INHALED GLUE TO GET HIGH?

♀

96State456.0UT		
Q10C	Frequency	Percent
Not Used	64864.24	96.6
Used	2313.546	3.4

Frequency Missing = 3787.405565

EVER INHALED LIQUID PAPER TO GET HIGH?		
Q10D	Frequency	Percent
Not Used	64626.97	96.4
Used	2385.317	3.6

Frequency Missing = 3952.9102795

EVER INHALED SPRAY PAINT TO GET HIGH?		
Q10E	Frequency	Percent
Not Used	65304.68	97.2
Used	1850.208	2.8

Frequency Missing = 3810.3092926

EVER INHALED OTHER INHNTS TO GET HIGH?		
Q10F	Frequency	Percent
Not Used	64147.53	95.4
Used	3100.41	4.6

Frequency Missing = 3717.2554249

96State456.0UT

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

STATE SAMPLE: GRADES 4-6
SPRING 1996

CIGARETTE USE DURING LIFETIME

Q11A	Frequency	Percent
Never heard of	2544.079	3.7
Never used	56265.23	81.2
1-2 times	7108.933	10.3
3-10 times	2037.289	2.9
11+ times	1339.095	1.9

Frequency Missing = 1670.5667088

SNUFF/CHEWING TOBACCO
USE IN LIFETIME

Q11B	Frequency	Percent
Never heard of	3933.373	5.8
Never used	61541.75	90.2
1-2 times	2125.31	3.1
3-10 times	360.8626	0.5
11+ times	248.3834	0.4

Frequency Missing = 2755.5147064

BEER USE DURING LIFETIME

Q11C	Frequency	Percent
Never heard of	937.8221	1.4
Never used	53778.97	79.4
1-2 times	9670.646	14.3
3-10 times	2361.317	3.5
11+ times	987.9775	1.5

Frequency Missing = 3228.4630457

WINE COOLER USE DURING LIFETIME

Q11D	Frequency	Percent
------	-----------	---------

96State456.0UT

	Frequency	Percent
Never heard of	5084.724	7.6
Never used	49547.65	73.8
1-2 times	9256.065	13.8
3-10 times	2225.58	3.3
11+ times	1012.341	1.5

Frequency Missing = 3838.8410592

WINE USE DURING LIFETIME

Q11E	Frequency	Percent
Never heard of	1592.926	2.4
Never used	56137.79	84.7
1-2 times	6819.303	10.3
3-10 times	1290.299	1.9
11+ times	447.2161	0.7

Frequency Missing = 4677.6577653

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
STATE SAMPLE: GRADES 4-6
SPRING 1996

LIQUOR USE DURING LIFETIME

Q11F	Frequency	Percent
Never heard of	5931.187	8.8
Never used	56600.25	83.9
1-2 times	3726.434	5.5
3-10 times	865.7577	1.3
11+ times	371.2932	0.6

Frequency Missing = 3470.26917

INHALANT USE DURING LIFETIME

Q11H	Frequency	Percent
Never heard of	4607.915	6.8
Never used	58980.73	87.2
1-2 times	2819.46	4.2
3-10 times	894.2304	1.3
11+ times	306.3105	0.5

Frequency Missing = 3356.5528413

MARIJUANA USE DURING LIFETIME

Q11I	Frequency	Percent
Never heard of	4778.159	7.1
Never used	60056.63	89.0
1-2 times	1560.218	2.3
3-10 times	669.6508	1.0
11+ times	450.6734	0.7

Frequency Missing = 3449.8679394

CIGARETTE USE IN PAST SCHOOL YEAR

Q12A	Frequency	Percent
Never heard of	2409.826	3.5
Never used	59726.67	86.4
1-2 times	4705.465	6.8
3-10 times	1408.399	2.0
11+ times	859.0052	1.2

Frequency Missing = 1855.8330042

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
STATE SAMPLE: GRADES 4-6
SPRING 1996

SNUFF/CHEWING TOBACCO
USE IN PAST YEAR

Q12B	Frequency	Percent
------	-----------	---------

96State456.0UT

	Frequency	Percent
Never heard of	3416.248	5.0
Never used	63286.23	92.6
1-2 times	1243.375	1.8
3-10 times	220.7749	0.3
11+ times	146.5991	0.2

Frequency Missing = 2651.964946

BEER USE IN PAST SCHOOL YEAR

Q12C	Frequency	Percent
Never heard of	948.9193	1.4
Never used	58637.37	86.2
1-2 times	6513.025	9.6
3-10 times	1406.684	2.1
11+ times	522.493	0.8

Frequency Missing = 2936.7089233

WINE COOLER USE IN PAST SCHOOL YEAR

Q12D	Frequency	Percent
Never heard of	4810.554	7.1
Never used	54280.44	80.4
1-2 times	6481.639	9.6
3-10 times	1387.425	2.1
11+ times	576.2664	0.9

Frequency Missing = 3428.8684246

WINE USE IN PAST SCHOOL YEAR

Q12E	Frequency	Percent
Never heard of	1593.596	2.4
Never used	59756.18	89.1
1-2 times	4772.044	7.1
3-10 times	733.3281	1.1
11+ times	248.6951	0.4

Frequency Missing = 3861.3534984

96State456.0UT

LIQUOR USE IN PAST SCHOOL YEAR

Q12F	Frequency	Percent
Never heard of	5400.487	8.0
Never used	59031.97	87.3
1-2 times	2433.667	3.6
3-10 times	556.7259	0.8
11+ times	225.571	0.3

Frequency Missing = 3316.7714706

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district

STATE SAMPLE: GRADES 4-6
SPRING 1996

INHALANT USE IN PAST SCHOOL YEAR

Q12H	Frequency	Percent
Never heard of	4311.323	6.4
Never used	60187.44	89.2
1-2 times	2159.594	3.2
3-10 times	612.0473	0.9
11+ times	225.6729	0.3

Frequency Missing = 3469.1148693

MARIJUANA USE IN PAST SCHOOL YEAR

Q12I	Frequency	Percent
Never heard of	4539.545	6.7
Never used	60968.13	90.4
1-2 times	1192.935	1.8
3-10 times	436.8634	0.6
11+ times	326.6098	0.5

Frequency Missing = 3501.1077654

AGE WHEN FIRST USED CIGARETTES

Q13A	Frequency	Percent
Never heard of	2036.28	3.0
Never used	55226.28	80.7

	96State456.0UT	
7 or younger	1819.078	2.7
8	1194.246	1.7
9	1997.645	2.9
10	2560.457	3.7
11	2424.426	3.5
12 or older	1165.635	1.7

Frequency Missing = 2541.1439881

AGE WHEN FIRST USED
SNUFF/CHEW TOBACCO

Q13B	Frequency	Percent
Never heard of	2995.298	4.4
Never used	61655.29	91.1
7 or younger	606.6038	0.9
8	396.4514	0.6
9	515.922	0.8
10	655.7026	1.0
11	528.7199	0.8
12 or older	312.5549	0.5

Frequency Missing = 3298.6580852

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
STATE SAMPLE: GRADES 4-6
SPRING 1996

AGE WHEN FIRST USED BEER

Q13C	Frequency	Percent
Never heard of	813.4184	1.2
Never used	52774.83	78.7
7 or younger	3960.562	5.9
8	1995.683	3.0
9	2362.746	3.5
10	2469.624	3.7
11	1736.441	2.6
12 or older	976.9092	1.5

Frequency Missing = 3874.9826629

AGE WHEN FIRST USED WINE COOLERS

Q13D	Frequency	Percent
Never heard of	4488.813	6.7
Never used	49824.87	74.7
7 or younger	1678.834	2.5
8	1577.229	2.4
9	2326.343	3.5
10	2944.577	4.4
11	2536.013	3.8
12 or older	1315.783	2.0

Frequency Missing = 4272.7340136

AGE WHEN FIRST USED WINE

Q13E	Frequency	Percent
Never heard of	1413.051	2.1
Never used	56237.52	85.2
7 or younger	1099.833	1.7
8	946.6595	1.4
9	1620.246	2.5
10	2012.707	3.0
11	1722.906	2.6
12 or older	939.8729	1.4

Frequency Missing = 4972.4028404

AGE WHEN FIRST USED LIQUOR

Q13F	Frequency	Percent
Never heard of	5037.388	7.5
Never used	57559.14	85.8
7 or younger	517.9736	0.8
8	435.8062	0.6
9	675.4199	1.0
10	970.7946	1.4
11	1128.052	1.7
12 or older	729.7028	1.1

Frequency Missing = 3910.9177035

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
 STATE SAMPLE: GRADES 4-6
 SPRING 1996

♀

AGE WHEN FIRST USED INHALANTS

Q13H	Frequency	Percent
Never heard of	4062.909	6.1
Never used	58940.5	88.3
7 or younger	601.3921	0.9
8	450.3448	0.7
9	659.4274	1.0
10	776.5225	1.2
11	807.2135	1.2
12 or older	482.9689	0.7

Frequency Missing = 4183.9153407

AGE WHEN FIRST USED MARIJUANA

Q13I	Frequency	Percent
Never heard of	4207.415	6.3
Never used	59604.01	89.9
7 or younger	258.4415	0.4
8	143.7778	0.2
9	290.0989	0.4
10	465.9143	0.7
11	631.2673	1.0
12 or older	677.6307	1.0

Frequency Missing = 4686.6358197

CLOSE FRIENDS USE CIGARETTES

Q14A	Frequency	Percent
Never heard of	2125.759	3.1
None	46572.74	68.0
Some	17171.69	25.1
Most	2603.645	3.8

Frequency Missing = 2491.3586627

96State456. OUT

CLOSE FRIENDS USE SNUFF/CHEWING
TOBACCO

Q14B	Frequency	Percent
Never heard of	2648.145	3.9
None	58329.22	86.9
Some	5349.89	8.0
Most	779.3324	1.2

Frequency Missing = 3858.6119112

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
STATE SAMPLE: GRADES 4-6
SPRING 1996

CLOSE FRIENDS USE BEER

Q14C	Frequency	Percent
Never heard of	1117.063	1.7
None	47421.66	70.7
Some	15202.38	22.7
Most	3293.593	4.9

Frequency Missing = 3930.4964519

CLOSE FRIENDS USE WINE COOLERS

Q14D	Frequency	Percent
Never heard of	3811.729	5.7
None	47215.67	71.2
Some	12088.4	18.2
Most	3212.73	4.8

Frequency Missing = 4636.6686416

CLOSE FRIENDS USE WINE

Q14E	Frequency	Percent
Never heard of	1569.477	2.4
None	53871.68	82.0
Some	8568.355	13.0
Most	1691.972	2.6

Frequency Missing = 5263.7127707

CLOSE FRIENDS USE LIQUOR

Q14F	Frequency	Percent
Never heard of	3893.954	5.9
None	54748.21	82.7
Some	6111.415	9.2
Most	1458.71	2.2

Frequency Missing = 4752.912248

CLOSE FRIENDS USE INHALANTS

Q14H	Frequency	Percent
Never heard of	3839.972	5.8
None	53988.11	81.5
Some	6771.084	10.2
Most	1614.562	2.4

Frequency Missing = 4751.4637535

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
STATE SAMPLE: GRADES 4-6
SPRING 1996

CLOSE FRIENDS USE MARIJUANA

Q14I	Frequency	Percent
------	-----------	---------

	96State456.0UT	
Never heard of	3794.571	5.7
None	54426.92	82.1
Some	5931.926	8.9
Most	2161.93	3.3

Frequency Missing = 4649.8507455

EVER BEEN OFFERED CIGARETTES

Q15A	Frequency	Percent

Never heard of	2049.758	3.0
Yes	17649.95	25.8
No	48652.58	71.2

Frequency Missing = 2612.9088033

EVER BEEN OFFERED SNUFF/CHEWING
TOBACCO

Q15B	Frequency	Percent

Never heard of	2812.663	4.2
Yes	6398.409	9.5
No	58103.75	86.3

Frequency Missing = 3650.3724363

EVER BEEN OFFERED BEER

Q15C	Frequency	Percent

Never heard of	1171.458	1.7
Yes	17643.44	26.3
No	48279.04	72.0

Frequency Missing = 3871.2606544

EVER BEEN OFFERED WINE COOLERS

Q15D	Frequency	Percent

Never heard of	3927.035	5.9
Yes	12116.98	18.3

96State456.0UT
 No 50334.03 75.8
 Frequency Missing = 4587.1477501

NOTE: The frequencies have been weighted so that the
 analysis reflects the distribution of students by grade
 level in the district
 STATE SAMPLE: GRADES 4-6
 SPRING 1996

EVER BEEN OFFERED WINE

	Q15E	Frequency	Percent
Never heard of		1701.376	2.6
Yes		8936.367	13.5
No		55564.44	83.9

Frequency Missing = 4763.0175936

EVER BEEN OFFERED LIQUOR

	Q15F	Frequency	Percent
Never heard of		4002.533	6.0
Yes		6450.406	9.7
No		56256.53	84.3

Frequency Missing = 4255.7291769

EVER BEEN OFFERED INHALANTS

	Q15H	Frequency	Percent
Never heard of		3697.024	5.5
Yes		5798.548	8.7
No		57155.89	85.8

Frequency Missing = 4313.7364251

96State456.0UT

EVER BEEN OFFERED MARIJUANA

Q15I	Frequency	Percent
Never heard of	3674.621	5.5
Yes	6876.823	10.3
No	56156.65	84.2

Frequency Missing = 4257.1032148

IS ALCOHOL OBTAINED FROM HOME

Q16A	Frequency	Percent
Do Not Drink	46228	69.8
Yes	8880.74	13.4
No	11164.14	16.8

Frequency Missing = 4692.3154005

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
STATE SAMPLE: GRADES 4-6
SPRING 1996

IS ALCOHOL OBTAINED FROM FRIENDS

Q16B	Frequency	Percent
Do Not Drink	44459.24	69.7
Yes	5353.502	8.4
No	13951.98	21.9

Frequency Missing = 7200.4764909

IS ALCOHOL OBTAINED SOMEWHERE ELSE

Q16C	Frequency	Percent
------	-----------	---------

96State456.0UT

	Frequency	Percent
Do Not Drink	44069.1	68.8
Yes	7572.156	11.8
No	12444.05	19.4

Frequency Missing = 6879.8913176

DANGEROUS FOR KIDS TO USE CIGARETTE

Q17A	Frequency	Percent
Never heard of	1628.598	2.4
Very dangerous	35613.54	52.2
Dangerous	23968.16	35.1
Not at all	1662.311	2.4
Don't know	5391.481	7.9

Frequency Missing = 2701.104191

DANGEROUS TO USE SNUFF/CHEW TOBACCO

Q17B	Frequency	Percent
Never heard of	1852.331	2.8
Very dangerous	38351.38	57.3
Dangerous	19010.9	28.4
Not at all	1605.87	2.4
Don't know	6113.412	9.1

Frequency Missing = 4031.2986373

DANGEROUS FOR KIDS TO USE BEER

Q17C	Frequency	Percent
Never heard of	642.2021	1.0
Very dangerous	30159.07	45.6
Dangerous	25334.97	38.3
Not at all	4052.342	6.1
Don't know	5907.81	8.9

Frequency Missing = 4868.8018332

96State456.0UT
 NOTE: The frequencies have been weighted so that the
 analysis reflects the distribution of students by grade
 level in the district
 STATE SAMPLE: GRADES 4-6
 SPRING 1996

♀

DANGEROUS FOR KIDS
 TO USE WINE COOLERS

Q17D	Frequency	Percent
Never heard of	3245.339	5.0
Very dangerous	25344.24	38.8
Dangerous	21712.54	33.2
Not at all	6955.457	10.6
Don't know	8112.578	12.4

Frequency Missing = 5595.0424151

DANGEROUS FOR KIDS TO USE WINE

Q17E	Frequency	Percent
Never heard of	917.8024	1.4
Very dangerous	29838.5	46.0
Dangerous	22476.7	34.7
Not at all	4549.887	7.0
Don't know	7026.219	10.8

Frequency Missing = 6156.0835627

DANGEROUS FOR KIDS TO USE LIQUOR

Q17F	Frequency	Percent
Never heard of	2809.011	4.3
Very dangerous	41137.67	62.8
Dangerous	15008.84	22.9
Not at all	1438.096	2.2
Don't know	5160.046	7.9

Frequency Missing = 5411.5343493

DANGEROUS FOR KIDS TO USE INHALANTS

Q17H	Frequency	Percent
------	-----------	---------

	96State456.0UT	
Never heard of	2533.418	3.9
Very dangerous	44128.65	67.2
Dangerous	12271.26	18.7
Not at all	1575.481	2.4
Don't know	5112.585	7.8

Frequency Missing = 5343.7996417

DANGEROUS FOR KIDS TO USE MARIJUANA

Q17I	Frequency	Percent
-----	-----	-----
Never heard of	2536.42	3.9
Very dangerous	52422.85	80.0
Dangerous	6085.306	9.3
Not at all	1049.346	1.6
Don't know	3428.252	5.2

Frequency Missing = 5443.0193239

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
STATE SAMPLE: GRADES 4-6
SPRING 1996

DRUG/ALCOHOL INFO
FROM TEACHER

Q18A	Frequency	Percent
-----	-----	-----
Yes	49553.93	75.1
No	16410.68	24.9

Frequency Missing = 5000.5873511

DRUG/ALC INFO FROM
VISITOR TO CLASS

Q18B	Frequency	Percent
-----	-----	-----
Yes	40427.13	63.0
No	23778.47	37.0

Frequency Missing = 6759.5959776

96State456.OUT
 DRUG/ALC INFO FROM
 ASSEMBLY PROGRAM

Q18C	Frequency	Percent
Yes	40048.92	63.0
No	23512.08	37.0

Frequency Missing = 7404.1989435

DRUG/ALC INFO FROM
 GUIDE COUNSELOR

Q18D	Frequency	Percent
Yes	34394.9	54.5
No	28718.27	45.5

Frequency Missing = 7852.0300354

DRUG/ALC INF FROM SOMEONE
 ELSE AT SCHOOL

Q18E	Frequency	Percent
Yes	30017.58	47.5
No	33151.2	52.5

Frequency Missing = 7796.4191745

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
 STATE SAMPLE: GRADES 4-6
 SPRING 1996

BEERS, TWO OR MORE AT ONE TIME

Q19A	Frequency	Percent
------	-----------	---------

	96State456.0UT	
Never	56889.41	84.1
1 time	5996.196	8.9
2 times	2367.874	3.5
3+ times	2423.687	3.6

Frequency Missing = 3288.0267876

WINE COOLERS, TWO/MORE
AT ONE TIME

Q19B	Frequency	Percent
Never	55081.91	83.6
1 time	5460.385	8.3
2 times	2670.405	4.1
3+ times	2660.177	4.0

Frequency Missing = 5092.3176335

WINE, TWO OR MORE AT ONE TIME

Q19C	Frequency	Percent
Never	58091.34	88.9
1 time	4318.489	6.6
2 times	1559.3	2.4
3+ times	1371.203	2.1

Frequency Missing = 5624.8586438

LIQUOR, TWO OR MORE
AT ONE TIME

Q19D	Frequency	Percent
Never	60195.99	93.2
1 time	2275.571	3.5
2 times	919.6222	1.4
3+ times	1203.467	1.9

Frequency Missing = 6370.5489419

MI SSED SCHOOL WITHOUT
PARENT' S CONSENT

96State456.0UT

Q20	Frequency	Percent
Yes	2773.909	4.0
No	65921.67	96.0

Frequency Missing = 2269.6178392

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district
STATE SAMPLE: GRADES 4-6
SPRING 1996

SENT TO PRINCIPAL/DEAN
SINCE SEPTEMBER

Q21	Frequency	Percent
Yes	20357.52	29.6
No	48312.28	70.4

Frequency Missing = 2295.3981205

PARENTS FEEL ABOUT KIDS DRINK BEER

Q22	Frequency	Percent
Don't like it	54488.77	80.4
Don't care	1547.608	2.3
Think it's O.K.	674.8295	1.0
Don't know	11040.85	16.3

Frequency Missing = 3213.1359205

PARENTS FEEL ABOUT KIDS USE MARIJUANA

Q23	Frequency	Percent
Don't like it	57937.83	85.2
Don't care	996.6182	1.5
Think it's O.K.	315.0147	0.5
Don't know	8716.842	12.8

Frequency Missing = 2998.890255

NOTE: The frequencies have been weighted so that the analysis reflects the distribution of students by grade level in the district