
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2014



PRESCRIPTION DRUG ADDENDUM

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

1	Region 3 Tables	1
	Table B-1: All Students	2
	Table B-2: Male Students	3
	Table B-3: Female Students	4
	Table B-4: White Students	5
	Table B-5: African/American Students	6
	Table B-6: Mexican/American Students	7
2	Region 5 and 6 Tables	8
	Table B-7: All Students	9
	Table B-8: Male Students	10
	Table B-9: Female Students	11
	Table B-10: White Students	12
	Table B-11: African/American Students	13
	Table B-12: Mexican/American Students	14
3	Region 7 and 8 Tables	15
	Table B-13: All Students	16
	Table B-14: Male Students	17
	Table B-15: Female Students	18
	Table B-16: White Students	19
	Table B-17: African/American Students	20
	Table B-18: Mexican/American Students	21
4	Region 9 and 10 Tables	22
	Table B-19: All Students	23
	Table B-20: Male Students	24
	Table B-21: Female Students	25
	Table B-22: White Students	26
	Table B-23: African/American Students	27
	Table B-24: Mexican/American Students	28
5	Border Tables	29
	Table B-25: All Students	30
	Table B-26: Male Students	31
	Table B-27: Female Students	32
	Table B-28: White Students	33
	Table B-29: African/American Students	34
	Table B-30: Mexican/American Students	35
6	State Tables	36
	Table B-31: All Students	37
	Table B-32: Male Students	38
	Table B-33: Female Students	39
	Table B-34: White Students	40
	Table B-35: African/American Students	41
	Table B-36: Mexican/American Students	42

1 Region 3 Tables

**Table B-1: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 3 All Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	3.8%	5.4%	8.5%	91.5%
Grade 6	2.6%	3.6%	6.3%	93.7%
Grade 7	3.2%	4.8%	6.5%	93.5%
Grade 8	3.4%	5.1%	8.1%	91.9%
Grade 9	3.2%	4.4%	6.8%	93.2%
Grade 10	4.7%	7.0%	10.9%	89.1%
Grade 11	5.0%	6.5%	11.1%	88.9%
Grade 12	5.4%	7.0%	10.6%	89.4%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.1%	1.5%	2.6%	97.4%
Grade 6	0.1%	0.3%	0.9%	99.1%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.9%	1.0%	1.3%	98.7%
Grade 9	0.5%	0.6%	1.3%	98.7%
Grade 10	2.0%	2.2%	3.2%	96.8%
Grade 11	1.7%	2.6%	5.9%	94.1%
Grade 12	3.0%	4.0%	5.9%	94.1%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.3%	3.4%	5.3%	94.7%
Grade 6	0.2%	0.2%	0.5%	99.5%
Grade 7	0.6%	0.7%	1.2%	98.8%
Grade 8	1.4%	2.0%	3.0%	97.0%
Grade 9	1.2%	1.8%	2.4%	97.6%
Grade 10	3.8%	4.7%	8.2%	91.8%
Grade 11	3.9%	7.0%	11.9%	88.1%
Grade 12	5.7%	8.4%	11.7%	88.3%
Valium or Diazepam?				
All	0.5%	0.5%	1.0%	99.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.7%	0.9%	1.0%	99.0%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	1.0%	1.0%	1.3%	98.7%
Grade 11	0.4%	0.5%	2.6%	97.4%
Grade 12	1.0%	1.1%	1.5%	98.5%
Xanax or Alprazolam?				
All	1.2%	1.7%	2.7%	97.3%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.8%	1.0%	1.6%	98.4%
Grade 9	1.1%	1.5%	1.8%	98.2%
Grade 10	2.1%	2.6%	4.1%	95.9%
Grade 11	1.8%	3.7%	7.4%	92.6%
Grade 12	3.0%	3.4%	4.5%	95.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 3 Male Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	3.9%	5.5%	8.8%	91.2%
Grade 6	2.7%	3.6%	5.9%	94.1%
Grade 7	2.8%	4.1%	4.9%	95.1%
Grade 8	3.4%	4.6%	6.9%	93.1%
Grade 9	2.4%	3.6%	5.1%	94.9%
Grade 10	4.4%	7.2%	13.4%	86.6%
Grade 11	6.9%	8.2%	13.7%	86.3%
Grade 12	5.5%	8.8%	14.5%	85.5%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.4%	1.7%	2.9%	97.1%
Grade 6	0.1%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	1.3%	1.6%	2.1%	97.9%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	2.3%	2.6%	4.0%	96.0%
Grade 11	1.7%	2.6%	6.4%	93.6%
Grade 12	4.5%	4.9%	8.1%	91.9%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.1%	3.1%	5.2%	94.8%
Grade 6	0.1%	0.1%	0.2%	99.8%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	1.5%	2.1%	3.0%	97.0%
Grade 9	1.4%	2.2%	2.6%	97.4%
Grade 10	3.4%	4.9%	9.8%	90.2%
Grade 11	3.5%	4.4%	10.4%	89.6%
Grade 12	6.0%	9.6%	13.1%	86.9%
Valium or Diazepam?				
All	0.6%	0.6%	1.0%	99.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.9%	1.2%	1.3%	98.7%
Grade 9	0.6%	0.6%	0.7%	99.3%
Grade 10	1.4%	1.4%	1.5%	98.5%
Grade 11	0.4%	0.5%	2.6%	97.4%
Grade 12	0.7%	0.8%	1.7%	98.3%
Xanax or Alprazolam?				
All	1.0%	1.2%	2.3%	97.7%
Grade 6	0.1%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.9%	1.0%	1.6%	98.4%
Grade 9	0.9%	0.9%	1.4%	98.6%
Grade 10	2.0%	2.3%	4.5%	95.5%
Grade 11	1.1%	2.2%	5.9%	94.1%
Grade 12	2.4%	2.6%	3.8%	96.2%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 3 of 42

**Table B-3: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 3 Female Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	3.8%	5.4%	8.1%	91.9%
Grade 6	2.4%	3.6%	6.7%	93.3%
Grade 7	3.7%	5.6%	8.2%	91.8%
Grade 8	3.5%	5.9%	9.7%	90.3%
Grade 9	4.1%	5.4%	8.6%	91.4%
Grade 10	4.7%	6.7%	8.3%	91.7%
Grade 11	3.3%	5.1%	8.2%	91.8%
Grade 12	5.3%	5.4%	7.2%	92.8%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	0.9%	1.4%	2.4%	97.6%
Grade 6	0.1%	0.3%	1.4%	98.6%
Grade 7	0.5%	0.7%	1.0%	99.0%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	0.3%	0.5%	1.9%	98.1%
Grade 10	1.8%	1.8%	2.6%	97.4%
Grade 11	1.6%	2.7%	5.5%	94.5%
Grade 12	1.6%	3.2%	3.9%	96.1%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.3%	3.6%	5.3%	94.7%
Grade 6	0.2%	0.2%	0.9%	99.1%
Grade 7	0.8%	1.0%	1.6%	98.4%
Grade 8	1.4%	2.1%	3.1%	96.9%
Grade 9	1.1%	1.3%	2.3%	97.7%
Grade 10	4.2%	4.7%	6.8%	93.2%
Grade 11	4.4%	9.7%	13.5%	86.5%
Grade 12	4.7%	6.6%	9.7%	90.3%
Valium or Diazepam?				
All	0.4%	0.4%	0.9%	99.1%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.6%	0.6%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.7%	0.7%	1.0%	99.0%
Grade 11	0.5%	0.5%	2.5%	97.5%
Grade 12	1.4%	1.4%	1.4%	98.6%
Xanax or Alprazolam?				
All	1.5%	2.3%	3.2%	96.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.5%	0.6%	1.2%	98.8%
Grade 8	0.7%	1.0%	1.7%	98.3%
Grade 9	1.4%	2.2%	2.2%	97.8%
Grade 10	2.3%	3.0%	3.8%	96.2%
Grade 11	2.4%	5.1%	9.0%	91.0%
Grade 12	3.6%	4.1%	5.1%	94.9%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 4 of 42

**Table B-4: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 3 White Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	3.6%	4.9%	7.1%	92.9%
Grade 6	2.3%	3.8%	5.5%	94.5%
Grade 7	1.9%	2.9%	4.4%	95.6%
Grade 8	1.9%	3.1%	4.7%	95.3%
Grade 9	2.7%	3.5%	4.2%	95.8%
Grade 10	6.4%	9.5%	12.3%	87.7%
Grade 11	2.5%	3.1%	8.7%	91.3%
Grade 12	9.3%	9.8%	11.9%	88.1%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.7%	2.1%	2.9%	97.1%
Grade 6	0.3%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.6%	0.8%	99.2%
Grade 8	0.7%	0.8%	1.2%	98.8%
Grade 9	1.1%	1.4%	1.4%	98.6%
Grade 10	3.8%	4.2%	5.4%	94.6%
Grade 11	2.3%	2.8%	5.2%	94.8%
Grade 12	3.9%	5.7%	8.0%	92.0%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.7%	4.0%	6.0%	94.0%
Grade 6	0.2%	0.2%	1.0%	99.0%
Grade 7	0.8%	0.8%	1.2%	98.8%
Grade 8	0.7%	1.1%	1.4%	98.6%
Grade 9	1.3%	2.5%	3.3%	96.7%
Grade 10	6.0%	7.7%	11.9%	88.1%
Grade 11	5.8%	8.2%	14.4%	85.6%
Grade 12	6.0%	9.9%	13.3%	86.7%
Valium or Diazepam?				
All	0.6%	0.6%	1.0%	99.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.6%	0.6%	0.6%	99.4%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	1.0%	1.0%	2.9%	97.1%
Grade 12	2.9%	2.9%	3.3%	96.7%
Xanax or Alprazolam?				
All	1.4%	1.8%	2.8%	97.2%
Grade 6	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.9%	1.8%	2.3%	97.7%
Grade 10	2.3%	3.1%	4.8%	95.2%
Grade 11	1.0%	2.1%	5.1%	94.9%
Grade 12	5.8%	5.8%	7.2%	92.8%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 5 of 42

**Table B-5: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 3 African/American Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	4.5%	6.6%	11.0%	89.0%
Grade 6	7.2%	7.8%	10.6%	89.4%
Grade 7	5.9%	7.1%	9.7%	90.3%
Grade 8	3.7%	5.2%	7.9%	92.1%
Grade 9	3.1%	4.8%	6.4%	93.6%
Grade 10	4.8%	7.1%	15.6%	84.4%
Grade 11	5.1%	5.4%	9.6%	90.4%
Grade 12	2.9%	8.1%	14.3%	85.7%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.1%	1.5%	2.3%	97.7%
Grade 6	0.0%	0.5%	0.5%	99.5%
Grade 7	1.7%	1.7%	1.7%	98.3%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.4%	99.6%
Grade 11	2.7%	5.1%	7.0%	93.0%
Grade 12	2.9%	2.9%	5.8%	94.2%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.8%	3.0%	5.5%	94.5%
Grade 6	0.0%	0.0%	0.5%	99.5%
Grade 7	0.0%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.0%	1.0%	99.0%
Grade 9	0.2%	0.2%	1.8%	98.2%
Grade 10	0.9%	0.9%	3.7%	96.3%
Grade 11	2.2%	6.5%	12.7%	87.3%
Grade 12	6.8%	9.9%	13.6%	86.4%
Valium or Diazepam?				
All	0.0%	0.0%	0.1%	99.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Xanax or Alprazolam?				
All	0.9%	1.1%	1.8%	98.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.8%	1.8%	1.8%	98.2%
Grade 10	0.0%	0.0%	1.6%	98.4%
Grade 11	0.0%	0.0%	2.5%	97.5%
Grade 12	2.9%	3.9%	4.4%	95.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 3 Mexican/American Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	3.8%	5.5%	8.9%	91.1%
Grade 6	1.2%	2.3%	5.3%	94.7%
Grade 7	4.0%	6.3%	7.9%	92.1%
Grade 8	5.3%	7.9%	12.6%	87.4%
Grade 9	3.4%	4.8%	10.7%	89.3%
Grade 10	2.0%	3.5%	5.4%	94.6%
Grade 11	6.6%	9.2%	12.3%	87.7%
Grade 12	3.5%	3.8%	7.7%	92.3%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	0.7%	1.0%	2.6%	97.4%
Grade 6	0.0%	0.3%	1.7%	98.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	1.4%	1.4%	1.7%	98.3%
Grade 9	0.0%	0.0%	2.3%	97.7%
Grade 10	0.2%	0.2%	1.6%	98.4%
Grade 11	1.0%	2.1%	6.9%	93.1%
Grade 12	2.4%	3.4%	4.5%	95.5%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.0%	3.0%	4.3%	95.7%
Grade 6	0.3%	0.3%	0.3%	99.7%
Grade 7	0.6%	0.6%	1.3%	98.7%
Grade 8	2.7%	3.8%	5.4%	94.6%
Grade 9	1.9%	1.9%	1.9%	98.1%
Grade 10	2.8%	2.9%	5.5%	94.5%
Grade 11	1.9%	6.1%	8.9%	91.1%
Grade 12	5.5%	6.9%	9.2%	90.8%
Valium or Diazepam?				
All	0.6%	0.7%	1.4%	98.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	1.5%	1.8%	1.8%	98.2%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	2.5%	2.5%	2.5%	97.5%
Grade 11	0.2%	0.3%	4.2%	95.8%
Grade 12	0.0%	0.0%	1.1%	98.9%
Xanax or Alprazolam?				
All	1.3%	1.9%	3.3%	96.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	1.5%	1.8%	2.7%	97.3%
Grade 9	1.3%	1.3%	1.3%	98.7%
Grade 10	2.5%	2.5%	3.9%	96.1%
Grade 11	2.9%	7.0%	13.2%	86.8%
Grade 12	0.7%	0.7%	1.8%	98.2%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 7 of 42

2 Region 5 and 6 Tables

**Table B-7: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 5 and 6 All Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	5.6%	7.6%	11.2%	88.8%
Grade 6	3.4%	4.0%	6.4%	93.6%
Grade 7	2.6%	3.4%	5.9%	94.1%
Grade 8	4.0%	5.1%	7.5%	92.5%
Grade 9	6.3%	8.2%	12.7%	87.3%
Grade 10	6.9%	9.7%	14.2%	85.8%
Grade 11	9.0%	12.9%	17.3%	82.7%
Grade 12	7.2%	10.5%	14.9%	85.1%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.2%	1.5%	2.0%	98.0%
Grade 6	0.3%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.5%	0.8%	99.2%
Grade 9	1.1%	1.5%	2.4%	97.6%
Grade 10	1.6%	1.9%	2.3%	97.7%
Grade 11	2.9%	3.5%	4.0%	96.0%
Grade 12	2.0%	2.7%	3.9%	96.1%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.8%	2.7%	3.7%	96.3%
Grade 6	0.3%	0.3%	0.8%	99.2%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.8%	0.9%	1.1%	98.9%
Grade 9	1.9%	2.8%	4.5%	95.5%
Grade 10	2.0%	3.4%	4.1%	95.9%
Grade 11	4.3%	6.3%	8.3%	91.7%
Grade 12	3.4%	5.6%	7.1%	92.9%
Valium or Diazepam?				
All	0.5%	0.7%	0.9%	99.1%
Grade 6	0.1%	0.2%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.5%	0.8%	1.4%	98.6%
Grade 10	0.5%	0.6%	0.8%	99.2%
Grade 11	0.8%	0.9%	1.2%	98.8%
Grade 12	1.4%	2.0%	2.4%	97.6%
Xanax or Alprazolam?				
All	1.4%	2.0%	2.6%	97.4%
Grade 6	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.1%	0.4%	0.7%	99.3%
Grade 9	1.5%	2.2%	3.2%	96.8%
Grade 10	1.9%	2.4%	2.7%	97.3%
Grade 11	3.0%	4.0%	5.1%	94.9%
Grade 12	2.9%	4.8%	6.0%	94.0%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 9 of 42

**Table B-8: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 5 and 6 Male Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	6.0%	8.4%	12.2%	87.8%
Grade 6	3.1%	3.6%	5.6%	94.4%
Grade 7	2.2%	3.2%	5.0%	95.0%
Grade 8	4.2%	5.2%	8.0%	92.0%
Grade 9	7.2%	9.3%	14.1%	85.9%
Grade 10	7.3%	11.0%	16.1%	83.9%
Grade 11	10.0%	14.7%	19.5%	80.5%
Grade 12	8.9%	12.5%	18.0%	82.0%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.0%	1.3%	2.1%	97.9%
Grade 6	0.0%	0.0%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	1.5%	2.1%	3.1%	96.9%
Grade 10	0.9%	1.0%	1.6%	98.4%
Grade 11	2.2%	2.5%	3.2%	96.8%
Grade 12	2.5%	3.2%	4.8%	95.2%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.7%	2.6%	3.7%	96.3%
Grade 6	0.1%	0.1%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.8%	0.9%	1.3%	98.7%
Grade 9	1.8%	2.8%	4.6%	95.4%
Grade 10	2.0%	2.3%	2.9%	97.1%
Grade 11	4.1%	6.1%	7.9%	92.1%
Grade 12	3.9%	6.4%	9.0%	91.0%
Valium or Diazepam?				
All	0.4%	0.6%	0.9%	99.1%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.9%	1.6%	98.4%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.5%	0.6%	0.9%	99.1%
Grade 12	1.6%	2.5%	3.3%	96.7%
Xanax or Alprazolam?				
All	1.1%	1.6%	2.3%	97.7%
Grade 6	0.0%	0.0%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	1.2%	1.9%	3.3%	96.7%
Grade 10	1.0%	1.3%	1.7%	98.3%
Grade 11	2.6%	3.1%	4.4%	95.6%
Grade 12	3.2%	4.9%	6.9%	93.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 5 and 6 Female Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	5.2%	6.9%	10.2%	89.8%
Grade 6	3.9%	4.5%	7.3%	92.7%
Grade 7	3.1%	3.6%	6.9%	93.1%
Grade 8	4.0%	5.1%	7.1%	92.9%
Grade 9	5.3%	6.9%	11.1%	88.9%
Grade 10	6.5%	8.6%	12.6%	87.4%
Grade 11	7.9%	11.1%	15.1%	84.9%
Grade 12	5.6%	8.6%	11.7%	88.3%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.3%	1.7%	2.0%	98.0%
Grade 6	0.5%	0.6%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.2%	0.7%	1.0%	99.0%
Grade 9	0.8%	0.8%	1.7%	98.3%
Grade 10	2.2%	2.7%	2.8%	97.2%
Grade 11	3.6%	4.5%	4.8%	95.2%
Grade 12	1.4%	2.1%	3.0%	97.0%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.9%	2.8%	3.6%	96.4%
Grade 6	0.5%	0.5%	0.6%	99.4%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.8%	0.8%	0.8%	99.2%
Grade 9	2.0%	2.7%	4.3%	95.7%
Grade 10	2.1%	4.3%	5.2%	94.8%
Grade 11	4.5%	6.4%	8.8%	91.2%
Grade 12	2.8%	4.8%	5.2%	94.8%
Valium or Diazepam?				
All	0.7%	0.8%	1.0%	99.0%
Grade 6	0.3%	0.4%	0.4%	99.6%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.7%	0.7%	1.2%	98.8%
Grade 10	0.9%	1.1%	1.1%	98.9%
Grade 11	1.0%	1.3%	1.6%	98.4%
Grade 12	1.3%	1.5%	1.6%	98.4%
Xanax or Alprazolam?				
All	1.6%	2.4%	2.8%	97.2%
Grade 6	0.5%	0.6%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.1%	0.6%	1.1%	98.9%
Grade 9	1.8%	2.6%	3.1%	96.9%
Grade 10	2.7%	3.3%	3.5%	96.5%
Grade 11	3.4%	4.9%	5.9%	94.1%
Grade 12	2.6%	4.7%	5.2%	94.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 5 and 6 White Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	4.7%	7.0%	9.4%	90.6%
Grade 6	3.6%	4.1%	6.7%	93.3%
Grade 7	1.9%	3.6%	6.0%	94.0%
Grade 8	1.9%	2.5%	3.8%	96.2%
Grade 9	2.8%	4.7%	7.6%	92.4%
Grade 10	7.3%	11.7%	15.2%	84.8%
Grade 11	9.4%	14.0%	16.0%	84.0%
Grade 12	6.2%	9.0%	10.8%	89.2%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.6%	1.9%	2.4%	97.6%
Grade 6	0.9%	0.9%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.9%	0.9%	99.1%
Grade 9	0.5%	0.8%	2.0%	98.0%
Grade 10	2.0%	2.5%	2.9%	97.1%
Grade 11	4.9%	4.9%	5.3%	94.7%
Grade 12	2.6%	3.6%	4.6%	95.4%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.5%	4.0%	5.2%	94.8%
Grade 6	1.1%	1.1%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	2.2%	3.4%	5.6%	94.4%
Grade 10	3.0%	6.2%	7.0%	93.0%
Grade 11	7.3%	9.9%	12.3%	87.7%
Grade 12	4.3%	7.8%	9.8%	90.2%
Valium or Diazepam?				
All	0.5%	0.7%	1.0%	99.0%
Grade 6	0.0%	0.2%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.4%	1.9%	98.1%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.5%	0.5%	0.9%	99.1%
Grade 12	2.0%	3.0%	3.2%	96.8%
Xanax or Alprazolam?				
All	1.8%	2.7%	3.1%	96.9%
Grade 6	0.0%	0.2%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.3%	1.0%	1.0%	99.0%
Grade 9	1.0%	1.7%	3.2%	96.8%
Grade 10	3.4%	4.1%	4.1%	95.9%
Grade 11	4.5%	5.5%	6.2%	93.8%
Grade 12	3.4%	6.1%	6.4%	93.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 12 of 42

**Table B-11: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 5 and 6 African/American Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	6.0%	8.2%	12.1%	87.9%
Grade 6	4.5%	4.5%	5.5%	94.5%
Grade 7	2.8%	2.9%	3.0%	97.0%
Grade 8	5.7%	7.5%	10.8%	89.2%
Grade 9	7.5%	9.9%	15.8%	84.2%
Grade 10	5.8%	8.5%	14.8%	85.2%
Grade 11	10.1%	15.6%	20.6%	79.4%
Grade 12	7.3%	12.7%	20.1%	79.9%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.1%	1.4%	1.8%	98.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.7%	1.7%	2.8%	97.2%
Grade 10	2.3%	2.3%	2.3%	97.7%
Grade 11	3.9%	5.0%	5.5%	94.5%
Grade 12	1.4%	2.9%	4.4%	95.6%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.6%	2.3%	3.0%	97.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	2.4%	2.4%	2.4%	97.6%
Grade 9	2.2%	2.8%	4.3%	95.7%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	4.2%	7.3%	9.6%	90.4%
Grade 12	4.2%	6.6%	8.8%	91.2%
Valium or Diazepam?				
All	0.6%	0.7%	0.8%	99.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	2.4%	3.1%	3.2%	96.8%
Grade 12	1.7%	1.7%	2.7%	97.3%
Xanax or Alprazolam?				
All	1.0%	1.5%	1.9%	98.1%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	2.3%	2.5%	2.7%	97.3%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	4.0%	5.5%	6.7%	93.3%
Grade 12	2.2%	4.8%	7.4%	92.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 5 and 6 Mexican/American Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	6.1%	8.0%	12.9%	87.1%
Grade 6	2.6%	3.5%	7.0%	93.0%
Grade 7	2.8%	3.4%	7.3%	92.7%
Grade 8	5.7%	6.9%	10.2%	89.8%
Grade 9	8.1%	10.1%	16.0%	84.0%
Grade 10	6.9%	9.1%	14.1%	85.9%
Grade 11	8.9%	12.3%	18.9%	81.1%
Grade 12	7.6%	10.9%	16.7%	83.3%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.0%	1.3%	2.1%	97.9%
Grade 6	0.0%	0.0%	1.1%	98.9%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	0.4%	0.4%	1.2%	98.8%
Grade 9	1.6%	2.1%	2.9%	97.1%
Grade 10	1.1%	1.5%	2.1%	97.9%
Grade 11	1.4%	2.4%	2.9%	97.1%
Grade 12	1.8%	2.2%	3.5%	96.5%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.5%	2.1%	3.3%	96.7%
Grade 6	0.0%	0.0%	1.1%	98.9%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.7%	0.7%	1.1%	98.9%
Grade 9	1.9%	2.7%	4.4%	95.6%
Grade 10	2.4%	3.2%	4.2%	95.8%
Grade 11	2.5%	3.9%	6.0%	94.0%
Grade 12	2.7%	4.0%	4.9%	95.1%
Valium or Diazepam?				
All	0.5%	0.6%	1.0%	99.0%
Grade 6	0.3%	0.3%	0.3%	99.7%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.4%	0.4%	1.2%	98.8%
Grade 9	0.8%	1.1%	1.5%	98.5%
Grade 10	0.6%	0.8%	1.2%	98.8%
Grade 11	0.1%	0.2%	0.7%	99.3%
Grade 12	1.0%	1.2%	1.8%	98.2%
Xanax or Alprazolam?				
All	1.3%	1.9%	2.7%	97.3%
Grade 6	0.6%	0.6%	1.4%	98.6%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	1.9%	2.9%	3.9%	96.1%
Grade 10	1.8%	2.4%	3.0%	97.0%
Grade 11	1.9%	2.9%	4.5%	95.5%
Grade 12	2.6%	3.9%	5.6%	94.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

3 Region 7 and 8 Tables

**Table B-13: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 7 and 8 All Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	5.2%	6.8%	10.6%	89.4%
Grade 6	2.4%	2.8%	4.5%	95.5%
Grade 7	2.4%	2.6%	4.4%	95.6%
Grade 8	3.7%	4.2%	6.0%	94.0%
Grade 9	6.8%	8.5%	12.3%	87.7%
Grade 10	6.8%	9.1%	13.8%	86.2%
Grade 11	8.0%	11.2%	17.2%	82.8%
Grade 12	7.0%	10.4%	18.6%	81.4%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.4%	1.7%	2.4%	97.6%
Grade 6	0.0%	0.0%	0.2%	99.8%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.8%	99.2%
Grade 9	1.8%	2.0%	2.6%	97.4%
Grade 10	2.5%	3.2%	4.9%	95.1%
Grade 11	3.6%	4.7%	5.9%	94.1%
Grade 12	1.3%	1.9%	2.4%	97.6%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.7%	3.7%	5.0%	95.0%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.4%	0.6%	0.9%	99.1%
Grade 8	0.8%	1.3%	1.9%	98.1%
Grade 9	3.0%	3.9%	5.1%	94.9%
Grade 10	4.4%	6.2%	8.5%	91.5%
Grade 11	4.9%	8.1%	10.9%	89.1%
Grade 12	6.1%	7.4%	9.2%	90.8%
Valium or Diazepam?				
All	0.6%	0.8%	1.0%	99.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.3%	0.8%	99.2%
Grade 9	1.0%	1.2%	1.2%	98.8%
Grade 10	0.6%	1.0%	1.7%	98.3%
Grade 11	1.6%	1.9%	2.0%	98.0%
Grade 12	0.9%	1.1%	1.3%	98.7%
Xanax or Alprazolam?				
All	1.6%	2.1%	2.9%	97.1%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.7%	0.9%	2.0%	98.0%
Grade 9	1.9%	2.6%	3.7%	96.3%
Grade 10	2.4%	3.1%	4.4%	95.6%
Grade 11	3.3%	4.8%	6.4%	93.6%
Grade 12	2.7%	3.5%	4.0%	96.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-14: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 7 and 8 Male Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	5.7%	7.0%	11.7%	88.3%
Grade 6	2.0%	2.3%	3.5%	96.5%
Grade 7	2.6%	2.6%	3.1%	96.9%
Grade 8	5.1%	5.3%	8.3%	91.7%
Grade 9	7.6%	9.5%	13.6%	86.4%
Grade 10	6.8%	7.7%	13.5%	86.5%
Grade 11	10.9%	13.9%	22.5%	77.5%
Grade 12	6.2%	9.2%	21.6%	78.4%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.3%	1.7%	2.3%	97.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	2.6%	2.9%	3.2%	96.8%
Grade 10	1.5%	2.3%	4.1%	95.9%
Grade 11	4.3%	5.1%	6.6%	93.4%
Grade 12	1.2%	1.7%	2.5%	97.5%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.4%	3.2%	4.4%	95.6%
Grade 6	0.3%	0.3%	0.3%	99.7%
Grade 7	0.1%	0.3%	0.3%	99.7%
Grade 8	1.1%	1.4%	2.3%	97.7%
Grade 9	3.0%	3.7%	4.7%	95.3%
Grade 10	2.7%	3.4%	6.1%	93.9%
Grade 11	5.0%	7.9%	10.0%	90.0%
Grade 12	5.9%	7.6%	9.6%	90.4%
Valium or Diazepam?				
All	0.6%	0.8%	1.1%	98.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.6%	0.9%	0.9%	99.1%
Grade 10	0.4%	0.5%	1.5%	98.5%
Grade 11	2.7%	3.0%	3.1%	96.9%
Grade 12	1.1%	1.6%	1.9%	98.1%
Xanax or Alprazolam?				
All	1.6%	2.2%	2.9%	97.1%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.5%	0.8%	1.9%	98.1%
Grade 9	1.5%	2.0%	2.4%	97.6%
Grade 10	1.5%	1.9%	3.6%	96.4%
Grade 11	5.5%	7.4%	8.5%	91.5%
Grade 12	3.7%	4.8%	5.3%	94.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-15: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 7 and 8 Female Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	4.7%	6.6%	9.6%	90.4%
Grade 6	2.8%	3.3%	5.6%	94.4%
Grade 7	2.3%	2.6%	5.6%	94.4%
Grade 8	2.3%	3.1%	3.7%	96.3%
Grade 9	6.1%	7.6%	11.0%	89.0%
Grade 10	6.8%	10.4%	14.3%	85.7%
Grade 11	5.2%	8.6%	12.6%	87.4%
Grade 12	8.3%	12.1%	16.3%	83.7%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.4%	1.8%	2.4%	97.6%
Grade 6	0.0%	0.0%	0.3%	99.7%
Grade 7	0.9%	0.9%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.9%	1.1%	1.9%	98.1%
Grade 10	3.5%	4.1%	5.7%	94.3%
Grade 11	2.9%	4.3%	5.2%	94.8%
Grade 12	1.6%	2.3%	2.4%	97.6%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.9%	4.2%	5.6%	94.4%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	0.7%	0.9%	1.6%	98.4%
Grade 8	0.4%	1.1%	1.5%	98.5%
Grade 9	3.2%	4.1%	5.6%	94.4%
Grade 10	6.1%	8.9%	11.0%	89.0%
Grade 11	4.4%	8.0%	11.5%	88.5%
Grade 12	6.4%	7.4%	9.2%	90.8%
Valium or Diazepam?				
All	0.6%	0.8%	0.9%	99.1%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.4%	0.7%	99.3%
Grade 9	1.3%	1.5%	1.5%	98.5%
Grade 10	0.9%	1.5%	1.9%	98.1%
Grade 11	0.7%	1.0%	1.0%	99.0%
Grade 12	0.7%	0.7%	0.7%	99.3%
Xanax or Alprazolam?				
All	1.5%	2.0%	2.9%	97.1%
Grade 6	0.3%	0.3%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.9%	1.0%	2.2%	97.8%
Grade 9	2.4%	3.3%	4.5%	95.5%
Grade 10	3.4%	4.3%	5.3%	94.7%
Grade 11	1.2%	2.3%	4.3%	95.7%
Grade 12	1.7%	2.2%	2.7%	97.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-16: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 7 and 8 White Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	4.2%	5.6%	7.9%	92.1%
Grade 6	4.1%	4.8%	7.1%	92.9%
Grade 7	2.4%	2.4%	3.0%	97.0%
Grade 8	2.7%	3.8%	4.4%	95.6%
Grade 9	4.6%	6.7%	8.4%	91.6%
Grade 10	6.0%	8.3%	11.0%	89.0%
Grade 11	6.2%	9.6%	13.8%	86.2%
Grade 12	4.7%	5.4%	11.5%	88.5%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.5%	2.0%	2.4%	97.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.4%	0.4%	99.6%
Grade 9	3.2%	3.3%	4.1%	95.9%
Grade 10	3.6%	4.4%	5.3%	94.7%
Grade 11	2.9%	4.8%	6.1%	93.9%
Grade 12	2.1%	2.7%	3.6%	96.4%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.6%	3.4%	4.6%	95.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.3%	0.8%	0.8%	99.2%
Grade 9	2.7%	3.7%	4.5%	95.5%
Grade 10	6.1%	7.9%	9.6%	90.4%
Grade 11	6.2%	8.8%	12.4%	87.6%
Grade 12	5.7%	6.2%	8.9%	91.1%
Valium or Diazepam?				
All	0.6%	0.9%	0.9%	99.1%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.2%	0.2%	99.8%
Grade 9	0.5%	0.7%	0.7%	99.3%
Grade 10	2.3%	3.2%	3.3%	96.7%
Grade 11	1.5%	2.0%	2.2%	97.8%
Grade 12	0.6%	0.7%	0.8%	99.2%
Xanax or Alprazolam?				
All	1.3%	1.8%	2.3%	97.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.5%	0.7%	0.7%	99.3%
Grade 9	1.7%	2.9%	3.7%	96.3%
Grade 10	3.3%	4.1%	5.2%	94.8%
Grade 11	2.3%	3.7%	5.7%	94.3%
Grade 12	1.9%	2.2%	2.4%	97.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-17: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 7 and 8 African/American Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	7.7%	12.6%	19.7%	80.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	3.5%	3.5%	5.2%	94.8%
Grade 8	0.0%	0.0%	2.9%	97.1%
Grade 9	9.2%	12.5%	16.9%	83.1%
Grade 10	10.3%	12.8%	22.4%	77.6%
Grade 11	8.5%	12.3%	16.8%	83.2%
Grade 12	6.6%	21.0%	35.2%	64.8%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.1%	1.8%	2.7%	97.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	1.7%	98.3%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.6%	1.2%	1.6%	98.4%
Grade 10	1.2%	2.7%	4.8%	95.2%
Grade 11	2.6%	2.6%	2.6%	97.4%
Grade 12	1.0%	2.0%	3.0%	97.0%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.1%	3.6%	5.1%	94.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.8%	0.8%	1.6%	98.4%
Grade 9	1.9%	3.1%	3.7%	96.3%
Grade 10	1.4%	4.1%	6.7%	93.3%
Grade 11	1.6%	3.4%	5.2%	94.8%
Grade 12	5.1%	6.1%	8.1%	91.9%
Valium or Diazepam?				
All	0.4%	0.5%	0.7%	99.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	1.1%	1.1%	1.1%	98.9%
Grade 12	1.0%	1.0%	2.0%	98.0%
Xanax or Alprazolam?				
All	1.3%	1.9%	3.3%	96.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.8%	99.2%
Grade 9	0.6%	0.6%	1.3%	98.7%
Grade 10	0.6%	2.1%	4.7%	95.3%
Grade 11	3.3%	3.7%	5.6%	94.4%
Grade 12	2.1%	3.1%	4.1%	95.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 20 of 42

**Table B-18: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 7 and 8 Mexican/American Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	5.7%	6.7%	10.8%	89.2%
Grade 6	1.3%	1.5%	3.2%	96.8%
Grade 7	2.8%	3.0%	5.9%	94.1%
Grade 8	5.2%	5.4%	7.9%	92.1%
Grade 9	7.8%	8.7%	12.3%	87.7%
Grade 10	5.9%	7.7%	12.3%	87.7%
Grade 11	9.9%	12.4%	19.7%	80.3%
Grade 12	9.3%	10.5%	18.7%	81.3%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.3%	1.5%	2.2%	97.8%
Grade 6	0.0%	0.0%	0.3%	99.7%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	1.6%	1.8%	1.9%	98.1%
Grade 10	2.0%	2.6%	4.4%	95.6%
Grade 11	4.0%	4.7%	6.2%	93.8%
Grade 12	0.6%	1.1%	1.1%	98.9%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.8%	3.9%	5.2%	94.8%
Grade 6	0.3%	0.3%	0.5%	99.5%
Grade 7	0.5%	0.9%	1.1%	98.9%
Grade 8	1.3%	1.7%	2.8%	97.2%
Grade 9	3.7%	4.3%	5.6%	94.4%
Grade 10	3.2%	4.6%	7.2%	92.8%
Grade 11	5.1%	9.0%	11.6%	88.4%
Grade 12	7.6%	9.1%	10.4%	89.6%
Valium or Diazepam?				
All	0.6%	0.8%	1.2%	98.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.5%	1.3%	98.7%
Grade 9	1.6%	1.8%	1.8%	98.2%
Grade 10	0.0%	0.3%	1.4%	98.6%
Grade 11	1.9%	2.2%	2.2%	97.8%
Grade 12	0.8%	1.3%	1.3%	98.7%
Xanax or Alprazolam?				
All	1.9%	2.5%	3.4%	96.6%
Grade 6	0.3%	0.3%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	1.0%	1.1%	3.2%	96.8%
Grade 9	2.6%	3.2%	4.0%	96.0%
Grade 10	2.5%	3.1%	4.2%	95.8%
Grade 11	3.9%	5.8%	7.0%	93.0%
Grade 12	3.9%	5.0%	5.6%	94.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

4 Region 9 and 10 Tables

**Table B-19: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 9 and 10 All Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	4.6%	7.3%	11.4%	88.6%
Grade 6	1.5%	2.4%	4.4%	95.6%
Grade 7	1.9%	2.2%	3.7%	96.3%
Grade 8	2.7%	3.0%	7.2%	92.8%
Grade 9	5.8%	7.6%	11.4%	88.6%
Grade 10	5.4%	10.3%	16.6%	83.4%
Grade 11	7.3%	10.6%	17.1%	82.9%
Grade 12	8.2%	16.3%	22.0%	78.0%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.4%	2.2%	2.8%	97.2%
Grade 6	0.5%	0.6%	0.6%	99.4%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.8%	0.8%	2.1%	97.9%
Grade 9	1.7%	1.7%	1.9%	98.1%
Grade 10	1.9%	3.0%	3.7%	96.3%
Grade 11	2.6%	2.6%	4.5%	95.5%
Grade 12	2.1%	6.7%	6.9%	93.1%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.7%	3.8%	6.0%	94.0%
Grade 6	0.0%	0.1%	1.8%	98.2%
Grade 7	0.5%	0.5%	1.3%	98.7%
Grade 8	1.3%	1.7%	2.2%	97.8%
Grade 9	2.2%	3.6%	4.8%	95.2%
Grade 10	4.9%	7.0%	9.2%	90.8%
Grade 11	5.5%	6.2%	9.7%	90.3%
Grade 12	5.3%	8.5%	15.1%	84.9%
Valium or Diazepam?				
All	0.7%	0.8%	1.3%	98.7%
Grade 6	0.1%	0.2%	0.2%	99.8%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.6%	0.6%	1.2%	98.8%
Grade 11	1.8%	1.8%	3.0%	97.0%
Grade 12	1.5%	2.1%	3.4%	96.6%
Xanax or Alprazolam?				
All	1.8%	2.5%	3.3%	96.7%
Grade 6	0.0%	0.1%	0.5%	99.5%
Grade 7	1.0%	1.0%	1.1%	98.9%
Grade 8	1.1%	1.4%	2.0%	98.0%
Grade 9	1.4%	1.6%	2.3%	97.7%
Grade 10	1.3%	3.2%	4.4%	95.6%
Grade 11	5.5%	6.5%	8.6%	91.4%
Grade 12	2.9%	4.4%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-20: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 9 and 10 Male Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	4.5%	7.1%	11.8%	88.2%
Grade 6	0.3%	0.3%	1.2%	98.8%
Grade 7	1.6%	1.6%	3.9%	96.1%
Grade 8	2.3%	2.3%	7.6%	92.4%
Grade 9	4.8%	7.8%	11.7%	88.3%
Grade 10	6.0%	10.1%	16.0%	84.0%
Grade 11	7.1%	11.3%	18.2%	81.8%
Grade 12	11.1%	19.1%	29.0%	71.0%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.6%	2.1%	2.8%	97.2%
Grade 6	1.0%	1.1%	1.1%	98.9%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.0%	0.0%	1.8%	98.2%
Grade 9	2.7%	2.7%	2.9%	97.1%
Grade 10	0.4%	0.4%	1.2%	98.8%
Grade 11	3.4%	3.4%	5.0%	95.0%
Grade 12	3.9%	8.0%	8.5%	91.5%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.7%	3.8%	5.7%	94.3%
Grade 6	0.0%	0.1%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.7%	0.9%	99.1%
Grade 9	2.2%	4.2%	5.2%	94.8%
Grade 10	3.5%	4.2%	5.5%	94.5%
Grade 11	8.3%	9.8%	12.6%	87.4%
Grade 12	6.3%	8.9%	18.1%	81.9%
Valium or Diazepam?				
All	0.7%	0.9%	1.3%	98.7%
Grade 6	0.0%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.5%	0.6%	0.6%	99.4%
Grade 10	0.4%	0.4%	1.7%	98.3%
Grade 11	2.7%	2.7%	3.9%	96.1%
Grade 12	2.3%	3.1%	3.6%	96.4%
Xanax or Alprazolam?				
All	1.8%	2.2%	3.2%	96.8%
Grade 6	0.0%	0.2%	0.2%	99.8%
Grade 7	0.8%	0.8%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	1.0%	1.3%	2.0%	98.0%
Grade 10	0.4%	0.4%	2.5%	97.5%
Grade 11	8.0%	8.4%	11.7%	88.3%
Grade 12	4.2%	6.8%	7.8%	92.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-21: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 9 and 10 Female Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	4.7%	7.4%	11.1%	88.9%
Grade 6	2.8%	4.9%	8.1%	91.9%
Grade 7	2.2%	2.8%	3.4%	96.6%
Grade 8	3.1%	3.7%	6.8%	93.2%
Grade 9	6.7%	6.9%	10.7%	89.3%
Grade 10	4.9%	10.7%	17.5%	82.5%
Grade 11	7.4%	10.1%	16.1%	83.9%
Grade 12	5.8%	14.1%	16.2%	83.8%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.3%	2.2%	2.8%	97.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.8%	0.8%	1.3%	98.7%
Grade 8	1.5%	1.5%	2.4%	97.6%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	3.4%	5.7%	6.1%	93.9%
Grade 11	1.9%	1.9%	4.1%	95.9%
Grade 12	0.6%	5.6%	5.6%	94.4%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.7%	3.7%	6.3%	93.7%
Grade 6	0.0%	0.0%	3.1%	96.9%
Grade 7	0.8%	0.8%	2.0%	98.0%
Grade 8	2.4%	2.4%	3.3%	96.7%
Grade 9	2.1%	2.4%	3.8%	96.2%
Grade 10	6.5%	9.8%	12.9%	87.1%
Grade 11	3.0%	3.0%	7.1%	92.9%
Grade 12	4.5%	8.2%	12.7%	87.3%
Valium or Diazepam?				
All	0.7%	0.7%	1.2%	98.8%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.9%	0.9%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	1.1%	1.1%	2.2%	97.8%
Grade 12	0.9%	1.3%	3.2%	96.8%
Xanax or Alprazolam?				
All	1.8%	2.7%	3.3%	96.7%
Grade 6	0.0%	0.0%	1.0%	99.0%
Grade 7	1.3%	1.3%	1.3%	98.7%
Grade 8	2.0%	2.5%	3.6%	96.4%
Grade 9	1.9%	1.9%	2.6%	97.4%
Grade 10	2.3%	6.0%	6.4%	93.6%
Grade 11	3.4%	4.9%	6.0%	94.0%
Grade 12	1.8%	2.3%	2.3%	97.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-22: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 9 and 10 White Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	5.1%	10.0%	14.5%	85.5%
Grade 6	1.5%	1.7%	6.3%	93.7%
Grade 7	3.2%	5.8%	8.3%	91.7%
Grade 8	3.0%	3.2%	7.9%	92.1%
Grade 9	6.0%	12.1%	16.3%	83.7%
Grade 10	7.7%	14.1%	15.0%	85.0%
Grade 11	6.8%	8.9%	11.6%	88.4%
Grade 12	4.4%	15.5%	26.3%	73.7%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	3.6%	4.4%	4.8%	95.2%
Grade 6	0.0%	0.6%	0.8%	99.2%
Grade 7	1.5%	1.5%	4.2%	95.8%
Grade 8	1.6%	1.6%	1.6%	98.4%
Grade 9	3.7%	3.7%	3.7%	96.3%
Grade 10	7.6%	7.6%	7.6%	92.4%
Grade 11	3.8%	3.8%	4.8%	95.2%
Grade 12	3.8%	7.4%	7.4%	92.6%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	5.4%	7.6%	10.0%	90.0%
Grade 6	0.0%	0.6%	4.4%	95.6%
Grade 7	1.7%	1.7%	4.5%	95.5%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	3.8%	10.2%	11.7%	88.3%
Grade 10	11.3%	13.1%	13.1%	86.9%
Grade 11	6.8%	7.7%	8.6%	91.4%
Grade 12	7.9%	11.0%	17.8%	82.2%
Valium or Diazepam?				
All	0.7%	1.0%	1.0%	99.0%
Grade 6	0.0%	0.6%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	0.9%	0.9%	0.9%	99.1%
Grade 11	0.9%	0.9%	0.9%	99.1%
Grade 12	0.8%	2.3%	2.3%	97.7%
Xanax or Alprazolam?				
All	1.9%	3.4%	4.5%	95.5%
Grade 6	0.0%	0.6%	4.4%	95.6%
Grade 7	0.4%	0.4%	1.0%	99.0%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.9%	0.9%	2.0%	98.0%
Grade 10	2.7%	8.0%	8.9%	91.1%
Grade 11	3.0%	3.9%	4.8%	95.2%
Grade 12	4.2%	5.7%	6.5%	93.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-23: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 9 and 10 African/American Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	12.5%	12.7%	17.2%	82.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	1.1%	5.7%	94.3%
High School	47.3%	47.3%	67.5%	32.5%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	5.2%	5.2%	5.2%	94.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
High School	30.0%	30.0%	30.0%	70.0%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	9.5%	9.5%	11.1%	88.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
High School	30.0%	30.0%	39.5%	60.5%
Valium or Diazepam?				
All	5.2%	5.2%	5.2%	94.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
High School	30.0%	30.0%	30.0%	70.0%
Xanax or Alprazolam?				
All	5.2%	5.4%	5.4%	94.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	1.1%	1.1%	98.9%
High School	30.0%	30.0%	30.0%	70.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 27 of 42

**Table B-24: Prevalence and Recency of Use of Prescription Drugs by Grade
Region 9 and 10 Mexican/American Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	4.4%	6.6%	10.7%	89.3%
Grade 6	1.7%	3.0%	4.9%	95.1%
Grade 7	2.1%	2.1%	3.5%	96.5%
Grade 8	2.7%	3.0%	6.0%	94.0%
Grade 9	5.9%	6.8%	10.0%	90.0%
Grade 10	3.8%	7.7%	15.7%	84.3%
Grade 11	6.0%	10.0%	17.4%	82.6%
Grade 12	9.6%	17.0%	21.1%	78.9%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	0.9%	1.5%	2.1%	97.9%
Grade 6	0.7%	0.7%	0.7%	99.3%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.8%	0.8%	1.4%	98.6%
Grade 9	1.0%	1.0%	1.2%	98.8%
Grade 10	0.6%	1.1%	2.0%	98.0%
Grade 11	1.0%	1.0%	3.4%	96.6%
Grade 12	1.6%	7.0%	7.4%	92.6%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.9%	2.6%	4.7%	95.3%
Grade 6	0.0%	0.0%	1.7%	98.3%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	1.1%	1.1%	1.7%	98.3%
Grade 9	1.6%	2.0%	2.8%	97.2%
Grade 10	2.5%	4.2%	6.7%	93.3%
Grade 11	4.2%	4.2%	8.6%	91.4%
Grade 12	4.8%	8.1%	13.8%	86.2%
Valium or Diazepam?				
All	0.6%	0.6%	1.2%	98.8%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.6%	0.6%	1.2%	98.8%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.6%	0.6%	1.4%	98.6%
Grade 11	0.8%	0.8%	2.3%	97.7%
Grade 12	1.9%	1.9%	3.8%	96.2%
Xanax or Alprazolam?				
All	1.6%	2.1%	2.9%	97.1%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	1.3%	1.3%	1.3%	98.7%
Grade 8	1.0%	1.3%	2.1%	97.9%
Grade 9	1.3%	1.5%	2.1%	97.9%
Grade 10	1.1%	1.6%	3.0%	97.0%
Grade 11	4.4%	5.5%	8.1%	91.9%
Grade 12	2.7%	4.3%	4.6%	95.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 28 of 42

5 Border Tables

**Table B-25: Prevalence and Recency of Use of Prescription Drugs by Grade
Border All Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	3.7%	5.4%	8.8%	91.2%
Grade 6	1.5%	1.9%	3.1%	96.9%
Grade 7	1.7%	2.3%	4.2%	95.8%
Grade 8	2.4%	2.8%	6.3%	93.7%
Grade 9	3.6%	5.2%	9.0%	91.0%
Grade 10	4.2%	7.5%	12.2%	87.8%
Grade 11	7.0%	9.8%	14.5%	85.5%
Grade 12	6.8%	10.4%	15.4%	84.6%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	0.7%	1.1%	1.7%	98.3%
Grade 6	0.3%	0.4%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.3%	0.3%	0.9%	99.1%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	0.7%	1.2%	2.1%	97.9%
Grade 11	2.0%	2.4%	3.6%	96.4%
Grade 12	1.3%	3.0%	3.9%	96.1%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.4%	1.8%	3.1%	96.9%
Grade 6	0.1%	0.1%	0.9%	99.1%
Grade 7	0.4%	0.6%	1.1%	98.9%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	1.2%	1.2%	2.0%	98.0%
Grade 10	2.2%	3.2%	4.6%	95.4%
Grade 11	3.1%	3.8%	6.2%	93.8%
Grade 12	3.5%	4.5%	7.8%	92.2%
Valium or Diazepam?				
All	0.5%	0.6%	1.0%	99.0%
Grade 6	0.1%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.2%	0.3%	0.4%	99.6%
Grade 10	0.8%	1.0%	1.6%	98.4%
Grade 11	1.3%	1.5%	2.0%	98.0%
Grade 12	0.9%	1.2%	1.8%	98.2%
Xanax or Alprazolam?				
All	1.5%	2.0%	3.0%	97.0%
Grade 6	0.2%	0.2%	0.7%	99.3%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.5%	0.9%	1.2%	98.8%
Grade 9	1.8%	2.2%	3.7%	96.3%
Grade 10	1.1%	2.2%	3.5%	96.5%
Grade 11	5.2%	5.8%	7.5%	92.5%
Grade 12	2.3%	3.5%	5.3%	94.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 30 of 42

**Table B-26: Prevalence and Recency of Use of Prescription Drugs by Grade
Border Male Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	3.9%	5.7%	9.2%	90.8%
Grade 6	1.4%	1.8%	2.6%	97.4%
Grade 7	1.8%	2.7%	4.6%	95.4%
Grade 8	1.9%	2.2%	5.4%	94.6%
Grade 9	2.8%	5.3%	8.0%	92.0%
Grade 10	5.5%	8.5%	13.4%	86.6%
Grade 11	7.7%	10.9%	16.2%	83.8%
Grade 12	9.1%	12.4%	19.7%	80.3%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	0.7%	1.0%	1.8%	98.2%
Grade 6	0.5%	0.5%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.8%	0.8%	1.5%	98.5%
Grade 10	0.2%	0.4%	1.9%	98.1%
Grade 11	2.2%	3.1%	4.0%	96.0%
Grade 12	1.6%	3.2%	4.6%	95.4%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.2%	1.6%	2.8%	97.2%
Grade 6	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.1%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	1.3%	1.3%	2.3%	97.7%
Grade 10	1.0%	1.4%	2.7%	97.3%
Grade 11	3.7%	4.6%	6.6%	93.4%
Grade 12	3.7%	5.0%	9.3%	90.7%
Valium or Diazepam?				
All	0.4%	0.6%	0.9%	99.1%
Grade 6	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.4%	0.6%	1.5%	98.5%
Grade 11	1.2%	1.7%	2.2%	97.8%
Grade 12	1.6%	1.9%	2.0%	98.0%
Xanax or Alprazolam?				
All	1.5%	2.0%	3.1%	96.9%
Grade 6	0.1%	0.2%	0.4%	99.6%
Grade 7	0.4%	0.7%	0.9%	99.1%
Grade 8	0.1%	0.3%	0.7%	99.3%
Grade 9	1.2%	1.5%	2.7%	97.3%
Grade 10	0.7%	1.5%	3.6%	96.4%
Grade 11	6.9%	7.5%	9.4%	90.6%
Grade 12	2.0%	3.6%	5.8%	94.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 31 of 42

**Table B-27: Prevalence and Recency of Use of Prescription Drugs by Grade
Border Female Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	3.4%	5.0%	8.3%	91.7%
Grade 6	1.6%	2.0%	3.6%	96.4%
Grade 7	1.6%	2.0%	3.8%	96.2%
Grade 8	2.8%	3.4%	7.3%	92.7%
Grade 9	4.5%	5.0%	10.2%	89.8%
Grade 10	3.0%	6.6%	11.0%	89.0%
Grade 11	6.4%	8.6%	12.8%	87.2%
Grade 12	4.9%	8.8%	11.7%	88.3%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	0.7%	1.1%	1.5%	98.5%
Grade 6	0.2%	0.3%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.5%	0.5%	1.0%	99.0%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	1.2%	1.9%	2.2%	97.8%
Grade 11	1.7%	1.7%	3.1%	96.9%
Grade 12	1.0%	2.9%	3.3%	96.7%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.6%	2.0%	3.3%	96.7%
Grade 6	0.2%	0.2%	1.5%	98.5%
Grade 7	0.9%	1.0%	1.6%	98.4%
Grade 8	0.8%	0.8%	1.1%	98.9%
Grade 9	1.0%	1.0%	1.7%	98.3%
Grade 10	3.3%	4.9%	6.3%	93.7%
Grade 11	2.5%	3.0%	5.5%	94.5%
Grade 12	3.3%	4.1%	6.5%	93.5%
Valium or Diazepam?				
All	0.6%	0.7%	1.0%	99.0%
Grade 6	0.2%	0.3%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.5%	0.5%	1.3%	98.7%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	1.2%	1.3%	1.7%	98.3%
Grade 11	1.4%	1.4%	1.9%	98.1%
Grade 12	0.3%	0.7%	1.7%	98.3%
Xanax or Alprazolam?				
All	1.5%	2.1%	2.9%	97.1%
Grade 6	0.2%	0.2%	1.0%	99.0%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.9%	1.5%	1.8%	98.2%
Grade 9	2.6%	3.0%	4.9%	95.1%
Grade 10	1.6%	3.0%	3.4%	96.6%
Grade 11	3.4%	3.9%	5.5%	94.5%
Grade 12	2.6%	3.5%	5.0%	95.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-28: Prevalence and Recency of Use of Prescription Drugs by Grade Border White Students

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	2.4%	5.1%	9.6%	90.4%
Grade 6	1.0%	2.2%	5.9%	94.1%
Grade 7	0.0%	3.9%	3.9%	96.1%
Grade 8	0.8%	0.8%	4.6%	95.4%
Grade 9	1.8%	1.8%	3.3%	96.7%
Grade 10	0.8%	8.0%	10.0%	90.0%
Grade 11	6.2%	6.9%	9.9%	90.1%
Grade 12	3.9%	8.1%	18.3%	81.7%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	0.9%	2.0%	3.0%	97.0%
Grade 6	0.0%	0.9%	0.9%	99.1%
Grade 7	0.0%	0.0%	2.9%	97.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	3.5%	3.5%	4.5%	95.5%
Grade 11	2.3%	2.3%	3.7%	96.3%
Grade 12	0.5%	4.2%	5.6%	94.4%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.6%	1.9%	4.4%	95.6%
Grade 6	0.0%	0.0%	2.9%	97.1%
Grade 7	0.0%	0.0%	2.9%	97.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	5.3%	5.3%	7.1%	92.9%
Grade 11	2.3%	3.1%	4.7%	95.3%
Grade 12	2.4%	3.2%	8.2%	91.8%
Valium or Diazepam?				
All	0.2%	0.5%	0.8%	99.2%
Grade 6	0.0%	0.9%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.7%	0.7%	0.7%	99.3%
Grade 12	0.5%	0.8%	1.8%	98.2%
Xanax or Alprazolam?				
All	1.8%	2.5%	4.1%	95.9%
Grade 6	0.0%	0.0%	3.8%	96.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	2.3%	2.3%	2.3%	97.7%
Grade 10	0.8%	5.1%	7.4%	92.6%
Grade 11	3.4%	3.4%	4.1%	95.9%
Grade 12	3.9%	4.7%	6.8%	93.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 33 of 42

**Table B-29: Prevalence and Recency of Use of Prescription Drugs by Grade
Border African/American Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	9.2%	9.6%	10.4%	89.6%
Grade 6	0.0%	1.0%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	4.2%	95.8%
Grades 9-10	29.0%	29.0%	29.0%	71.0%
Grades 11-12	42.9%	42.9%	46.6%	53.4%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	4.5%	4.5%	4.5%	95.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	38.5%	38.5%	38.5%	61.5%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	8.6%	8.6%	8.6%	91.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	25.7%	25.7%	25.7%	74.3%
Grades 11-12	42.1%	42.1%	42.1%	57.9%
Valium or Diazepam?				
All	4.5%	4.5%	4.5%	95.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	38.5%	38.5%	38.5%	61.5%
Xanax or Alprazolam?				
All	5.3%	5.8%	5.8%	94.2%
Grade 6	1.0%	1.0%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	3.3%	3.3%	96.7%
Grades 11-12	42.1%	42.1%	42.1%	57.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-30: Prevalence and Recency of Use of Prescription Drugs by Grade
Border Mexican/American Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	3.8%	5.5%	8.9%	91.1%
Grade 6	1.7%	2.1%	3.1%	96.9%
Grade 7	1.9%	2.4%	4.6%	95.4%
Grade 8	2.4%	2.9%	6.0%	94.0%
Grade 9	3.8%	5.5%	9.5%	90.5%
Grade 10	4.1%	7.2%	12.2%	87.8%
Grade 11	6.9%	10.1%	15.1%	84.9%
Grade 12	7.5%	11.1%	15.2%	84.8%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	0.7%	0.9%	1.4%	98.6%
Grade 6	0.4%	0.4%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	0.6%	0.9%	1.7%	98.3%
Grade 11	1.5%	2.0%	3.2%	96.8%
Grade 12	1.4%	2.9%	3.3%	96.7%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.3%	1.7%	2.8%	97.2%
Grade 6	0.1%	0.1%	0.8%	99.2%
Grade 7	0.5%	0.7%	1.1%	98.9%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	1.2%	1.2%	2.1%	97.9%
Grade 10	1.7%	2.6%	3.9%	96.1%
Grade 11	2.8%	3.2%	5.9%	94.1%
Grade 12	3.8%	4.8%	7.4%	92.6%
Valium or Diazepam?				
All	0.5%	0.6%	0.9%	99.1%
Grade 6	0.1%	0.1%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.9%	1.1%	1.7%	98.3%
Grade 11	0.8%	1.1%	1.7%	98.3%
Grade 12	0.9%	1.2%	1.8%	98.2%
Xanax or Alprazolam?				
All	1.5%	1.9%	2.9%	97.1%
Grade 6	0.1%	0.2%	0.6%	99.4%
Grade 7	0.4%	0.6%	0.7%	99.3%
Grade 8	0.5%	0.9%	1.3%	98.7%
Grade 9	1.9%	2.3%	3.9%	96.1%
Grade 10	1.2%	1.9%	3.1%	96.9%
Grade 11	4.8%	5.4%	7.4%	92.6%
Grade 12	2.1%	3.4%	5.1%	94.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 35 of 42

6 State Tables

**Table B-31: Prevalence and Recency of Use of Prescription Drugs by Grade
State All Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	4.8%	6.6%	10.0%	90.0%
Grade 6	2.8%	3.5%	5.6%	94.4%
Grade 7	2.7%	3.6%	5.6%	94.4%
Grade 8	3.6%	4.8%	7.5%	92.5%
Grade 9	5.2%	6.8%	10.4%	89.6%
Grade 10	5.9%	8.6%	13.1%	86.9%
Grade 11	7.2%	10.0%	14.7%	85.3%
Grade 12	6.6%	9.8%	14.8%	85.2%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.2%	1.5%	2.2%	97.8%
Grade 6	0.2%	0.3%	0.6%	99.4%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	1.1%	1.2%	1.9%	98.1%
Grade 10	1.9%	2.3%	3.3%	96.7%
Grade 11	2.5%	3.2%	4.7%	95.3%
Grade 12	2.1%	3.1%	4.2%	95.8%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.2%	3.1%	4.5%	95.5%
Grade 6	0.2%	0.2%	0.6%	99.4%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	1.1%	1.6%	2.1%	97.9%
Grade 9	1.9%	2.6%	3.8%	96.2%
Grade 10	3.2%	4.5%	6.6%	93.4%
Grade 11	4.2%	6.5%	9.6%	90.4%
Grade 12	5.0%	7.3%	9.7%	90.3%
Valium or Diazepam?				
All	0.5%	0.6%	0.9%	99.1%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.5%	0.6%	0.8%	99.2%
Grade 10	0.7%	0.9%	1.2%	98.8%
Grade 11	0.9%	1.1%	1.8%	98.2%
Grade 12	1.1%	1.4%	1.8%	98.2%
Xanax or Alprazolam?				
All	1.4%	1.9%	2.8%	97.2%
Grade 6	0.1%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.6%	0.9%	1.5%	98.5%
Grade 9	1.5%	2.0%	2.9%	97.1%
Grade 10	1.9%	2.6%	3.7%	96.3%
Grade 11	3.0%	4.2%	6.3%	93.7%
Grade 12	2.9%	4.1%	5.2%	94.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-32: Prevalence and Recency of Use of Prescription Drugs by Grade State Male Students

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	5.1%	7.0%	10.8%	89.2%
Grade 6	2.6%	3.2%	5.0%	95.0%
Grade 7	2.4%	3.3%	4.5%	95.5%
Grade 8	3.9%	4.8%	7.5%	92.5%
Grade 9	5.1%	7.0%	10.3%	89.7%
Grade 10	6.3%	9.1%	14.6%	85.4%
Grade 11	8.9%	11.9%	17.7%	82.3%
Grade 12	7.5%	11.3%	18.6%	81.4%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.2%	1.5%	2.4%	97.6%
Grade 6	0.1%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.6%	0.7%	1.4%	98.6%
Grade 9	1.4%	1.6%	2.1%	97.9%
Grade 10	1.4%	1.9%	3.1%	96.9%
Grade 11	2.4%	3.1%	4.8%	95.2%
Grade 12	2.8%	3.6%	5.3%	94.7%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.0%	2.9%	4.4%	95.6%
Grade 6	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	1.0%	1.3%	2.1%	97.9%
Grade 9	1.8%	2.7%	3.7%	96.3%
Grade 10	2.5%	3.4%	5.9%	94.1%
Grade 11	4.2%	5.7%	8.9%	91.1%
Grade 12	5.5%	8.4%	11.4%	88.6%
Valium or Diazepam?				
All	0.5%	0.7%	1.0%	99.0%
Grade 6	0.0%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.5%	0.7%	1.0%	99.0%
Grade 10	0.6%	0.7%	1.2%	98.8%
Grade 11	1.0%	1.2%	2.0%	98.0%
Grade 12	1.2%	1.7%	2.3%	97.7%
Xanax or Alprazolam?				
All	1.3%	1.7%	2.7%	97.3%
Grade 6	0.0%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.5%	0.7%	1.2%	98.8%
Grade 9	1.1%	1.5%	2.3%	97.7%
Grade 10	1.3%	1.8%	3.3%	96.7%
Grade 11	3.3%	4.3%	6.3%	93.7%
Grade 12	3.2%	4.6%	6.1%	93.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-33: Prevalence and Recency of Use of Prescription Drugs by Grade
State Female Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	4.4%	6.2%	9.3%	90.7%
Grade 6	2.9%	3.7%	6.4%	93.6%
Grade 7	2.9%	3.9%	6.7%	93.3%
Grade 8	3.5%	4.9%	7.6%	92.4%
Grade 9	5.2%	6.6%	10.4%	89.6%
Grade 10	5.5%	8.2%	11.7%	88.3%
Grade 11	5.5%	8.1%	11.7%	88.3%
Grade 12	5.9%	8.4%	11.1%	88.9%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.1%	1.5%	2.1%	97.9%
Grade 6	0.2%	0.3%	0.7%	99.3%
Grade 7	0.5%	0.6%	0.7%	99.3%
Grade 8	0.4%	0.5%	0.9%	99.1%
Grade 9	0.7%	0.9%	1.7%	98.3%
Grade 10	2.3%	2.8%	3.5%	96.5%
Grade 11	2.4%	3.3%	4.6%	95.4%
Grade 12	1.4%	2.6%	3.2%	96.8%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.2%	3.3%	4.6%	95.4%
Grade 6	0.2%	0.2%	0.7%	99.3%
Grade 7	0.7%	0.8%	1.3%	98.7%
Grade 8	1.2%	1.9%	2.3%	97.7%
Grade 9	1.9%	2.4%	3.7%	96.3%
Grade 10	3.9%	5.6%	7.3%	92.7%
Grade 11	4.1%	7.3%	10.3%	89.7%
Grade 12	4.2%	6.0%	7.9%	92.1%
Valium or Diazepam?				
All	0.5%	0.6%	0.9%	99.1%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.5%	0.9%	99.1%
Grade 9	0.5%	0.6%	0.7%	99.3%
Grade 10	0.9%	1.1%	1.3%	98.7%
Grade 11	0.8%	1.0%	1.7%	98.3%
Grade 12	1.0%	1.2%	1.4%	98.6%
Xanax or Alprazolam?				
All	1.5%	2.2%	2.9%	97.1%
Grade 6	0.2%	0.3%	0.4%	99.6%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.6%	1.1%	1.7%	98.3%
Grade 9	1.9%	2.6%	3.3%	96.7%
Grade 10	2.5%	3.4%	4.0%	96.0%
Grade 11	2.6%	4.1%	6.2%	93.8%
Grade 12	2.6%	3.6%	4.4%	95.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 39 of 42

**Table B-34: Prevalence and Recency of Use of Prescription Drugs by Grade
State White Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	4.2%	5.9%	8.4%	91.6%
Grade 6	3.6%	4.6%	6.8%	93.2%
Grade 7	2.0%	3.1%	4.8%	95.2%
Grade 8	2.4%	3.3%	5.1%	94.9%
Grade 9	3.4%	5.0%	6.8%	93.2%
Grade 10	6.4%	9.8%	12.7%	87.3%
Grade 11	5.6%	8.1%	11.9%	88.1%
Grade 12	6.7%	8.8%	12.2%	87.8%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.6%	2.0%	2.6%	97.4%
Grade 6	0.4%	0.5%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.8%	1.0%	99.0%
Grade 9	1.4%	1.7%	2.2%	97.8%
Grade 10	3.0%	3.6%	4.5%	95.5%
Grade 11	3.3%	3.9%	5.3%	94.7%
Grade 12	2.8%	4.0%	5.2%	94.8%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	2.7%	4.0%	5.6%	94.4%
Grade 6	0.4%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.4%	0.9%	99.1%
Grade 8	0.8%	1.5%	1.7%	98.3%
Grade 9	2.0%	3.3%	4.5%	95.5%
Grade 10	4.9%	7.0%	9.5%	90.5%
Grade 11	6.0%	8.5%	12.3%	87.7%
Grade 12	6.1%	8.9%	11.7%	88.3%
Valium or Diazepam?				
All	0.6%	0.7%	1.0%	99.0%
Grade 6	0.0%	0.1%	0.1%	99.9%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.4%	0.6%	1.0%	99.0%
Grade 10	0.8%	1.0%	1.2%	98.8%
Grade 11	1.0%	1.1%	1.9%	98.1%
Grade 12	1.8%	2.2%	2.5%	97.5%
Xanax or Alprazolam?				
All	1.5%	2.1%	2.9%	97.1%
Grade 6	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.9%	1.1%	98.9%
Grade 9	1.2%	2.0%	2.9%	97.1%
Grade 10	2.7%	3.6%	4.7%	95.3%
Grade 11	2.7%	3.8%	5.6%	94.4%
Grade 12	4.0%	5.0%	6.0%	94.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 40 of 42

**Table B-35: Prevalence and Recency of Use of Prescription Drugs by Grade
State African/American Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	5.9%	8.4%	13.1%	86.9%
Grade 6	5.0%	5.4%	7.5%	92.5%
Grade 7	3.6%	4.0%	4.9%	95.1%
Grade 8	4.5%	6.3%	9.4%	90.6%
Grade 9	7.0%	9.2%	13.2%	86.8%
Grade 10	6.5%	8.9%	16.5%	83.5%
Grade 11	8.3%	11.3%	16.2%	83.8%
Grade 12	5.3%	12.5%	21.0%	79.0%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	1.1%	1.5%	2.1%	97.9%
Grade 6	0.1%	0.3%	0.3%	99.7%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.7%	0.9%	1.3%	98.7%
Grade 10	1.2%	1.5%	2.1%	97.9%
Grade 11	3.4%	4.6%	5.4%	94.6%
Grade 12	1.9%	2.6%	4.5%	95.5%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.9%	2.8%	4.3%	95.7%
Grade 6	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.2%	0.2%	99.8%
Grade 8	1.4%	1.4%	1.7%	98.3%
Grade 9	1.3%	1.8%	3.4%	96.6%
Grade 10	1.1%	1.7%	3.5%	96.5%
Grade 11	3.6%	6.4%	9.9%	90.1%
Grade 12	5.7%	8.0%	10.7%	89.3%
Valium or Diazepam?				
All	0.4%	0.4%	0.6%	99.4%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.4%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	1.5%	1.7%	1.7%	98.3%
Grade 12	0.7%	0.7%	1.1%	98.9%
Xanax or Alprazolam?				
All	1.1%	1.5%	2.2%	97.8%
Grade 6	0.0%	0.1%	0.1%	99.9%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	1.6%	1.7%	2.0%	98.0%
Grade 10	0.2%	0.6%	2.0%	98.0%
Grade 11	2.7%	3.2%	5.0%	95.0%
Grade 12	2.7%	4.1%	5.3%	94.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 41 of 42

**Table B-36: Prevalence and Recency of Use of Prescription Drugs by Grade
State Mexican/American Students**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	5.0%	6.6%	10.6%	89.4%
Grade 6	1.7%	2.4%	4.6%	95.4%
Grade 7	3.0%	3.9%	6.5%	93.5%
Grade 8	4.6%	5.9%	9.2%	90.8%
Grade 9	5.8%	7.3%	12.0%	88.0%
Grade 10	5.3%	7.7%	12.4%	87.6%
Grade 11	8.2%	11.0%	16.4%	83.6%
Grade 12	7.1%	9.7%	15.1%	84.9%
Oxycontin, Percodan, Percocet, or Oxycodone?				
All	0.9%	1.2%	2.0%	98.0%
Grade 6	0.1%	0.2%	0.9%	99.1%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.6%	0.6%	1.2%	98.8%
Grade 9	1.0%	1.1%	1.9%	98.1%
Grade 10	1.1%	1.4%	2.5%	97.5%
Grade 11	1.8%	2.6%	4.3%	95.7%
Grade 12	1.7%	2.8%	3.5%	96.5%
Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.9%	2.7%	3.9%	96.1%
Grade 6	0.2%	0.2%	0.7%	99.3%
Grade 7	0.6%	0.7%	1.1%	98.9%
Grade 8	1.3%	1.7%	2.6%	97.4%
Grade 9	2.1%	2.5%	3.5%	96.5%
Grade 10	2.4%	3.3%	5.1%	94.9%
Grade 11	3.1%	5.4%	7.9%	92.1%
Grade 12	4.5%	6.3%	8.3%	91.7%
Valium or Diazepam?				
All	0.5%	0.6%	1.1%	98.9%
Grade 6	0.1%	0.1%	0.1%	99.9%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.6%	0.7%	1.2%	98.8%
Grade 9	0.6%	0.8%	0.9%	99.1%
Grade 10	0.8%	1.0%	1.6%	98.4%
Grade 11	0.7%	0.9%	1.9%	98.1%
Grade 12	0.7%	1.0%	1.6%	98.4%
Xanax or Alprazolam?				
All	1.4%	2.0%	3.0%	97.0%
Grade 6	0.2%	0.3%	0.5%	99.5%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.8%	1.1%	2.0%	98.0%
Grade 9	1.8%	2.3%	3.2%	96.8%
Grade 10	1.9%	2.4%	3.4%	96.6%
Grade 11	3.3%	4.9%	7.4%	92.6%
Grade 12	2.4%	3.5%	4.8%	95.2%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 42 of 42

